

QuickLabel Application Card Guide



GLOBALMARK²
INDUSTRIAL LABEL MAKER

Pipe Markers

Signs and Labels

Pictograms

Introduction

The QuickLabel Application Card allows you to print pre-made labels provided on a compact flash card with your Brady GlobalMark®2 Sign and Label Maker. Print pipe markers, signs, labels, and pictograms directly from your GlobalMark2 printer, without the need for a PC. The ready-to-print format is error-free and hassle-free, and the text is editable for customization.

Easily print the signs and labels you need:

1. Select the QuickLabel icon from the launch screen.
2. Enter the corresponding label ID number from this application guide OR select “Browse.”
3. Scroll through the list to select your category, select “Next,” then select your template while previewing your label.
4. Print to your GlobalMark2 printer.
5. To print a different label, select the green arrow to return to the “Select Label” screen.










- Your label automatically scales to the tape width installed in the printer.
- Black frames will not print unless you enable them.
- All saving and editing functionality in QuickLabel is the same as the GlobalMark2 printer.



Pipe Markers

To edit the text, select your label and double click on the text on your screen. Use the "Edit Screen" to make your changes. Select "OK."

General		Style Dimensions		Style 1 HV 4"	Style 1 2.25"	Style 4 1.125"
 CHILLED WATER RETURN	 CHILLED WATER RETURN	 CHILLED WATER SUPPLY	 CHILLED WATER SUPPLY	 COLD WATER		
 COLD WATER	 COMPRESSED AIR	 COMPRESSED AIR	 DOMESTIC COLD WATER	 DOMESTIC COLD WATER		
 DOMESTIC HOT WATER	 DOMESTIC HOT WATER	 FIRE PROTECTION WATER	 FIRE PROTECTION WATER	 HEATING WATER RETURN		
 HEATING WATER RETURN	 HEATING WATER SUPPLY	 HEATING WATER SUPPLY	 HOT WATER	 HOT WATER		

Note: To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width. See screen example on last page of Pipe Markers section.



Pipe Markers

To edit the text, select your label and double click on the text on your screen. Use the "Edit Screen" to make your changes. Select "OK."

General *continued*

Style Dimensions

Style 1 HV 4"

Style 1 2.25"

Style 4 1.125"




561 – Style 1 HV
562 – Style 1
563 – Style 4



564 – Style 1 HV
565 – Style 1
566 – Style 4



567 – Style 1 HV
568 – Style 1
569 – Style 4



570 – Style 1 HV
571 – Style 1
572 – Style 4



573 – Style 1 HV
574 – Style 1
575 – Style 4



576 – Style 1 HV
577 – Style 1
578 – Style 4



589 – Style 1 HV
590 – Style 1
591 – Style 4



592 – Style 1 HV
593 – Style 1
594 – Style 4

Arrows



595 – 4" x 12"
596 – 2.25" x 7"
597 – 1.125" x 7"
598 – 0.5" x 2.25"



599 – 4" x 12"
600 – 2.25" x 7"
601 – 1.125" x 7"
602 – 0.5" x 2.25"



603 – 4" x 12"
604 – 2.25" x 7"
605 – 1.125" x 7"
606 – 0.5" x 2.25"



607 – 4" x 12"
608 – 2.25" x 7"
609 – 1.125" x 7"
610 – 0.5" x 2.25"



611 – 4" x 12"
612 – 2.25" x 7"
613 – 1.125" x 7"
614 – 0.5" x 2.25"



615 – 4" x 12"
616 – 2.25" x 7"
617 – 1.125" x 7"
618 – 0.5" x 2.25"



619 – 4" x 12"
620 – 2.25" x 7"
621 – 1.125" x 7"
622 – 0.5" x 2.25"



623 – 4" x 12"
624 – 2.25" x 7"
625 – 1.125" x 7"
626 – 0.5" x 2.25"



637 – 1.125" x 7"



638 – 1.125" x 7"

Note: To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width. See screen example on last page of Pipe Markers section.

To edit the text, select your label and double click on the text on your screen. Use the “Edit Screen” to make your changes. Select “OK.”

Medical Gas Pipe Markers

Style Dimensions

1.125" x 7"

MEDICAL AIR

627

MEDICAL AIR

628

MEDICAL VACUUM

629

MEDICAL VACUUM

630

NITROGEN

631

NITROGEN OXIDE

632

OXYGEN

633

Semiconductor and Chemical Pipe Markers

Style Dimensions

0.5" x 2.25"

AIR

639

CARBON DIOXIDE

640

CARBON DIOXIDE

641

COMPRESSED AIR

642

DEIONIZED WATER

643

HOT WATER

644

NATURAL GAS

645

VACUUM


646

Note: To print black frame, select “Label Properties” (F3 on keyboard). Select the “Frame” tab, then select your line width. See screen example on last page of Pipe Markers section.



Label Properties Menu

F3 on keyboard



To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width.

Signs and Labels

To edit the text, select your label and double click on the text on your screen. Use the "Edit Screen" to make your changes. Select "OK." All multi-colored headers will appear as a solid black rectangle on GlobalMark2 MonoColor models.

Admittance, Exit, and Confined Space



301 – 4" x 6"



302 – 4" x 6"



303 – 4" x 6"



304 – 4" x 6"



305 – 4" x 6"



306 – 4" x 6"



307 – 4" x 6"



308 – 4" x 6"



309 – 4" x 6"



310 – 4" x 6"



311 – 4" x 6"



312 – 4" x 6"



313 – 4" x 6"



314 – 4" x 6"



315 – 4" x 6"



316 – 4" x 6"



317 – 4" x 6"



318 – 4" x 6"



319 – 4" x 7"



320 – 4" x 7"

Note: To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width. See screen example on last page of Pipe Markers section.



Signs and Labels

To edit the text, select your label and double click on the text on your screen. Use the "Edit Screen" to make your changes. Select "OK." All multi-colored headers will appear as a solid black rectangle on GlobalMark2 MonoColor models.

Admittance, Exit, and Confined Space *continued*



321 – 4" x 14"



322 – 4" x 14"



323 – 4" x 6"



324 – 4" x 6"



325 – 4" x 6"

Alert and First Aid



326 – 4" x 6"



327 – 4" x 6"



328 – 4" x 10"




329 – 4" x 10"



330 – 4" x 10"

Alert and First Aid *continued*



331 – 4" x 6"



332 – 4" x 6"

Chemical and Hazardous Materials



333 – 4" x 4"



334 – 4" x 6"



335 – 4" x 6"



336 – 4" x 6"

Note: To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width. See screen example on last page of Pipe Markers section.

To edit the text, select your label and double click on the text on your screen. Use the “Edit Screen” to make your changes. Select “OK.” All multi-colored headers will appear as a solid black rectangle on GlobalMark2 MonoColor models.

Electrical Hazard and Lockout



337 – 3" x 5"



338 – 3" x 5"



339 – 3" x 5"



340 – 3" x 5"



341 – 4" x 6"




342 – 6" x 4"



343 – 8" x 4"



344 – 6" x 4"



345 – 6" x 4"



346 – 3" x 5"



347 – 4" x 6"




348 – 4" x 6"



349 – 4" x 6"



350 – 8" x 4"



351 – 4" x 10"



352 – 3" x 5"



353 – 3" x 5"



354 – 2.25" x 5"



355 – 2.25" x 5"



356 – 2.25" x 5"



357 – 3" x 5"

Note: To print black frame, select “Label Properties” (F3 on keyboard). Select the “Frame” tab, then select your line width. See screen example on last page of Pipe Markers section.



To edit the text, select your label and double click on the text on your screen. Use the "Edit Screen" to make your changes. Select "OK." All multi-colored headers will appear as a solid black rectangle on GlobalMark2 MonoColor models.

Fire

**EMERGENCY
USE
ONLY**

358 – 4" x 6"

**FIRE
ALARM**

359 – 4" x 6"

**← FIRE
EXTINGUISHER →**

361 – 4" x 14"

**FIRE
EXTINGUISHER →**

362 – 4" x 14"



363 – 4" x 6"



364 – 14" x 4"

FIRE HOSE

365 – 4" x 10"

Funny Signs




366 – 4" x 6"



367 – 4" x 6"



368 – 4" x 6"



369 – 4" x 6"



370 – 4" x 6"



371 – 6" x 4"




372 – 4" x 6"

Note: To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width. See screen example on last page of Pipe Markers section.

To edit the text, select your label and double click on the text on your screen. Use the “Edit Screen” to make your changes. Select “OK.” All multi-colored headers will appear as a solid black rectangle on GlobalMark2 MonoColor models.

Machine and Operational



373 – 4" x 6"



374 – 4" x 6"



375 – 4" x 6"



376 – 4" x 6"



377 – 4" x 6"



378 – 4" x 6"



379 – 4" x 6"



380 – 4" x 6"



381 – 4" x 6"



382 – 4" x 6"



383 – 4" x 6"



384 – 4" x 6"

No Smoking



385 – 4" x 6"



386 – 4" x 6"



387 – 4" x 6"



388 – 6" x 4"



389 – 4" x 6"

Note: To print black frame, select “Label Properties” (F3 on keyboard). Select the “Frame” tab, then select your line width. See screen example on last page of Pipe Markers section.



To edit the text, select your label and double click on the text on your screen. Use the "Edit Screen" to make your changes. Select "OK." All multi-colored headers will appear as a solid black rectangle on GlobalMark2 MonoColor models.

Protective



390 – 4" x 6"



391 – 4" x 6"



392 – 4" x 6"



393 – 4" x 6"



394 – 4" x 6"



395 – 4" x 6"



396 – 4" x 6"



397 – 4" x 6"



398 – 4" x 6"

Inspection/Write On



402 – 0.5" x 2"



403 – 0.5" x 2"

Warning Stakes/Portrait



399 – 14" x 3"



400 – 14" x 3"



401 – 14" x 3"

Conduit and Voltage



408 – 2.25" x 9"
413 – 1.125" x 4"



409 – 2.25" x 9"
414 – 1.125" x 4"



410 – 2.25" x 9"
415 – 1.125" x 4"



411 – 2.25" x 9"
416 – 1.125" x 4"



412 – 2.25" x 9"
417 – 1.125" x 4"

Note: To print black frame, select "Label Properties" (F3 on keyboard). Select the "Frame" tab, then select your line width. See screen example on last page of Pipe Markers section.

Pictograms

Mandatory



001



002



003



004



005



006



007



008



009



010



011



012



013



014



015



016



017



018



019



020



021



022



023



024



025



026

Note: Not recommended for 0.50" width tapes.



Personal Protection Equipment



027



028



029



030



031



032



033



034



035



036



037



038



039



040



041



042



043



044



045

Note: Not recommended for 0.50" width tapes.

Packaging



046



047



048



049



050



051



052

Prohibition



053



054



055



056



057



058



059



060



061



062



063



064



065



066

Note: Not recommended for 0.50" width tapes.



Prohibition continued



067



068



069



070



071



072



073



074



075



076



077



078



079

Signal Words



080



081



082



083



084



085



086

Note: Not recommended for 0.50" width tapes.

Signal Words *continued*



087



088



089



090



091



092



093



094



095



096



097



098



099

Warning



100



101



102



103



104



105



106

Note: Not recommended for 0.50" width tapes.



Warning continued



107



108



109



110



111



112



113



114



115



116



117



118



119



120



121



122



123



124



125



126

Note: Not recommended for 0.50" width tapes.



QuickLabel Application Card Guide



BLS850 Laminating System

Use the Brady BLS850 Laminating System to:

- turn your GlobalMark2 label into a rigid plastic or aluminum sign.
- apply laminate to one side and adhesive to the other, creating laminated documents that can be easily mounted.

The small, portable desktop laminator works without electricity, heat, or messy chemicals, and the cut-off blade provides a precise trim to finish documents.



Brady Worldwide, Inc.
6555 W. Good Hope Road
Milwaukee, WI 53223
1-888-272-3946
www.bradyid.com

Brady Canada
355 Apple Creek Blvd.
Markham, ON L3R 9X7
1-800-263-6179
www.bradycanada.com

 **BRADY**[®]
WHEN PERFORMANCE MATTERS MOST[™]



MS524192