

2012-2013



pewag



Traction Catalog




Automotive - Light Truck - Heavy Truck - Heavy Equipment - Specialty Vehicles - Parts & Accessories

Welcome to the pewag group

We are an internationally
operating group of companies.
Our track record goes back to the year 1479.

Mission statement

Because of our joy and determination to innovate, we at pewag group strive to manufacture the world's best products wherever we compete - today and in the future. The high quality of our products and services, as well as the passionate performance of our employees are our biggest assets to reach excellence and total customer satisfaction.



Content



scan this QR code with
your smart phone
to download our latest
catalog in PDF

pewag chains are
the strongest chains for each
area of application

With our determination to innovate, we design snow chains that guarantee maximum safety and confidence in every situation.

pewag snow chains cannot only be used in wintery conditions. Our products are well suited for all different seasons or ground surfaces – mud, pebble, and sand. In impassable terrain operators and drivers rely on pewag quality.

For many years pewag
has been the leading supplier
of traction chains
around the world.
As a technology leader
we offer innovative, reliable
and proven solutions
for the most difficult
applications.

Welcome to the pewag group	2
Content	3
History of the pewag group	4
Environmental responsibility	5

Tire Sizing Chart

Passenger	6
Light Truck - SUV - 4x4	10
Heavy Truck	18
Brenta - CL - ASV	21
OTR & Tractor	22
Heavy Equipment	33

pewag Traction Chain

Servo-RS & Brenta-C 4x4	24
CL & ASV	25
Square Link Ladder	26
Tite-N-Lite & Skid Steer	27
OTR & Tractor	28
Studded Truck & Mud Service	29
Universal ED	30
Erzberg ED	32

Glacier Traction Chain

Cables - Ladder & V-Trac	36
Twist Link	38
Square Link	39
V-Bar & Studded	40
OTR, Tractor & DUO	41
Skidder Forestry	42
Small Equipment & ATV	43
Emergency	44
Mud Service	44

Glacier Lashing Chain

Transport Chain Grade 70	45
Grab Hooks & Slip Hooks	45
Load Binders	45

Parts & Accessories

pewag Genuine Parts	34
Bulk Chain & Cam Chain	46
Repair Links, Fasteners, & Cams	47
Hooks & Shackles	48
Tighteners, Adjusters, Pliers & Cutters	49

pewag Lashing Chain

Grade 120 Load Binder & Tie Down	50
Grade 100 Load Binder & Tie Down	51

Other Products

INSTA-Chain	52
COREX Ramp-Up	53
MERRITT Chain Hanger	53
Glacier Shoe Chains	54

Technical Data

SAE Clearance Information	55
pewag Chain Specifications	56
Glacier Chain Specifications	59
California DOT Chain-up Requirements	65

History of the pewag group

Advantage through tradition

The history of pewag group goes back to the 15th century and therefore makes us the oldest chain manufacturer worldwide. With our experience we are ready for the future.

Timetable of important events

- 1479** First documented references of a forging plant in Brückl
- 1787** Foundation of a chain forgery in Kapfenberg
- 1803** Foundation of a chain forgery in Graz
- 1836** Establishment of an iron casting plant in Brückl
- 1912** Production of the first snow chain worldwide
- 1923** Merger of plants in Graz and Kapfenberg –
Creation of the name “pewag”
- 1972** Foundation of a sales company in Germany
- 1975** Foundation of a sales company in the USA
- 1993** Foundation of pewag austria GmbH
- 1994** Foundation of the first subsidiary in Czech Republic
- 2005** Reorganization into 2 groups:
Schneeketten Beteiligungs AG Group – Snow Chains
pewag austria GmbH Group – Technical Chains
- 2009** Acquisition of Chaineries Limousines S.A.S.



Lithography forging plant Brückl 1855



Anchor chain forgery 1878



Chain forgers 1956

Our goal is customer satisfaction

To reach this goal, the quality management of the pewag group is determined by the principle: “We supply our customers with high-quality products which fully meet technological standards and its usage requirements,” this is summarized in the four following mandatory principles:

Commitment to quality

Market oriented quality

To maintain and improve its competitive position, the quality of products and services of the pewag group must meet both the specifications of our customers and the standards one can expect from the technological leader in the industry.

Square link quality

Researched and developed to outlast, and outperform standard carbon steel twist link chains at a minimum 4 to 1! Using the highest alloy content in our patented production of:



- 63 RHC tool like hardness
- Deeper case hardening at 6% for maximum wear
- Unique square link profile design
- Reversible for lasting longevity

Process oriented quality

The close interaction between sales, product development, production, and customer service is regulated within the individual companies by fixed processes and activities. As well as responsibilities with the aim to reach and continually maintain the defined quality standards.



pewag austria GmbH

A-8020 Graz
Bahnhofgürtel 59
+43 (0) 316 / 60 70-0



pewag, Inc.

600 West Crossroads Pkwy
Bolingbrook, IL 60440
(800) 526-3924

pewag, Inc.

3825 Cincinnati Avenue
Rocklin, CA 95765
(800) 445-2895

Environmental responsibility

Ecological awareness



We continuously strive to keep the influence of our business on the environment as low as possible. Our production and warehousing is organized so that all legal requirements on environmental protection are fulfilled. Furthermore, we consider ecological aspects for our product

development, processes and distribution channels and include these in our business planning.

Consequently, we are permanently striving for a continuous improvement and development of our established products to reach higher load capacities and safety for our customers with lighter weights and longer life spans.

Wherever we cannot avoid an environmental impact, we strive to reduce the use of energy, environmentally harmful emissions, and keep the production of waste to a minimum. When investing in new machines we consider the technically most adequate and economically feasible state-of-the-art designs for their designated area of use.

Our environmental management is certified according to ISO 14001:2004. Regular internal audits assist to supervise compliance, test the effectiveness of our set standards and serve as a basis to determine improvement potentials.

Out of this long-lasting tradition we take responsibility for our products, employees, our sites and the environment very seriously.

We commit to comply with all environment-related regulations and continually improve our performance for the environment by defined goals. For that purpose we use modern production technologies. We enhance the ecological awareness of our employees by regular trainings.

We engage with our customers, neighbors and government agencies in an open communication and inform them about our environmental management wherever appropriate.

By providing advice, we want to inform our customers about the environmental aspects related to the use of our products – especially their long life spans. We are striving to motivate our customers and suppliers to consider environmental protection in their sphere of influence and use the same environmental standards as we do.



ISO 14001:2004

ISO 9001:2008

pewag products


The pewag group has a substantial and diverse spectrum of products and services.



Traction chains



Tire protection chains



Industrial chains



Engineering

Warranty & Freight

The goods sold in this catalog are warranted free from defects in workmanship and materials for 90 days from the date of purchase. No other warranty, expressed or implied, is given and no affirmation of SELLER, by words or action, shall constitute a warranty. Buyer must notify SELLER in writing, within 10 days of discovery of the alleged defect and within the warranty period stated above.

Freight Policy

Over 1,200 lbs Or \$2,000: Freight prepaid to buyers place of business within the Continental U.S.A. (excluding Alaska & Hawaii). Prepaid shipments via carrier of pewag's choice. Allowed prepaid shipment cost limited to the carriers tariff rates for transportation. Extra charges such as duties, broker fees, lift gate, delivery notifications, fuel surcharges, taxes, et cetera will be prepaid and invoiced to the buyer. Qualifying shipments to Alaska & Hawaii will be prepaid to the port of departure in the Continental U.S.A. under the terms of this freight policy. **Less than 1,200 lbs Or \$2000:** Freight prepaid and added to invoice. **Past due, or delinquent accounts will be charged back all allowed freight charges.**

Return Merchandise Agreement

No merchandise will be accepted without prior written authorization. All returns subject to a 25% restocking charge, which will be deducted from the amount of credit memo. Return shipments must be prepaid. Unauthorized returns will not be accepted.

passenger limited clearance class-s

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
12" Wheels				
145/80-12	1014	---	PLC 1110	---
145-12	---	---	PLC 1110	---
155/80-12	1014	1914V	PLC 1114	---
155-12	1014	---	PLC 1114	---
165/70-12	1014	---	PLC 1114	---
175/70-12	1014	---	PLC 1114	RS60
13" Wheels				
135/80-13	---	---	PLC 1110	---
135-13	---	---	PLC 1110	---
145/70-13	1014	---	PLC 1110	---
145/80-13	1014	1914V	PLC 1114	---
145-13	1014	1914V	PLC 1114	---
155/65-13	---	---	PLC 1110	---
155/70-13	1014	1914V	PLC 1114	---
155/80-13	1014	1914V	PLC 1114	RS60
155-13	1014	---	PLC 1114	RS60
165/60-13	1014	1914V	PLC 1114	---
165/65-13	1014	1914V	PLC 1114	---
165/70-13	1014	1914V	PLC 1114	RS60
165/75-13	1014	1918V	PLC 1114	---
165/80-13	1018	1918V	PLC 1118	RS62
165-13	1018	1918V	PLC 1118	RS62
175/50-13	1014	---	PLC 1114	---
175/60-13	1014	1914V	PLC 1114	---
175/65-13	1014	1914V	PLC 1114	RS60
175/70-13	1018	1918V	PLC 1118	RS62
175/75-13	1018	1918V	PLC 1118	---
175/80-13	1022	1922V	PLC 1122	RS64
175-13	1026	1922V	PLC 1126	RS64
185/55-13	1014	1914V	PLC 1114	RS60
185/60-13	1018	1918V	PLC 1118	RS60
185/65-13	1018	1918V	PLC 1118	RS62
185/70-13	1026	1922V	PLC 1126	RS64
185/75-13	1026	1922V	PLC 1126	RS64
185/80-13	1022	1922V	PLC 1122	RS67
185/85-13	1030	1926V	PLC 1130	---
185-13	1026	1922V	PLC 1126	---
195/50-13	1018	---	PLC 1118	RS60
195/55-13	1018	---	PLC 1118	RS60
195/60-13	1026	1922V	PLC 1126	RS62
195/65-13	1026	1922V	PLC 1126	RS64
195/70-13	1026	1922V	PLC 1126	RS67
195/75-13	1030	---	PLC 1130	RS68
195-13	1030	1926V	PLC 1130	---
205/60-13	1026	1922V	PLC 1126	RS64
205/65-13	1026	1926V	PLC 1130	RS67
205/70-13	1030	1926V	PLC 1130	RS69
215/50-13	1026	---	PLC 1126	---
215/60-13	1026	1926V	PLC 1126	---
215/65-13	1030	1926V	PLC 1130	---
225/60-13	1030	1926V	PLC 1130	RS67
235/50-13	1034	1930V	PLC 1134	---
235/60-13	1034	1930V	PLC 1134	---
245/50-13	1034	---	PLC 1134	---
14" Wheels				
6-14	1022	---	PLC 1122	---

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
14" Wheels				
7-14	1030	---	PLC 1130	RS69
7.5-14	1038	---	PLC 1138	---
8.5-14	1034	---	PLC 1134	---
145/70-14	1014	---	PLC 1114	---
145/80-14	1014	---	PLC 1114	RS60
155/50-14	1014	1914V	PLC 1114	---
155/65-14	1014	1914V	PLC 1114	---
155/70-14	1018	1918V	PLC 1118	RS60
155/80-14	1018	---	PLC 1118	RS62
155-14	1018	1918V	PLC 1118	---
165/60-14	1014	1914V	PLC 1114	RS60
165/65-14	1018	1918V	PLC 1118	RS60
165/70-14	1018	1918V	PLC 1118	RS62
165/75-14	1018	1922V	PLC 1118	RS64
165/80-14	1018	1922V	PLC 1118	RS64
165-14	1022	1922V	PLC 1122	RS64
175-14	1022	1926V	PLC 1122	RS67
175/60-14	1018	1918V	PLC 1118	RS60
175/65-14	1018	1918V	PLC 1118	RS62
175/70-14	1026	1922V	PLC 1126	RS64
175/75-14	1022	1922V	PLC 1122	RS64
175/80-14	1022	1926V	PLC 1122	RS68
185-14	1030	1926V	PLC 1130	RS69
185/50-14	1018	1914V	PLC 1118	RS60
185/55-14	1018	1918V	PLC 1118	RS62
185/60-14	1018	1922V	PLC 1118	RS62
185/65-14	1026	1922V	PLC 1126	RS64
185/70-14	1026	1926V	PLC 1126	RS67
185/75-14	1026	1926V	PLC 1126	RS68
185/80-14	1030	1926V	PLC 1130	RS69
195-14	1034	1930V	PLC 1134	---
195/55-14	1022	1922V	PLC 1122	RS62
195/60-14	1026	1922V	PLC 1126	RS64
195/65-14	1026	1926V	PLC 1126	RS67
195/70-14	1030	1926V	PLC 1130	RS68
195/75-14	1030	1930V	PLC 1130	---
195/80-14	1034	1934V	PLC 1134	RS74
205/50-14	1026	---	PLC 1126	RS62
205/55-14	1026	1922V	PLC 1126	RS64
205/60-14	1026	1926V	PLC 1126	RS67
205/65-14	1030	1926V	PLC 1130	RS68
205/70-14	1030	1930V	PLC 1130	RS73
205/75-14	1034	1934V	PLC 1134	---
205/80-14	1038	---	PLC 1138	RS75
205-14	1034	1934V	PLC 1134	---
215/50-14	1026	1926V	PLC 1126	---
215/55-14	1026	1926V	PLC 1126	---
215/60-14	1030	1930V	PLC 1130	RS69
215/65-14	1034	1930V	PLC 1134	RS73
215/70-14	1034	1934V	PLC 1134	RS74
215/75-14	1034	1938V	PLC 1138	RS75
215/80-14	1038	---	PLC 1142	RS76
215-14	1038	1938V	PLC 1138	---
225/50-14	1026	1926V	PLC 1126	---
225/55-14	1030	1930V	PLC 1130	RS69
225/60-14	1030	1930V	PLC 1130	RS73

passenger limited clearance class-s

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
14" Wheels				
225/65-14	1034	1934V	PLC 1134	---
225/70-14	1038	1938V	PLC 1138	RS75
225/75-14	1038	1938V	PLC 1138	RS76
225/80-14	1042	1942V	PLC 1142	RS77
225-14	1038	1942V	PLC 1138	---
235/60-14	1034	1934V	PLC 1134	RS74
235/70-14	1038	1942V	PLC 1138	RS77
235/75-14	1042	1946V	PLC 1142	---
245/50-14	1034	1926V	PLC 1134	---
245/60-14	1038	1938V	PLC 1138	RS75
245/70-14	1042	1946V	PLC 1142	---
255/50-14	1034	---	PLC 1134	---
255/55-14	1038	1938V	PLC 1138	---
255/60-14	1038	1942V	PLC 1138	RS76
265/50-14	1042	1938V	PLC 1142	---
265/60-14	1042	1946V	PLC 1142	RS77
275/60-14	1042	---	PLC 1142	---
15" Wheels				
7.00-15	1034	---	PLC 1134	RS77
27x8.5-15	1038	---	PLC 1138	---
135-15	1018	---	PLC 1118	---
135/80-15	1018	---	PLC 1118	RS60
145/70-15	1018	---	PLC 1118	---
145/80-15	1018	---	PLC 1118	RS62
145-15	1018	---	PLC 1118	RS62
155/60-15	1014	---	PLC 1118	RS60
155/65-15	1018	---	PLC 1118	RS60
155/70-15	1018	---	PLC 1118	RS62
155/80-15	1022	1922V	PLC 1122	RS64
155-15	1022	---	PLC 1122	---
165/60-15	1018	---	PLC 1118	RS60
165/65-15	1022	1922V	PLC 1122	RS62
165/70-15	1022	1922V	PLC 1122	RS64
165/80-15	1022	1926V	PLC 1122	RS67
165-15	1022	---	PLC 1122	---
175/55-15	1018	---	PLC 1118	RS62
175/60-15	1022	---	PLC 1122	RS62
175/65-15	1022	---	PLC 1122	RS64
175/70-15	1022	1926V	PLC 1122	RS67
175/75-15	1022	---	PLC 1122	---
175/80-15	1022	---	PLC 1122	RS69
175-15	1030	1930V	PLC 1130	---
180/65-15	1022	---	PLC 1122	---
185/50-15	1018	---	PLC 1118	RS60
185/55-15	1022	1922V	PLC 1122	RS64
185/60-15	1026	1922V	PLC 1126	RS64
185/65-15	1026	1926V	PLC 1126	RS67
185/70-15	1030	1926V	PLC 1130	RS68
185/75-15	1030	1930V	PLC 1130	---
185/80-15	1034	---	PLC 1134	RS73
185-15	1034	1930V	PLC 1134	---
190/65-15	1030	---	PLC 1130	RS69
195/45-15	1026	---	PLC 1126	RS60
195/50-15	1026	1922V	PLC 1126	RS64
195/55-15	1022	1922V	PLC 1122	RS64
195/60-15	1030	1926V	PLC 1130	RS67

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
15" Wheels				
195/65-15	1030	1930V	PLC 1130	RS69
195/70-15	1034	1930V	PLC 1134	RS73
195/75-15	1034	1934V	PLC 1134	RS74
195/80-15	1034	1934V	PLC 1134	RS75
195-15	1034	1934V	PLC 1134	---
205/50-15	1026	1922V	PLC 1126	RS64
205/55-15	1026	1926V	PLC 1130	RS68
205/60-15	1030	1930V	PLC 1134	RS69
205/65-15	1034	1930V	PLC 1134	RS73
205/70-15	1034	1934V	PLC 1134	RS74
205/75-15	1034	1938V	PLC 1138	RS75
205/80-15	1038	1938V	PLC 1138	RS76
205-15	1038	1938V	PLC 1138	---
215/50-15	1026	1926V	PLC 1126	RS68
215/55-15	1030	---	PLC 1130	---
215/60-15	1034	1934V	PLC 1134	RS73
215/65-15	1038	1938V	PLC 1138	RS74
215/70-15	1038	1938V	PLC 1138	RS75
215/75-15	1038	1942V	PLC 1138	RS76
215/80-15	1042	1946V	PLC 1142	RS77
215/85-15	1042	1946V	PLC 1144	---
220/45-15	1026	---	PLC 1126	---
225/45-15	1030	1930V	PLC 1130	RS67
225/50-15	1030	1930V	PLC 1130	RS69
225/55-15	1034	1934V	PLC 1134	RS73
225/60-15	1034	1934V	PLC 1134	RS75
225/65-15	1038	1938V	PLC 1138	RS75
225/70-15	1038	1942V	PLC 1138	---
225/75-15	1042	1942V	PLC 1142	---
225/80-15	1042	1946V	PLC 1142	RS79
225-15	1042	1946V	PLC 1142	---
235/55-15	1034	---	PLC 1134	RS74
235/60-15	1038	1938V	PLC 1138	RS75
235/65-15	1042	1942V	PLC 1142	---
235/70-15	1042	1946V	PLC 1142	RS79
235/75-15	1042	1946V	PLC 1142	RS79
235-15	1042	---	PLC 1142	---
240/45-15	1038	---	PLC 1138	---
245/50-15	1038	1934V	PLC 1138	---
245/60-15	1042	1942V	PLC 1142	RS76
245/65-15	1042	1946V	PLC 1142	---
245/70-15	1042	1946V	PLC 1144	---
255/45-15	1038	---	PLC 1138	---
255/55-15	1042	---	PLC 1142	RS73
255/60-15	1042	1946V	PLC 1142	RS77
255/65-15	1042	---	PLC 1142	---
255/70-15	1046	---	PLC 1144	RS80
265/50-15	1042	1942V	PLC 1142	RS76
265/60-15	1042	1946V	PLC 1142	---
265/75-15	1046	---	PLC 1146	---
275/50-15	1042	---	PLC 1142	RS77
275/60-15	1046	---	PLC 1144	---
285/40-15	1038	---	PLC 1138	---
295/50-15	1046	---	PLC 1144	---
FR/78-15	1038	---	PLC 1138	---
GR/78-15	1038	---	PLC 1138	---

THIS A GUIDE ONLY ACTUAL FITMENT MAY VARY ALWAYS PRE-FIT CHAINS BEFORE USE

passenger limited clearance class-s

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
16" Wheels				
6.00-16	1038	---	PLC 1142	RS75
6.50-16	1042	---	PLC 1144	RS76
155/80-16	1022	---	PLC 1122	---
175/60-16	1026	---	PLC 1126	RS64
175/75-16	1022	---	PLC 1122	RS73
185/50-16	1026	---	PLC 1126	RS64
185/55-16	1026	1926V	PLC 1126	RS67
185/60-16	1030	---	PLC 1130	RS67
185/70-16	1030	---	PLC 1130	---
185/75-16	1034	---	PLC 1138	RS74
185/80-16	1038	---	PLC 1138	RS75
195/45-16	1026	---	PLC 1126	RS64
195/50-16	1026	1922V	PLC 1126	RS67
195/55-16	1030	---	PLC 1130	RS68
195/60-16	1030	1930V	PLC 1130	RS69
195/65-16	1030	1934V	PLC 1130	RS73
195/80-16	1042	---	PLC 1142	RS76
195/85-16	1042	---	PLC 1142	RS77
205/40-16	1026	---	PLC 1130	RS64
205/45-16	1026	---	PLC 1130	RS64
205/50-16	1034	1926V	PLC 1134	RS68
205/55-16	1034	1930V	PLC 1134	RS73
205/60-16	1034	1934V	PLC 1138	RS74
205/65-16	1038	1938V	PLC 1138	RS74
205/70-16	1038	1938V	PLC 1138	RS75
205/75-16	1038	1938V	PLC 1142	RS76
205/80-16	1042	1942V	PLC 1142	RS77
215/40-16	1030	---	PLC 1130	RS64
215/45-16	1034	---	PLC 1134	RS67
215/50-16	1034	1934V	PLC 1134	RS73
215/55-16	1034	1934V	PLC 1134	RS74
215/60-16	1034	1934V	PLC 1134	RS75
215/65-16	1038	1938V	PLC 1138	RS76
215/70-16	1038	1942V	PLC 1138	RS77
215/75-16	1042	---	PLC 1142	RS77
215/80-16	1046	1946V	PLC 1144	RS79
215/85-16	1046	1946V	PLC 1146	RS80
220/60-16	1038	1938V	PLC 1138	RS75
225/40-16	1030	---	PLC 1134	---
225/45-16	1034	1938V	PLC 1134	RS69
225/50-16	1034	1934V	PLC 1134	RS74
225/55-16	1038	1938V	PLC 1138	RS75
225/60-16	1038	1942V	PLC 1138	RS76
225/65-16	1038	1942V	PLC 1138	RS76
225/70-16	1038	1946V	PLC 1142	RS79
225/75-16	1042	1946V	PLC 1142	RS79
235/50-16	1034	---	PLC 1134	RS75
235/55-16	1038	1942V	PLC 1138	---
235/60-16	1042	1942V	PLC 1142	RS77
235/65-16	1042	---	PLC 1142	---
235/70-16	1042	---	PLC 1144	---
235/75-16	1046	---	PLC 1144	---
245/45-16	1038	1938V	PLC 1138	RS74
245/50-16	1038	1942V	PLC 1142	RS76
245/55-16	1038	1942V	PLC 1142	RS77
245/60-16	1042	1946V	PLC 1142	---

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
16" Wheels				
245/70-16	1046	---	PLC 1144	---
245/75-16	1046	---	PLC 1144	---
255/50-16	1042	1942V	PLC 1142	RS77
255/55-16	1042	1942V	PLC 1142	---
255/60-16	1042	---	PLC 1144	---
255/65-16	1046	1942V	PLC 1144	---
255/70-16	1046	---	PLC 1146	---
265/50-16	1042	1942V	PLC 1142	---
275/70-16	1042	---	PLC 1144	---
17" Wheels				
205/40-17	1026	---	PLC 1130	RS67
205/45-17	1034	---	PLC 1134	RS68
205/50-17	1038	---	PLC 1138	RS73
205/55-17	1034	1934V	PLC 1134	RS74
215/40-17	1030	---	PLC 1134	RS68
215/45-17	1034	---	PLC 1134	RS69
215/50-17	1038	1934V	PLC 1138	RS74
215/55-17	1038	---	PLC 1138	RS75
215/60-17	1038	---	PLC 1138	RS76
215/65-17	1042	1942V	PLC 1142	RS78
225/35-17	1026	---	PLC 1126	---
225/40-17	1030	---	PLC 1130	RS69
225/45-17	1034	---	PLC 1134	RS74
225/50-17	1034	1938V	PLC 1134	RS75
225/55-17	1038	---	PLC 1142	RS76
225/60-17	1038	---	PLC 1138	RS77
225/65-17	1042	---	PLC 1142	RS79
235/40-17	1034	---	PLC 1134	RS74
235/45-17	1038	---	PLC 1138	RS74
235/50-17	1038	---	PLC 1138	RS76
235/55-17	1042	1942V	PLC 1142	RS77
235/60-17	1042	---	PLC 1142	---
235/65-17	1046	1946V	PLC 1146	RS80
235/70-17	1046	---	PLC 1146	RS80
245/35-17	1034	---	PLC 1134	---
245/40-17	1038	---	PLC 1138	RS74
245/45-17	1038	---	PLC 1142	RS75
245/50-17	1038	---	PLC 1138	RS77
245/55-17	1042	---	PLC 1142	RS79
245/65-17	1046	---	PLC 1144	RS80
255/40-17	1038	---	PLC 1138	RS75
255/45-17	1042	---	PLC 1142	RS76
255/50-17	1042	---	PLC 1142	RS79
255/55-17	1042	---	PLC 1142	---
265/40-17	1042	---	PLC 1144	RS76
265/60-17	1042	---	PLC 1142	---
275/40-17	1042	1948V	PLC 1142	---
275/55-17	1046	---	PLC 1146	---
285/35-17	1042	---	PLC 1142	---
285/40-17	1042	---	PLC 1142	---
315/35-17	1042	---	PLC 1144	---
17.5" Wheels				
205/60-17.5	1030	---	PLC 1130	---
205/65-17.5	1034	---	PLC 1134	RS76
205/70-17.5	1042	1942V	PLC 1142	RS77
205/75-17.5	1042	---	PLC 1144	RS79

passenger limited clearance class-s

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
17.5" Wheels				
215/55-17.5	1034	---	PLC 1134	RS76
215/75-17.5	1046	1946V	PLC 1146	RS80
225/55-17.5	1038	---	PLC 1142	RS76
18" Wheels				
215/35-18	1034	---	PLC1134	---
215/40-18	1038	---	PLC 1138	---
215/45-18	1038	---	PLC 1138	RS74
215/55-18	1038	---	PLC 1142	---
225/35-18	1034	---	PLC 1134	---
225/40-18	1038	1938V	PLC 1138	RS74
225/45-18	1038	---	PLC 1138	RS75
225/50-18	1042	---	PLC 1142	---
225/55-18	1042	---	PLC 1142	RS77
225/60-18	1046	---	PLC 1146	---
225/65-18	1046	---	PLC 1146	---
235/40-18	1042	---	PLC 1142	RS74
235/45-18	1042	---	PLC 1142	---
235/50-18	1042	---	PLC 1142	RS77
235/55-18	1046	1946V	PLC 1146	RS79
235/60-18	1046	1946V	PLC 1146	RS80
235/65-18	1046	---	PLC 1146	---
245/35-18	1034	---	PLC 1134	---
245/40-18	1038	1938V	PLC 1138	RS75
245/45-18	1042	1942V	PLC 1142	RS77
245/50-18	1042	---	PLC 1144	RS79
245/60-18	1046	1946V	PLC 1146	RS80
255/35-18	1042	---	PLC 1142	---
255/40-18	1038	---	PLC 1142	RS76
255/45-18	1042	1942V	PLC 1144	RS78
255/55-18	1046	---	PLC 1146	---
265/35-18	1042	1942V	PLC 1142	RS76
265/40-18	1042	1942V	PLC 1142	---
275/35-18	1042	1946V	PLC 1142	---
275/40-18	1046	1946V	PLC 1146	---
275/45-18	1046	---	PLC 1146	---
285/30-18	1046	---	PLC 1146	---
285/35-18	1046	1946V	PLC 1146	---
285/40-18	1046	---	PLC 1146	---
295/30-18	1046	---	PLC 1146	---
295/35-18	1046	---	PLC 1146	---
19" Wheels				
215/35-19	1034	1934V	PLC 1134	---
225/35-19	1034	---	PLC 1134	---
225/50-19	1042	---	PLC1142	---
225/40-19	1034	---	PLC 1134	RS75
225/45-19	1038	---	PLC 1138	---
235/35-19	1038	---	PLC 1138	---
235/55-19	1046	---	PLC 1146	---
245/30-19	1034	1934V	PLC 1134	---
245/35-19	1042	---	PLC 1142	---
245/40-19	1042	---	PLC 1142	---
255/35-19	1042	---	PLC 1142	---
255/40-19	1042	---	PLC 1144	---
265/30-19	1042	---	PLC 1144	---
275/35-19	1046	1946V	PLC 1146	---
275/40-19	1046	---	PLC 1146	---

Tire Sizes	Glacier			pewag
	Ladder Cables	V-Trac Cables	Square Link "PLC"	Servo "RS"
19" Wheels				
285/35-19	1046	---	PLC 1146	---
20" Wheels				
225/35-20	1038	1938	PLC 1138	---
235/50-20	1046	---	PLC 1146	---
245/35-20	1038	---	PLC 1142	---
245/40-20	1042	---	PLC 1144	---
255/35-20	1042	---	PLC 1144	---
265/35-20	1042	---	PLC 1142	---
275/30-20	1042	---	PLC 1142	---
275/35-20	1042	---	PLC 1142	---
285/30-20	1042	---	PLC 1144	---
295/30-20	1046	---	PLC 1146	---
295/40-20	1046	---	PLC 1146	---
Metric Wheels				
165/70-360	1018	---	PLC 1118	---
165/70-365	1018	1922V	PLC 1118	---
185/65-365	1026	1926V	PLC 1126	---
185/70-365	1030	1930V	PLC 1130	---
200/60-365	1022	---	PLC 1122	---
180/65-390	1026	---	PLC 1126	---
185/65-390	1026	1926V	PLC 1126	---
190/65-390	1030	1930V	PLC 1130	---
200/60-390	1030	---	PLC 1130	---
205/60-390	1030	---	PLC 1130	---
220/55-390	1034	---	PLC 1134	---
220/60-390	1030	1930V	PLC 1130	---
220/65-390	1038	---	PLC 1138	---



Glacier Passenger Cable Shown

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
13" Wheels															
7.00-13	E2201	---	H2201	---	---	---	---	---	---	---	---	---	---	---	---
14" Wheels															
6.00-14	E2201	---	H2201	---	---	---	---	---	---	---	---	---	---	---	---
7.00-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
27x8.5-14	E2211	---	H2211	---	---	---	---	---	---	---	---	---	---	2433	---
27x9.5-14	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
28x8.5-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
29x9.5-14	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
185/75-14	E2201	---	H2201	---	---	---	---	---	---	---	---	---	---	---	---
185-14	E2201	---	H2201	---	---	---	---	---	---	---	---	---	---	---	---
195/75-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
205/70-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
205/75-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
215/70-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
215/75-14	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
225/60-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
225/70-14	E2216	---	H2216	H2316	H2816	---	---	2009C	---	---	---	---	---	---	---
225-14	E2219	---	H2219	H2319	H2819	---	---	2019C	---	---	---	---	---	---	---
235/70-14	E2229	---	H2229	H2329	H2829	---	---	2019C	---	---	---	---	---	---	---
245/70-14	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
255/60-14	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
265/60-14	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
275/60-14	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
ER78-14	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
14.5" Wheels															
7-14.5	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
8-14.5	E2216	E4216	H2216	H2316	H2816	H4216	---	2016C	---	---	---	---	---	---	---
9-14.5	E2216	E4216	H2216	H2316	H2816	H4216	---	2016C	---	---	---	---	---	---	---
27x8.5-14.5	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
15" Wheels															
6.7-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
7-15	E2219	---	H2219	H2319	H2819	---	---	2019C	2117V	E3237	---	H3237	---	2437	---
7.1-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
7.5-15	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2119V	---	E3251	---	H3251	2435	---
8.25-15	E2237	E4237	H2237	H2337	H2837	H4237	---	2037C	2121V	---	---	---	---	2441	---
9-15	E2237	E4237	H2237	H2337	H2837	H4237	---	2037C	2129V	---	---	---	---	---	---
10-15	E2239	E4239	H2239	H2339	---	H4239	H4339	2039C	2129V	---	---	---	---	2441	4435
11-15	E2228	---	H2228	H2328	H2828	---	---	---	---	E3227	---	H3227	---	2441	---
12-15	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
14-15	---	---	---	---	---	---	---	---	---	E3255	---	H3255	---	---	---
27x9.5-15	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	2433	---
27x10.5x15	E3210	---	H3210	---	H3810	---	---	3010C	---	---	---	---	---	---	---
28x8.5-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
29x9.5-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
29x10.5-15	E3210	---	H3210	---	H3810	---	---	3010C	---	---	---	---	---	---	---
29x11.5-15	E3210	---	H3210	---	H3810	---	---	---	---	E3227	---	H3227	---	---	---
29x12.5-15	---	---	---	---	---	---	---	---	---	E3227	---	H3227	---	---	---
30x7.5-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	2435	---
30x9.5-15	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	2437	---
30x10.5-15	E3210	---	H3210	---	H3810	---	---	3010C	---	---	---	---	---	2437	---
31x9.5-15	---	---	---	---	---	---	---	3027C	2119V	E3227	---	H3227	---	---	---
31x10.5-15	E3210	---	H3210	---	H3810	---	---	3010C	2121V	E3227	---	H3227	---	2437	---
31x11.5-15	E2228	E4228	H2228	H2328	---	H4228	---	2029C	2121V	E3227	---	H3227	---	---	---
31x12.5-15	E3210	---	H3210	---	H3810	---	---	3010C	---	E3227	---	H3227	---	2437	---
31x13.5-15	---	---	---	---	---	---	---	3029C	---	E3229	---	H3229	---	---	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
15" Wheels															
31x15.5-15	---	---	---	---	---	---	---	---	---	E3237	---	H3237	---	---	---
32x9.5-15	---	---	---	---	---	---	---	3027C	---	E3227	---	H3227	---	---	---
32x11.5-15	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2114V	E3227	---	H3227	---	2439	---
32x12.5-15	---	---	---	---	---	---	---	3029C	2114V	E3229	---	H3229	---	---	---
33x9.5-15	---	---	---	---	---	---	---	3027C	---	E3227	---	H3227	---	---	---
33x10.5-15	E2228	---	H2228	H2328	H2828	---	---	2028C	---	E3229	---	H3229	---	---	---
33x12.5-15	---	---	---	---	---	---	---	2033C	2114V	E3229	---	H3229	---	---	---
33x13.5-15	---	---	---	---	---	---	---	2033C	---	E3229	---	H3229	---	---	---
33x14-15	---	---	---	---	---	---	---	2033C	---	E3229	---	H3229	---	---	---
33x14.5-15	E2226	---	H2226	H2326	H2826	---	---	---	---	E3231	---	H3231	---	---	---
34x9.5-15	---	---	---	---	---	---	---	3027C	---	E3227	---	H3227	---	---	---
35x10.5-15	E2226	---	H2226	H2326	H2826	---	---	2037C	---	E3231	---	H3231	---	---	---
35x12.5-15	E2226	---	H2226	H2326	H2826	---	---	2037C	---	E3235	---	H3235	---	2441	---
35x13.5-15	E2226	---	H2226	H2326	H2826	---	---	2037C	---	E3235	---	H3235	---	2441	---
35x14-15	E2226	---	H2226	H2326	H2826	---	---	2037C	---	E3235	---	H3235	---	---	---
35x14.5-15	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
35x15-15	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
35x15.5-15	---	---	---	---	---	---	---	---	---	E3237	---	H3237	---	---	---
36x12.5-15	E2226	---	H2226	H2326	H2826	---	---	---	---	E3235	---	H3235	---	---	---
36x13.5-15	E2226	---	H2226	H2326	H2826	---	---	---	---	E3235	---	H3235	---	---	---
36x14-15	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
36x14.5-15	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
36x15.5-15	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
36.5x14-15	---	---	---	---	---	---	---	---	---	E3255	---	H3255	---	---	---
37x12.5-15	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
37x14.5-15	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
38x12.5-15	---	---	---	---	---	---	---	---	---	E3259	---	H3259	---	---	---
38x14.5-15	---	---	---	---	---	---	---	---	---	E3259	---	H3259	---	---	---
38x15-15	---	---	---	---	---	---	---	---	---	E3259	---	H3259	---	---	---
44x18.5-15	---	---	---	---	---	---	---	---	---	E3269	---	H3269	---	---	---
195/65-15	E2201	---	H2201	---	---	---	---	---	---	---	---	---	---	---	---
195/75-15	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	2433	---
195/80-15	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	2433	---
195-15	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	2433	---
205/75-15	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	2433	---
215/70-15	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	2433	---
215/75-15	E2216	---	H2216	H2316	H2816	---	---	2016C	2115V	---	---	---	---	2433	---
215/80-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
215-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
225/70-15	E2216	---	H2216	H2316	H2816	---	---	2016C	2115V	---	---	---	---	2433	---
225/75-15	E2216	---	H2216	H2316	H2816	---	---	2016C	2115V	---	---	---	---	2435	---
225/80-15	E2216	---	H2216	H2316	H2816	---	---	2016C	2115V	---	---	---	---	---	---
225-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
235/70-15	E2216	---	H2216	H2316	H2816	---	---	2016C	2117V	---	---	---	---	2435	---
235/75-15	E2219	E4219	H2219	H2319	H2819	H4219	---	2016C	2117V	---	---	---	---	2435	---
235-15	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	2437	---
245/60-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
245/70-15	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2115V	---	---	---	---	2435	---
245/75-15	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2121V	---	---	---	---	2437	---
245/85-15	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	2441	---
255/60-15	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	---	---
255/65-15	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2129V	---	---	---	---	---	---
255/70-15	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	2437	---
255/75-15	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	---	---	---	---	2439	---
255/80-15	E3210	---	H3210	---	H3810	---	---	3010C	---	---	---	---	---	---	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
15" Wheels															
255/85-15	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2114V	E3227	---	H3227	---	2439	---
255-15	E2228	E4228	H2228	H2328	H2828	H4228	---	3010C	---	E3227	---	H3227	---	2439	---
265/60-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
265/65-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
265/70-15	E2221	---	H2221	H2321	H2821	---	---	2021C	2119V	---	---	---	---	2439	4439
265/75-15	E2221	---	H2221	H2321	H2821	---	---	2021C	2121V	E3227	---	H3227	---	2439	---
275/60-15	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	2437	---
275/65-15	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	2439	---
275/70-15	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	2439	---
275/75-15	E2228	---	H2228	H2328	H2829	---	---	2028C	---	---	---	---	---	---	---
285/70-15	E2228	---	H2228	H2328	H2829	---	---	2028C	2114V	---	---	---	---	---	---
285/75-15	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
295/50-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
305/50-15	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
305/75-15	E2226	---	H2226	---	---	---	---	---	---	E3231	---	H3231	---	---	---
315/70-15	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
325/60-15	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
355/65-15	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
38.5x16x15	---	---	---	---	---	---	---	---	---	E3267	---	H3267	---	---	---
40x17x15	---	---	---	---	---	---	---	---	---	E3269	---	H3269	---	---	---
42x15x15	---	---	---	---	---	---	---	---	---	E3269	---	H3269	---	---	---
CR78-15	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
GR78-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
HR78-15	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
LR78-15	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	2435	---
NR78-15	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	---	---	---	---	---	2437	---
QR78-15	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
15.5" Wheels															
185/70-15.5	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	---	---
16" Wheels															
6-16	E2206	---	H2206	---	---	---	---	---	---	---	---	---	---	---	---
6.5-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
7-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2119V	---	---	---	---	2435	---
7.5-16	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	2119V	---	E3251	---	H3251	2437	4437
8.25-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
8.75-16	E2237	E4237	H2237	H2337	---	H4237	---	2037C	---	---	---	---	---	---	---
9-16	E2237	E4237	H2237	H2337	---	H4237	---	2037C	---	---	---	---	---	---	---
11-16	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
12-16	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
29x9.5-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---
30x9.5-16	E2229	---	H2229	H2329	H2829	---	---	2029C	2119V	---	---	---	---	2437	---
31x10.5-16	E3210	---	H3210	H3310	H3810	---	---	3010C	---	---	---	---	---	2437	---
31x16-16	---	---	---	---	---	---	---	---	---	E3259	---	H3259	---	---	---
31x11.5-16	---	---	---	---	---	---	---	3027C	---	E3227	---	H3227	---	---	---
32x11.5-16	---	---	---	---	---	---	---	---	---	E3227	---	H3227	---	---	---
33x12.5-16	---	---	---	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
33x13.5-16	---	---	---	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
34x9-16	---	---	---	---	---	---	---	---	---	E3227	---	H3227	---	---	---
35x12.5-16	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	---	---
35x13.5-16	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
36x13.5-16	---	---	---	---	---	---	---	2039C	---	E3235	---	H3235	---	---	---
36.5x14-16	---	---	---	---	---	---	---	2039C	---	E3235	---	H3235	---	---	---
38x15-16	---	---	---	---	---	---	---	---	---	E3265	---	H3265	---	---	---
185-16	E2219	---	H2219	H2319	H2819	---	---	2019C	---	---	---	---	---	---	---
195/75-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	---	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
16" Wheels															
195/85-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
195-16	E2219	---	H2219	H2319	H2819	---	---	2019C	---	---	---	---	---	---	---
205/75-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
205/80-16	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	2433	---
205-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
215/65-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
215/70-16	E2216	---	H2216	H2316	H2816	---	---	2016C	2115V	---	---	---	---	2435	---
215/75-16	E2216	E4216	H2216	H2316	H2816	H4216	---	2016C	2115V	---	---	---	---	---	---
215/80-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	---	---
215/85-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2119V	---	---	---	---	2435	---
215-16	E2226	---	H2226	---	---	---	---	2033C	---	E3231	---	H3231	---	2441	---
225/50-16	E2209	---	H2209	---	---	---	---	---	---	---	---	---	---	---	---
225/70-16	E2216	E4216	H2216	H2316	H2816	H4216	---	2016C	2115V	---	---	---	---	2435	---
225/75-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2117V	---	---	---	---	2435	---
225/80-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	2435	---
225/85-16	E2228	---	H2228	H2328	H2828	---	---	---	---	---	---	---	---	2437	---
235/60-16	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
235/65-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
235/70-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	2435	---
235/75-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2119V	---	---	---	---	2435	---
235/80-16	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2117V	---	---	---	---	---	---
235/85-16	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	2121V	E3227	E3251	H3227	H3251	2437	4412
245/60-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
245/65-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	---	---
245/70-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	2435	---
245/75-16	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	2129V	---	---	---	---	2437	4412
245/85-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	2437	4412
245-16	---	---	---	---	---	---	---	---	---	E3227	---	H3227	---	---	---
255/65-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	---	---
255/70-16	E3210	---	H3210	H3310	H3810	---	---	3010C	2129V	E3227	---	H3227	---	---	---
255/75-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	---	---	---	---	2437	---
255/85-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2114V	---	---	---	---	2437	---
265/50-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
265/55-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
265/60-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	---	---
265/65-16	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2119V	---	---	---	---	---	---
265/70-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2129V	E3227	---	H3227	---	2441	---
265/75-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	E3227	---	H3227	---	2439	---
265/85-16	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
275/55-16	E2229	---	H2229	H2329	H2829	---	---	2029C	2119V	---	---	---	---	---	---
275/60-16	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	2437	---
275/65-16	E3210	---	H3210	H3310	H3810	---	---	3010C	---	---	---	---	---	---	---
275/70-16	E2228	---	H2228	H2328	H2828	---	---	2028C	2127V	E3227	---	H3227	---	2439	---
275/75-16	---	---	---	---	---	---	---	---	---	E3227	---	H3227	---	---	---
285/60-16	E2228	---	H2228	H2328	H2828	---	---	2028C	---	---	---	---	---	---	---
285/65-16	E3210	---	H3210	H3310	H3810	---	---	3010C	---	---	---	---	---	---	---
285/70-16	E2228	---	H2228	H2328	H2828	---	---	2028C	2114V	E3229	---	H3229	---	---	---
285/75-16	E2228	---	H2228	H2328	H2828	---	---	2028C	2114V	E3229	---	H3229	---	---	---
295/65-16	---	---	---	---	---	---	---	---	2114V	E3229	---	H3229	---	---	---
295/75-16	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
305/70-16	E2226	---	H2226	---	---	---	---	2033C	---	E3231	---	H3231	---	2441	---
305/85-16	---	---	---	---	---	---	---	---	---	E3259	---	H3259	---	---	---
315/70-16	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	2441	---
315/75-16	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	2441	---
325/85-16	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
16" Wheels															
365/65-16	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
HR78-16	E2219	---	H2219	H2319	H2819	---	---	2019C	---	---	---	---	---	---	---
LR78-16	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	---	---	---	---	---	2437	---
16.5" Wheels															
8-16.5	E2216	---	H2216	H2316	H2816	---	---	2016C	2115V	---	---	---	---	2433	---
8.5-16.5	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
8.75R-16.5	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2115V	---	---	---	---	---	---
9.5-16.5	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	2129V	E3227	---	H3227	---	2437	---
10-16.5	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
12-16.5	---	---	---	---	---	---	---	3029C	2127V	E3229	---	H3229	---	---	---
14-16.5	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
30x9.5-16.5	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
31x10.5-16.5	---	---	---	---	---	---	---	3027C	2119V	E3227	---	H3227	---	---	---
31x11.5-16.5	---	---	---	---	---	---	---	3027C	2129V	E3227	---	H3227	---	---	---
31x13.5-16.5	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
32x11.5-16.5	---	---	---	---	---	---	---	3027C	2127V	E3227	---	H3227	---	---	---
32x12.5-16.5	---	---	---	---	---	---	---	3029C	2114V	E3229	---	H3229	---	---	---
33x10.5-16.5	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
33x12.5-16.5	---	---	---	---	---	---	---	3029C	2114V	E3229	---	H3229	---	---	---
33x14.5-16.5	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
33x15-16.5	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
35x12.5-16.5	E2226	---	H2226	H2326	H2826	---	---	---	2114V	E3231	---	H3231	---	---	---
35x14-16.5	E2226	---	H2226	H2326	H2826	---	---	---	---	E3231	---	H3231	---	---	---
36x12.5-16.5	E2226	---	H2226	H2326	H2826	---	---	---	---	E3235	---	H3235	---	2445	---
36x13.5-16.5	E2226	---	H2226	H2326	H2826	---	---	2039C	---	E3235	---	H3235	---	2445	---
36x14-16.5	E2226	---	H2226	H2326	H2826	---	---	2039C	---	E3235	---	H3235	---	2445	---
36x14.5-16.5	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
37x12.5-16.5	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
37x14.5-16.5	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
38x15.5-16.5	E2226	---	H2226	H2326	H2826	---	---	2039C	---	E3235	---	H3235	---	---	---
38.5x15-16.5	E2226	---	H2226	H2326	H2826	---	---	2039C	---	E3235	---	H3235	---	---	---
38.5x16-16.5	---	---	---	---	---	---	---	---	---	E3249	---	H3249	---	---	---
39.5x15-16.5	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
40x17-16.5	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
44x18.5-16.5	---	---	---	---	---	---	---	---	---	E3269	---	H3269	---	---	---
17" Wheels															
7-17	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	---	---	---	---	---	2437	---
7.5-17	E2214	E4214	H2214	H2314	H2814	H4214	---	2014C	---	---	---	---	---	---	---
8.25-17	E2237	E4237	H2237	H2337	---	H4237	---	2037C	---	---	---	---	---	---	---
215/70-17	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
225/70-17	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
225/75-17	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	2437	---
235/55-17	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
235/60-17	E2219	---	H2219	H2319	H2819	---	---	2019C	2119V	---	---	---	---	2435	---
235/65-17	E2211	---	H2211	---	---	---	---	2016C	2119V	---	---	---	---	---	---
235/70-17	E2219	---	H2219	H2319	H2819	---	---	2019C	2119V	---	---	---	---	---	---
235/75-17	E3210	---	H3210	---	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
235/80-17	E2228	E4228	H2228	H2328	H2828	---	---	2028C	---	---	---	---	---	---	---
235/85-17	E2228	E4228	H2228	H2328	H2828	---	---	2028C	---	---	---	---	---	---	---
245/60-17	E2219	H4219	H2219	H2319	H2819	H4219	---	2019C	2119V	---	---	---	---	---	---
245/65-17	---	---	---	---	---	---	---	3010C	2129V	E3227	---	H3227	---	---	---
245/70-17	E3210	---	H3210	H3310	H3810	---	---	3010C	2121V	E3227	---	H3227	---	---	---
245/75-17	E3210	---	H3210	H3310	H3810	---	---	3010C	2121V	---	---	---	---	---	---
245/85-17	E2237	E4237	H2237	H2337	---	H4237	---	2033C	---	E3229	---	H3229	---	---	---
255/50-17	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	2435	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
17" Wheels															
255/55-17	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
255/60-17	E2229	E4229	H2229	H2329	H2829	H4229	---	3010C	---	E3227	---	H3227	---	---	---
255/65-17	E3210	---	H3210	H3310	H3810	---	---	3010C	2121V	E3227	---	H3227	---	2437	---
255/70-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3027C	---	E3227	---	H3227	---	2439	---
255/75-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3027C	2121V	E3227	---	H3227	---	2439	---
265/55-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3010C	2127V	E3227	---	H3227	---	---	---
265/60-17	E3210	---	H3210	H3310	H3810	---	---	3027C	2121V	E3227	---	H3227	---	2439	---
265/65-17	E3210	---	H3210	H3310	H3810	---	---	3027C	---	E3227	---	H3227	---	2439	---
265/70-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3027C	2121V	E3227	---	H3227	---	2439	---
265/75-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3029C	2121V	E3229	---	H3229	---	2441	---
265/85-17	E2226	---	H2226	---	---	---	---	---	---	E3231	---	H3231	---	2441	---
275/50-17	E2229	E4229	H2229	H2328	H2829	H4229	---	2029C	---	---	---	---	---	---	---
275/55-17	E2229	E4229	H2229	H2328	H2829	H4229	---	3010C	2121V	E3227	---	H3227	---	---	---
275/60-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3027C	---	E3227	---	H3227	---	2439	---
275/65-17	E2228	E4228	H2228	H2328	H2828	H4228	---	3027C	---	E3227	---	H3227	---	2439	---
275/70-17	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3229	---	H3229	---	2439	---
275/80-17	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
285/60-17	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2129V	E3231	---	H3231	---	---	---
285/70-17	---	---	---	---	---	---	---	3029C	2114V	E3229	---	H3229	---	---	---
285/75-17	---	---	---	---	---	---	---	3029C	---	E3229	---	H3229	---	---	---
295/70-17	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
305/60-17	---	---	---	---	---	---	---	3029C	---	E3229	---	H3229	---	---	---
305/65-17	---	---	---	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
305/70-17	E2226	---	H2226	H2326	H2826	---	---	2037C	---	E3231	---	H3231	---	---	---
315/70-17	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	---	---
325/70-17	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
31x10.5-17	E3210	---	H3210	H3310	H3810	---	---	2029C	---	E3227	---	H3227	---	2437	---
33x12.5-17	---	---	---	---	---	---	---	2033C	---	E3229	---	H3229	---	---	---
35x12.5-17	---	---	---	---	---	---	---	2037C	---	E3235	---	H3235	---	---	---
36x13.5-17	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
37x12.5-17	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
17.5" Wheels															
7-17.5	E2211	---	H2211	---	---	---	---	2011C	---	---	---	---	---	---	---
7.5-17.5	E2216	---	H2216	H2316	H2816	---	---	2016C	2121V	---	---	---	---	2433	---
8-17.5	E2219	E4219	H2219	H2319	H2819	---	---	2016C	2119V	E3249	---	H3249	---	---	---
8.5-17.5	E2219	E4219	H2219	H2319	H2819	---	---	2019C	2121V	---	---	---	---	2441	---
9-17.5	E3210	---	H3210	H3310	H3810	---	---	3027C	---	E3227	---	H3227	---	2437	---
10-17.5	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3227	---	H3227	---	2439	---
11-17.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	2039C	---	---	---	---	---	---	---
14-17.5	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
205/60-17.5	E2209	---	H2209	---	---	---	---	2009C	---	---	---	---	---	2433	---
205/65-17.5	E2216	---	H2216	H2316	H2816	---	---	2016C	2121V	---	---	---	---	---	---
205/70-17.5	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2435	---
205/75-17.5	E2219	---	H2219	H2319	H2819	---	---	2019C	2129V	---	---	---	---	2433	---
215/70-17.5	---	---	---	---	---	---	---	2019C	2115V	---	---	---	---	---	---
215/75-17.5	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	2119V	---	---	---	---	2437	---
225/55-17.5	E2216	---	H2216	H2316	H2816	---	---	2016C	---	---	---	---	---	2433	---
225/70-17.5	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	---	---	---	---	---	2437	---
225/75-17.5	E2221	E4221	H2221	H2321	H2821	H4221	---	2021C	---	---	---	---	---	2437	---
235/75-17.5	E3210	---	H3210	H3310	H3810	---	---	3010C	2114V	E3227	---	H3227	---	2437	---
245/70-17.5	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3229	---	H3229	---	2439	---
245/75-17.5	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3229	---	H3229	---	2439	---
255/40-17.5	E2216	---	H2216	---	---	---	---	2016C	---	---	---	---	---	2433	---
255/55-17.5	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---
255/65-17.5	E2229	---	H2229	H2329	H2829	---	---	2029C	---	---	---	---	---	---	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
17.5" Wheels															
265/60-17.5	E3210	---	H3210	H3310	H3810	---	---	3010C	---	---	---	---	---	2439	---
275/70-17.5	---	---	---	---	---	---	---	2033C	---	E3229	---	H3229	---	---	---
285/60-17.5	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	---	---	---	---	---	---
18" Wheels															
6.00-18	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	2435	---
7-18	E2214	E4214	H2214	H2314	H2814	H4214	---	2014C	---	---	---	---	---	---	---
7.5-18	E2233	E4233	H2233	---	H2833	H4233	---	2033C	---	---	---	---	---	---	---
9-18	E2237	E4237	H2237	H2337	H2837	H4237	---	2037C	---	---	---	---	---	---	---
10-18	E2237	E4237	H2237	H2337	H2837	H4237	---	2037C	---	---	---	---	---	---	---
10.5-18	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
215/75-18	E2219	E4219	H2219	H2319	H2819	H4219	---	2019C	---	---	---	---	---	---	---
235/60-18	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2117V	---	---	---	---	---	---
235/80-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2121V	---	---	---	---	---	---
245/55-18	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
245/60-18	E3210	---	H3210	H3310	H3810	---	---	2029C	---	---	---	---	---	---	---
255/55-18	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2121V	---	---	---	---	2437	---
255/60-18	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
255/65-18	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	2437	---
255/70-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3227	---	H3227	---	2439	---
265/50-18	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
265/60-18	---	---	---	---	---	---	---	3027C	---	E3227	---	H3227	---	2439	---
265/65-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3227	---	H3227	---	---	---
265/70-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	---	---	---	---	---	---
265/75-18	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
270/75-18	---	---	---	---	---	---	---	2039C	---	E3229	---	H3229	---	---	---
275/55-18	---	---	---	---	---	---	---	3027C	2127V	E3227	---	H3227	---	---	---
275/60-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
275/65-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	E3229	---	H3229	---	---	---
275/70-18	---	---	---	---	---	---	---	3029C	2114V	E3229	---	H3229	---	---	---
275/75-18	E2226	E4226	H2226	H2326	H2826	H4226	---	2033C	---	E3231	---	H3231	---	---	---
285/50-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3231	---	H3231	---	---	---
285/55-18	E2228	E4228	H2228	H2328	H2828	H4228	---	---	---	---	---	---	---	---	---
285/60-18	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	2127V	E3229	---	H3229	---	2439	---
285/65-18	---	---	---	---	---	---	---	3029C	---	E3229	---	H3229	---	---	---
285/70-18	E2226	E4226	H2226	H2326	H2826	H4226	---	---	---	E3231	---	H3231	---	---	---
285/75-18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	---	---
295/45-18	---	---	---	---	---	---	---	3027C	2121V	E3227	---	H3227	---	---	---
295/65-18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	2441	---
305/60-18	---	---	---	---	---	---	---	---	2114V	E3231	---	H3231	---	---	---
305/65-18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	---	---
305/70-18	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
315/60-18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	2441	---
325/50-18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	2441	---
325/60-18	---	---	---	---	---	---	---	---	2114V	E3231	---	H3231	---	2441	---
325/65-18	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
33x12.5x18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	2441	---
35x12.5x18	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	2441	---
37x12.5x18	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
37x13.5x18	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
18.5" Wheels															
255/65-18.5	E2228	E4228	H2228	H2328	H2828	---	---	2028C	---	---	---	---	---	---	---
19" Wheels															
235/50-19	E2216	E4216	H2216	H2316	H2816	H4216	---	2016C	---	---	---	---	---	---	---
235/55-19	E2219	E4219	H2219	H2319	H2819	H4219	---	---	---	---	---	---	---	---	---
245/55-19	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2129V	---	---	---	---	---	---

light truck - SUV - 4x4

Tire Size	pewag Light Truck		Glacier Light Truck							pewag Wide Base		Glacier Wide Base		pewag Mud Service	
	Square Singles	Square Duals	Twist Singles	Square Singles	V-bar Singles	Twist Duals	Square Duals	Cables Singles	V-Trac Cables	Square Singles	Square Duals	Twist Singles	Twist Duals	Square Singles	Square Duals
19" Wheels															
255/50-19	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2129V	---	---	---	---	---	---
255/55-19	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
255/60-19	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3227	---	H3227	---	2439	---
265/50-19	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	2129V	---	---	---	---	---	---
275/45-19	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
275/55-19	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
285/45-19	E3210	---	H3210	H3310	H3810	---	---	2029C	2119V	E3227	---	H3227	---	---	---
20" Wheels															
245/45-20	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
255/40-20	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
255/60-20	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
265/40-20	E2229	E4229	H2229	H2329	H2829	H4229	---	2029C	---	---	---	---	---	---	---
265/50-20	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
265/60-20	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	---	---	---	---	---	---
275/45-20	E3210	---	H3210	H3310	H3810	---	---	3010C	---	E3227	---	H3227	---	---	---
275/50-20	E2228	E4228	H2228	H2328	H2828	H4228	---	---	---	---	---	---	---	---	---
275/55-20	---	---	---	---	---	---	---	2028C	---	E3229	---	H3229	---	---	---
275/60-20	E2226	---	H2226	---	---	---	---	2037C	2114V	E3231	---	H3231	---	---	---
275/65-20	---	---	---	---	---	---	---	2033C	2114V	E3231	---	H3231	---	---	---
285/50-20	E2228	E4228	H2228	H2328	H2828	H4228	---	2028C	---	E3229	---	H3229	---	---	---
285/60-20	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	---	---
295/40-20	E2228	---	H2228	H2328	H2828	---	---	2028C	---	---	---	---	---	---	---
295/45-20	E2228	---	H2228	H2328	H2828	---	---	2028C	---	---	---	---	---	---	---
305/45-20	---	---	---	---	---	---	---	2033C	---	E3229	---	H3229	---	---	---
305/50-20	---	---	---	---	---	---	---	3029C	---	E3229	---	H3229	---	---	---
305/55-20	---	---	---	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
325/50-20	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	---	---
325/60-20	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
33x12.5x20	---	---	---	---	---	---	---	---	---	E3231	---	H3231	---	---	---
35x12.5x20	E2226	---	H2226	---	---	---	---	---	---	E3229	---	H3229	---	---	---
35x13.5x20	---	---	---	---	---	---	---	---	---	E3235	---	H3235	---	---	---
37x13.5x20	---	---	---	---	---	---	---	---	---	E3251	---	H3251	---	---	---
38x14.5x20	---	---	---	---	---	---	---	---	---	E3265	---	H3265	---	---	---
40x15.5x20	---	---	---	---	---	---	---	---	---	E3255	---	H3255	---	---	---
22" Wheels															
275/45-22	---	---	---	---	---	---	---	---	---	E3229	---	H3229	---	---	---
285/40-22	E2228	---	H2228	H2328	H2828	---	---	2028C	---	E3227	---	H3227	---	2439	---
285/45-22	E2226	---	H2226	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
305/40-22	E2238	---	H2238	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
305/45-22	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	---	---
325/40-22	E2226	---	H2226	---	---	---	---	---	---	E3231	---	H3231	---	---	---
24" Wheels															
295/35-24	---	---	---	---	---	---	---	2033C	---	E3231	---	H3231	---	---	---
295/40-24	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	---	---
305/35-24	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	---	---
315/35-24	E2226	---	H2226	---	---	---	---	2037C	---	E3231	---	H3231	---	---	---



**Do you have a question about tire sizes?
Is your tire size not listed?**

Call our friendly, knowledgeable staff. We're here to help!

California
(800) 445-2895
Illinois
(800) 526-3924

heavy truck


Tire Size	pewag Heavy Truck		Glacier Heavy Truck									pewag & Glacier Heavy Truck			
	Square Singles	Square Duals	Twist Singles	Square Singles	V-Bar Singles	Twist Duals	Square Duals	V-Bar Duals	Cable Singles	Cable Duals	Cable V-Trac	Wide Base		Mud Service	
												Singles	Duals	Singles	Duals
19.5" Wheels															
8-19.5	E2214	E4214	H2214	H2314	H2814	H4214	---	H4814	2014	---	2114V	---	---	2439	---
15-19.5	---	---	---	---	---	---	---	---	---	---	---	3265	---	---	---
16.5-19.5	---	---	---	---	---	---	---	---	---	---	2155V	3255	---	---	---
18-19.5	---	---	---	---	---	---	---	---	---	---	---	3257	---	---	---
19.5-19.5	---	---	---	---	---	---	---	---	3061	---	3171V	3261	---	---	---
225/70-19.5	E2221	E4221	H2221	H2321	H2821	H4221	---	H4821	2021	---	2121V	3227	---	2439	4433
225/75-19.5	E2228	E4228	H2228	H2328	H2828	H4228	---	---	2028	---	---	---	---	---	---
245/70-19.5	E2228	E4228	H2233	---	H2833	H4233	---	H4833	2028	---	2114V	---	---	2439	---
245/75-19.5	E2228	E4228	H2233	---	H2833	H4233	---	H4833	2028	---	---	---	---	---	---
265/70-19.5	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	2033	---	---	3229	---	---	---
265/75-19.5	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	---	---	---	---	---	---	---
285/70-19.5	E2238	E4238	H2237	H2337	H2837	H4237	---	H4837	2037	---	---	3231	---	---	---
285/75-19.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	---	---	2445	---
305/70-19.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	3235	---	2441	---
445/65-19.5	---	---	---	---	---	---	---	---	2039	4039	---	3257	---	2445	---
20" Wheels															
6.5-20	E2233	E4233	H2233	---	H2833	H4233	---	---	2033	---	---	---	---	2437	---
7-20	E2233	E4233	H2233	---	H2833	H4233	---	---	2033	---	---	---	---	---	---
7.5-20	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	2037	---	---	---	3267	2441	4435
8-20	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2037	---	---	---	---	2437	---
8.25-20	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2037	---	---	---	3269	2441	4435
9-20	E2241	E4241	H2241	H2341	H2841	H4241	H4341	H4841	2039	4039	---	---	3273	---	4437
10/90-20	E2245	E4245	H2245	H2345	H2845	H4245	H4345	H4845	---	---	---	---	---	2448	4448
10-20	E2245	E4245	H2245	H2345	H2845	H4245	H4345	H4845	2045	4045	2145V	---	3275	2448	4448
10.5-20	E2241	E4241	H2241	H2341	H2841	H4241	H4341	H4841	2041	4041	---	---	---	---	---
11-20	E2251	E4251	H2251	H2351	H2851	H4251	---	H4851	2049	4049	2149V	---	3277	2452	4461
11.5-20	E2251	E4251	H2251	H2351	H2851	H4251	---	H4851	2049	4049	---	---	---	2452	---
12-20	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	2155V	---	---	2486	4486
12/80-20	E2251	E4251	H2251	H2351	H2851	H4251	---	---	---	---	---	---	---	2448	4448
12.5-20	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	---	---	---	2452	---
13/80-20	E2255	E4255	H2249	H2349	H2849	H4249	H4349	H4849	2049	4049	---	---	---	2486	4486
13-20	E2257	E4257	H2257	---	H2857	---	---	---	---	---	---	---	---	---	---
14/80-20	E2257	E4257	H2257	---	H2857	---	---	---	---	---	---	---	---	---	---
14-20	E2271	---	H2271	---	---	---	---	---	---	---	---	---	---	---	---
14.5-20	E2255	---	H2255	H2355	H2855	H4255	---	---	---	---	---	---	---	---	---
14.75/80-20	E2257	---	H2257	---	H2857	---	---	---	---	---	---	---	---	---	---
15.5/80-20	E2271	---	H2271	---	---	---	---	---	---	---	---	---	---	---	---
16-20	---	---	---	---	---	---	---	---	---	---	---	3277	---	---	---
33-12.5-20	---	---	---	---	---	---	---	---	---	---	---	3231	---	---	---
35-13.5-20	---	---	---	---	---	---	---	---	---	---	---	3235	---	---	---
37-13.5-20	---	---	---	---	---	---	---	---	---	---	---	3251	---	---	---
40-15.5-20	---	---	---	---	---	---	---	---	---	---	---	3255	---	---	---
225/70-20	E2233	---	H2233	---	H2833	H4233	---	---	3010	---	---	---	---	2437	---
245/60-20	E2228	E4228	H2228	H2328	H2828	H4228	---	---	---	---	---	---	---	---	---
245/70-20	E2233	---	H2233	---	H2833	H4233	---	---	2028	---	---	---	---	---	---
275/55-20	---	---	---	---	---	---	---	---	3029	---	---	3231	---	---	---
275/60-20	---	---	---	---	---	---	---	---	3029	2114V	---	3231	---	---	---
285/50-20	---	---	---	---	---	---	---	---	---	---	---	3231	---	---	---
305/50-20	---	---	---	---	---	---	---	---	---	---	---	3231	---	---	---
335/80-20	E2255	E4255	H2255	H2355	H2855	H4255	---	---	2049	4049	---	3255	---	2452	---
355/80-20	---	---	---	---	---	---	---	---	2049	4049	---	3255	---	2452	---
365/80-20	E2257	E4257	H2257	---	H2857	---	---	---	3061	---	2155V	3261	---	2486	---
365/85-20	E2271	E4271	H2271	---	---	---	---	---	---	---	---	---	---	---	---
370/75-20	---	---	---	---	---	---	---	---	---	---	---	3255	---	---	---
395/85-20	E2271	---	H2271	---	---	---	---	---	---	---	3161V	3271	---	2486	---

heavy truck

Tire Size	pewag Heavy Truck		Glacier Heavy Truck									pewag & Glacier Heavy Truck			
	Square Singles	Square Duals	Twist Singles	Square Singles	V-Bar Singles	Twist Duals	Square Duals	V-Bar Duals	Cable Singles	Cable Duals	Cable V-Trac	Wide Base		Mud Service	
												Singles	Duals	Singles	Duals
20" Wheels															
405/70-20	---	---	---	---	---	---	---	---	---	---	---	3255	---	---	---
21" Wheels															
14-21	E2271	E4271	H2271	---	---	---	---	---	---	---	---	---	---	---	---
24-21	---	---	---	---	---	---	---	---	3061	---	---	3261	---	---	---
22" Wheels															
325/50-22	---	---	---	---	---	---	---	---	---	---	---	3235	---	---	---
10-22	E2249	E4249	H2249	H2349	H2849	H4249	H4349	H4849	2049	4049	2149V	---	3277	2452	4461
11-22	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	2155V	---	3277	2486	4486
12-22	E2251	E4251	H2251	H2351	H2851	H4251	---	H4851	2049	4049	2149V	---	---	2448	---
22.5" Wheels															
7-22.5	E2233	E4233	H2233	---	H2833	H4233	---	---	2033	---	---	---	3259	2439	---
8-22.5	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	2037	---	---	---	3267	---	---
9-22.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2037	---	---	---	3269	2441	4435
10-22.5	E2241	E4241	H2241	H2341	H2841	H4241	H4341	H4841	2041	4041	---	---	3273	2445	4437
11-22.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	2145V	---	3275	2448	4448
12-22.5	E2251	E4251	H2251	H2351	H2851	H4251	---	H4851	2049	4049	2149V	---	3277	2452	4461
12.5-22.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	2049	4049	2149V	---	3277	2452	---
12.75-22.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	2049	4049	---	---	---	---	---
13-22.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	2049	4049	---	---	---	---	---
15-22.5	---	---	---	---	---	---	---	---	3061	---	2155V	3255	---	---	---
16.5-22.5	---	---	---	---	---	---	---	---	---	---	3161V	---	---	---	---
18-22.5	---	---	---	---	---	---	---	---	---	---	3171V	3261	---	---	---
19-22.5	---	---	---	---	---	---	---	---	3061	---	---	3261	---	---	---
225/70-22.5	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	2037	---	---	---	---	2441	4435
235/75-22.5	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	2033	---	---	---	---	2441	4435
235/80-22.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	---	3269	2441	4435
245/70-22.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	---	3269	2441	4435
245/75-22.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	---	3269	2441	4435
245/80-22.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	---	---	2441	4435
255/70-22.5	E2238	E4238	H2238	H2338	H2838	H4238	H4338	H4838	2039	4039	---	---	---	2441	4435
255/75-22.5	E2239	E4239	H2239	H2339	H2839	H4239	H4339	H4839	2039	4039	---	---	---	2445	4437
255/80-22.5	E2241	E4241	H2241	H2341	H2841	H4241	H4341	H4841	2039	4039	---	---	3269	2445	4437
265/65-22.5	E2237	E4237	H2237	H2337	H2837	H4237	---	H4837	2037	---	---	---	---	---	---
265/75-22.5	E2241	E4241	H2241	H2341	H2841	H4241	H4341	H4841	2039	4039	2145V	---	---	2445	4437
275/70-22.5	E2241	E4241	H2241	H2341	H2841	H4241	H4341	H4841	2039	4039	2145V	---	---	2445	4437
275/80-22.5	E2245	E4245	H2245	H2345	H2845	H4245	H4345	H4845	2045	4045	2145V	---	---	2445	4437
275/85-22.5	E2249	E4249	H2249	H2349	H2849	H4249	H4349	H4849	2045	---	2145V	---	---	2448	4448
285/60-22.5	---	---	---	---	---	---	---	---	2039	---	---	3235	---	2441	---
285/70-22.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	2145V	---	3275	2448	4448
285/75-22.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	2145V	---	---	2448	4448
295/60-22.5	---	---	---	---	---	---	---	---	2039	---	---	3235	---	2445	---
295/70-22.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	---	---	3277	2448	4448
295/75-22.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	2145V	---	3275	2448	4448
295/80-22.5	E2251	E4251	H2251	H2351	H2851	H4251	---	---	2049	4049	2149V	---	3273	2448	4448
305/60-22.5	---	---	---	---	---	---	---	---	2039	---	---	3235	---	2445	---
305/70-22.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	---	---	3277	2448	4448
305/80-22.5	E2251	E4251	H2251	H2351	H2851	H4251	---	H4851	2049	4049	---	---	---	---	---
305/85-22.5	E2255	E4255	H2255	H2355	H2855	H4255	---	H4855	---	---	---	---	---	---	---
315/60-22.5	---	---	---	---	---	---	---	---	---	---	---	---	---	2445	---
315/70-22.5	---	---	---	---	---	---	---	---	---	---	---	---	---	2448	---
315/75-22.5	E2251	E4251	H2251	H2351	H2851	H4251	---	H4851	2049	4049	---	---	---	2452	4461
315/80-22.5	E2255	E4255	H2255	H2355	H2855	H4255	---	H4855	2049	4049	2149V	---	3277	2486	4486
365/70-22.5	---	---	---	---	---	---	---	---	---	---	---	3255	---	---	---
365/80-22.5	---	---	---	---	---	---	---	---	---	---	2155V	3255	---	---	---
375/90-22.5	E2273	---	H2273	---	---	---	---	---	---	---	---	---	---	---	---

heavy truck

Tire Size	pewag Heavy Truck		Glacier Heavy Truck									pewag & Glacier Heavy Truck			
	Square Singles	Square Duals	Twist Singles	Square Singles	V-Bar Singles	Twist Duals	Square Duals	V-Bar Duals	Cable Singles	Cable Duals	Cable V-Trac	Wide Base		Mud Service	
	Singles	Duals	Singles	Singles	Singles	Duals	Duals	Duals	Singles	Duals	V-Trac	Singles	Duals	Singles	Duals
22.5" Wheels															
385/65-22.5	---	---	---	---	---	---	---	---	---	---	2155V	3255	---	---	---
425/55-22.5	---	---	---	---	---	---	---	---	---	---	3161V	3271	---	---	---
425/65-22.5	---	---	---	---	---	---	---	---	3069	---	3161V	3271	---	---	---
445/50-22.5	---	---	---	---	---	---	---	---	3069	---	3171V	3269	---	---	---
445/55-22.5	---	---	---	---	---	---	---	---	3069	---	---	3271	---	---	---
445/65-22.5	---	---	---	---	---	---	---	---	3061	---	3171V	3261	---	---	---
445/80-22.5	---	---	---	---	---	---	---	---	---	---	---	3271	---	---	---
455/50/22.5	---	---	---	---	---	---	---	---	---	---	---	3271	---	---	---
455/55-22.5	---	---	---	---	---	---	---	---	3071	---	3171V	3271	---	---	---
24" Wheels															
11-24	E2253	E4253	H2253	---	H2853	H4253	---	---	---	---	2149V	---	---	2486	4486
12-24	E2257	E4257	H2257	---	H2857	H4257	---	---	---	---	2149V	---	---	---	---
13-24	E2271	E4271	H2271	---	---	---	---	---	---	---	---	---	---	---	---
14-24	E2273	E4273	H2273	---	---	---	---	---	---	---	---	---	---	---	---
315/75-24	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	---	---	---	---	---
385/95-24	E2273	E4273	H2273	---	---	---	---	---	---	---	---	---	---	---	---
420/70-24	---	---	---	---	---	---	---	---	---	---	---	3261	---	---	---
24.5" Wheels															
11-24.5	E2249	E4249	H2249	H2349	H2849	H4249	H4349	H4849	2049	4049	2149V	---	3277	2452	4461
12-24.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	2149V	---	---	2486	4486
12.5-24.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	---	---	---	---	---
275/80-24.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	2145V	---	---	2448	4448
285/70-24.5	E2247	E4247	H2247	H2347	H2847	H4247	H4347	H4847	2045	4045	---	---	---	2448	4448
285/75-24.5	E2249	E4249	H2249	H2349	H2849	H4249	H4349	H4849	2049	4049	2145V	---	3275	2452	4461
285/80-24.5	E2249	E4249	H2249	H2349	H2849	H4249	H4349	H4849	2049	4049	2149V	---	---	2452	4461
295/75-24.5	E2253	E4253	H2253	---	H2853	H4253	---	---	2049	4049	---	---	---	2452	4461
305/75-24.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	2049	4049	2149V	---	3277	2452	4461
315/75-24.5	E2255	E4255	H2255	H2355	H2855	H4255	---	---	---	---	2155V	---	3277	---	---



brenta - CL - ASV

Tire Size	pewag	
	Brenta-C	ASV Singles
14" Wheels		
225-14	XMR77	---
235/70-14	XMR77	---
255/60-14	XMR77	---
265/60-14	XMR77	---
15" Wheels		
6.7-15	---	ASV75
7-15	XMR77	ASV77
7.5-15	XMR79	ASV80
10-15	XMR81	ASV82
30x9.5-15	XMR80	ASV80
30x10.5-15	XMR80	---
31x10.5-15	XMR81	ASV81
31x11.5-15	XMR82	ASV82
32x11.5-15	XMR82	ASV82
215/75-15	XMR77	ASV77
215/80-15	XMR79	ASV79
215-15	XMR79	ASV79
225/70-15	XMR76	ASV77
225/75-15	XMR77	ASV78
225/80-15	XMR79	ASV77
225-15	XMR79	ASV78
235/70-15	XMR79	ASV79
235/75-15	XMR79	ASV79
245/60-15	XMR79	ASV79
245/70-15	XMR79	ASV79
255/60-15	XMR77	ASV77
255/70-15	XMR80	ASV80
255/75-15	XMR81	ASV81
255/80-15	XMR81	---
255-15	XMR81	---
265/70-15	XMR81	ASV81
265/75-15	XMR81	ASV81
275/60-15	XMR80	ASV80
275/65-15	XMR81	---
275/70-15	XMR81	---
16" Wheels		
6-16	---	ASV75
6.5-16	XMR77	ASV77
7-16	XMR80	ASV79
7.5-16	XMR81	ASV81
8.25-16	---	ASV84
9-16	---	ASV85
195/85-16	XMR77	---
205/75-16	XMR77	ASV77
205-16	XMR79	ASV77
215/70-16	XMR77	---
215/75-16	XMR79	ASV79
215/80-16	XMR80	ASV79
215-16	XMR80	ASV79
225/70-16	XMR79	---
225/75-16	XMR79	ASV80

Tire Size	pewag	
	Brenta-C	ASV Singles
16" Wheels		
235/60-16	XMR77	ASV77
235/65-16	XMR79	---
235/70-16	XMR80	ASV80
235/75-16	XMR82	ASV82
235/85-16	XMR82	ASV82
245/60-16	XMR79	---
245/70-16	XMR80	ASV80
245/75-16	XMR81	ASV81
245/-16	XMR82	ASV82
255/65-16	XMR80	ASV80
255/70-16	XMR81	---
265/60-16	XMR80	---
265/65-16	XMR80	---
265/70-16	XMR82	---
265/75-16	XMR82	ASV82
275/70-16	XMR82	ASV82
17" Wheels		
235/60-17	XMR79	---
235/65-17	XMR80	---
245/65-17	XMR80	---
245/75-17	XMR82	---
255/50-17	XMR79	---
255/60-17	XMR80	---
255/75-17	XMR82	---
265/70-17	XMR82	---
275/55-17	XMR80AV	---
275/60-17	XMR81	---
17.5" Wheels		
7-17.5	---	ASV79
7.5-17.5	---	ASV84
8-17.5	XMR80	---
8.5-17.5	XMR81	---
10-17.5	---	ASV84
205/65-17.5	XMR76	ASV76
205/70-17.5	XMR79	ASV79
205/75-17.5	XMR79	ASV79
225/55-17.5	XMR77	---
225/75-17.5	XMR81	---
235/75-17.5	XMR82	---
245/70-17.5	XMR82	---
255/40-17.5	XMR77	---
255/55-17.5	XMR81	---
265/60-17.5	XMR82	---
18" Wheels		
6.00-18	XMR79	---
235/60-18	XMR80	---
255/55-18	XMR80AV	---
19" Wheels		
235/55-19	XMR80	---
255/50-19	XMR80AV	---
265/50-19	XMR80AV	---

Tire Size	pewag		
	CL Singles	ASV Singles	ASV Duals
19.5" Wheels			
8-19.5	---	ASV82	ASV282
245/70-19.5	---	ASV84	ASV284
265/70-19.5	---	ASV85	ASV285
305/70-19.5	---	ASV93	---
20" Wheels			
6.5-20	---	ASV82	---
7.5-20	---	ASV85	ASV285
9-20	CL91S	ASV91	ASV291
10-20	CL94S	ASV94	ASV294
11-20	CL97S	ASV97	ASV297
12-20	---	ASV01	ASV201
12/80-20	---	ASV94	---
12.5-20	---	ASV95	---
14/80-20	---	ASV01	ASV201
14-20	---	ASV08	---
14.5-20	---	ASV08	---
14.75/80-20	---	ASV05	---
16-20	---	ASV10	---
275/55-20	---	ASV84	---
335/80-20	---	ASV95	---
365/80-20	---	ASV02	---
365/85-20	---	ASV94	---
370/75-20	---	ASV01	---
395/85-20	CL07S	ASV08	---
22" Wheels			
12-22	---	ASV03	ASV203
22.5" Wheels			
8-22.5	---	ASV85	ASV287
9-22.5	---	ASV88	---
11-22.5	CL94S	ASV94	ASV294
12-22.5	CL97S	ASV97	ASV297
13-22.5	---	ASV01	ASV201
255/70-22.5	---	ASV88	ASV288
275/70-22.5	CL91S	ASV90	ASV290
275/80-22.5	CL94S	ASV94	ASV294
295/75-22.5	CL91S	ASV94	ASV294
295/80-22.5	CL94S	ASV94	ASV294
305/70-22.5	CL94S	ASV94	---
315/70-22.5	---	ASV94	ASV294
315/75-22.5	CL97S	ASV97	ASV297
315/80-22.5	CL97S	ASV97	ASV297
375/90-22.5	---	ASV08	---
385/65-22.5	---	ASV01	---
425/65-22.5	---	ASV155-8	---
445/65-22.5	---	ASV160-8	---
24" Wheels			
11-24	---	ASV03	---
12-24	---	ASV06	---
13-24	---	ASV08	---
14-24	---	ASV10	---
24.5" Wheels			
11-24.5	CL97S	---	---

OTR - tractor

Tire Size	pewag		Glacier			Glacier	
	Square OTR	Square Tractor	Twist OTR	Twist Tractor	V-Bar OTR	Square Duo "H"	Square OTR
Standard							
8.3-16	---	---	---	H0821	---	---	---
8.3-24	---	E0822	---	H0822	---	---	---
8.3-44	---	---	---	---	---	H232	---
9.5-16	---	E0829	---	H0829	---	---	---
9.5-24	---	E0832	---	H0832	---	H214	---
9.5-28	---	E0836	---	H0836	---	H214	---
9.5-32	---	E0838	---	H0838	---	H229	---
9.5-36	---	---	---	---	---	H218	---
9.5-38	---	---	---	---	---	H218	---
9.5-44	---	---	---	---	---	H227	---
9.5-48	---	---	---	---	---	H236	---
10.5/80-18	---	E0822	---	H0822	---	H225	---
11.2-24	---	E0836	---	H0836	---	H214	---
11.2-28	---	E0838	---	H0838	---	H229	---
11.2-32	---	---	---	---	---	H218	---
11.2-34	---	E0846	---	H0846	---	H224	---
11.2-36	---	E0846	---	H0846	---	H224	---
11.2-38	---	E0862	---	H0862	---	H232	---
11.2-44	---	---	---	---	---	H236	---
11.2-48	---	---	---	---	---	H247	---
12-16	---	---	---	---	---	H225	---
12.4-16	---	E0831	---	H0831	---	---	---
12.4-24	---	E0852	---	H0852	---	H229	---
12.4-28	---	E0856	---	H0856	---	H218	---
12.4-36	---	E0862	---	H0862	---	H232	---
12.4-38	---	E0862	---	H0862	---	H232	---
12.4-40	---	---	---	---	---	H247	---
12.4-42	---	---	---	---	---	H247	---
12.4-48	---	---	---	---	---	H259	---
12.4-52	---	---	---	---	---	H255	---
12.4-54	---	---	---	---	---	H256	---
12.5/80-18	---	E0834	---	H0834	---	H225	---
13.5-16.1	---	E0820	---	H0820	---	---	---
13.6-16	---	E0850	---	H0850	---	---	---
13.6-24	---	E0858	---	H0858	---	H240	---
13.6-26	---	E0858	---	H0858	---	H240	---
13.6-28	---	E0859	---	H0859	---	H242	---
13.6-36	---	E0866	---	H0866	---	H246	---
13.6-38	---	E0866	---	H0866	---	H246	---
13.9-36	---	E0866	---	H0866	---	H242	---
14.00-20	E2612	E0858	H2612	H0858	H2912	---	H2712
14.00-21	E2612	E0858	H2612	H0858	H2912	---	H2712
14.00-24	E2615	---	H2615	---	H2915	---	H2715
14.00-25	E2615	---	H2615	---	H2915	---	H2715
14.9-24	---	E0859	---	H0859	---	H240	---
14.9-26	---	E0869	---	H0869	---	H250	---
14.9-28	---	E0869	---	H0869	---	H252	---
14.9-30	---	E0876	---	H0876	---	H252	---
14.9-38	---	E0871	---	H0871	---	H254	---
14.9-46	---	---	---	---	---	H256	---
15.5-25	E2612	E0858	H2612	H0858	H2912	---	H2712
15.5-38	---	E0879	---	H0879	---	H270	---
15-22.5	---	E0852	---	H0852	---	---	---
16.00-20	E2624	---	H2624	---	H2924	---	H2724
16.00-21	E2624	---	H2624	---	H2924	---	H2724
16.00-24	E2627	---	H2627	---	H2927	---	H2727

Tire Size	pewag		Glacier			Glacier	
	Square OTR	Square Tractor	Twist OTR	Twist Tractor	V-Bar OTR	Square Duo "H"	Square OTR
Standard							
16.00-25	E2627	---	H2627	---	H2927	---	H2727
16.9-24	---	E0874	---	H0874	---	H262	---
16.9-26	---	E0876	---	H0876	---	H262	---
16.9-28	---	E0876	---	H0876	---	H262	---
16.9-30	---	E0877	---	H0877	---	H266	---
16.9-32	---	E0877	---	H0877	---	H266	---
16.9-34	---	E0879	---	H0879	---	H270	---
16.9-38	---	---	---	---	---	H270	---
17.5-24	---	E0874	---	H0874	---	H263	---
17.5-25	E2624	---	H2624	---	H2924	H268	H2724
17.5L-24	---	---	---	---	---	H263	---
18.00-25	E2636	---	H2636	---	---	---	H2736
18.00-26	E2636	---	H2636	---	---	---	H2736
18.00-33	E2642	---	H2642	---	---	---	H2742
18.4-16.1	---	E0881	---	H0881	---	H264	---
18.4-24	---	E0883	---	H0883	---	H268	---
18.4-26	---	E0883	---	H0883	---	H271	---
18.4-28	---	E0884	---	H0884	---	H271	---
18.4-30	---	E0885	---	H0885	---	H271	---
18.4-34	---	E0887	---	H0887	---	H273	---
18.4-38	---	E0889	---	H0889	---	H272	---
18.4-42	---	E0894	---	H0894	---	H277	---
18.4-46	---	---	---	---	---	H277	---
19.5-24	---	E0883	---	H0883	---	---	---
19.5L-24	E2627	---	H2627	---	H2927	H268	H2727
20.5-25	E2633	---	H2633	---	---	---	H2733
20.8-34	---	E0890	---	H0890	---	H272	---
20.8-38	---	E0892	---	H0892	---	H276	---
21.00-24	E2648	---	H2648	---	---	---	H2748
21.00-25	E2648	---	H2648	---	---	---	H2748
21.00-35	E2654	---	H2654	---	---	---	H2754
21.5-16	---	E0882	---	H0882	---	---	---
21.5L-16.1	---	---	---	---	---	H264	---
21-24	---	E0885	---	H0885	---	---	---
21L-24	---	---	---	---	---	H275	---
23.1-26	---	E0891	---	H0891	---	H280	---
23.1-28	---	---	---	---	---	H280	---
23.1-34	---	E0895	---	H0895	---	---	---
23.5-25	E2645	---	H2645	---	---	---	H2745
24.00-25	E2660	---	H2660	---	---	---	H2760
25.5-25	E2645	---	H2645	---	---	---	H2745
26.5-25	E2657	---	H2657	---	---	---	H2757
26.5-29	E2660	---	H2660	---	---	---	H2760
29.5-25	E2672	---	H2672	---	---	---	H2772
29.5-29	E2675	---	H2675	---	---	---	H2775
Metric							
180/95-40	---	E0876	---	H0876	---	H252	---
210/95-32	---	E0856	---	H0856	---	H240	---
210/95-36	---	E0856	---	H0856	---	H218	---
220/85-24	---	E0822	---	H0822	---	---	---
230/95-38	---	E0880	---	H0880	---	H272	---
230/95-40	---	E0877	---	H0877	---	H266	---
240/85-24	---	E0832	---	H0832	---	H214	---
270/95-36	---	E0876	---	H0876	---	H262	---
280/85-24	---	E0836	---	H0836	---	H214	---
290/95-34	---	E0876	---	H0876	---	H262	---

OTR - tractor

Tire Size	pewag		Glacier			Glacier	
	Square OTR	Square Tractor	Twist OTR	Twist Tractor	V-Bar OTR	Square Duo "H"	Square OTR
Metric							
300/70-20	---	E0832	---	H0832	---	H214	---
300/95-52	---	H0892	---	H0892	---	H276	---
315/75-15	---	---	---	---	---	H225	---
320/65-18	---	E0836	---	H0836	---	H240	---
320/70-24	---	E0836	---	H0836	---	H226	---
320/70-28	---	E0838	---	H0838	---	H229	---
320/85-20	---	E0838	---	H0838	---	H218	---
320/85-24	---	E0859	---	H0859	---	H229	---
320/85-28	---	E0856	---	H0856	---	H218	---
320/85-34	---	E0876	---	H0876	---	H242	---
320/85-36	---	E0877	---	H0877	---	H232	---
320/85-38	---	E0885	---	H0885	---	H271	---
320/90-42	---	E0880	---	H0880	---	H272	---
320/90-50	---	E0892	---	H0892	---	H255	---
320/95-34	---	E0876	---	H0876	---	H262	---
340/80-18	---	E0836	---	H0836	---	---	---
340/85-24	---	E0856	---	H0856	---	H240	---
340/85-28	---	E0859	---	H0859	---	H242	---
340/85-36	---	E0866	---	H0866	---	H246	---
340/85-38	---	E0866	---	H0866	---	H246	---
355/80-20	---	E0838	---	H0838	---	H229	---
360/70-20	---	E0838	---	H0838	---	H218	---
360/70-24	---	E0859	---	H0859	---	H242	---
360/70-28	---	E0856	---	H0856	---	H218	---
380/70-24	---	E0856	---	H0856	---	H240	---
380/70-28	---	E0859	---	H0859	---	H242	---
380/85-24	---	E0858	---	H0858	---	H240	---
380/85-28	---	E0876	---	H0876	---	H252	---
380/85-30	---	E0876	---	H0876	---	H252	---
380/85-38	---	E0879	---	H0879	---	H270	---
380/90-46	---	E0892	---	H0892	---	H276	---
385/85-34	---	E0885	---	H0885	---	H271	---
385/95-24	E2615	---	H2615	---	H2915	---	H2715
385/95-25	E2615	---	H2615	---	H2915	---	H2715
395/80-20	E2615	---	H2615	---	H2915	---	H2715
400/70-20	E2612	E0858	H2612	H0858	H2912	---	H2712
400/70-24	---	E0856	---	H0856	---	H240	---
405/70-18	---	E0858	---	H0858	---	H240	---
405/70-20	E2612	E0858	H2612	H0858	H2912	---	H2712
420/65-24	---	E0859	---	H0859	---	H242	---
420/65-28	---	E0856	---	H0856	---	H218	---
420/70-24	E2624	E0869	---	H0869	H2924	H250	H2724
420/70-26	---	E0876	---	H0876	---	H262	---
420/70-28	---	---	---	---	---	H250	---
420/70-30	---	E0876	---	H0876	---	H252	---
420/80-28	---	E0869	---	H0869	---	H250	---
420/80-46	---	---	---	---	---	H256	---
420/85-24	---	E0874	---	H0874	---	H262	---
420/85-28	---	E0876	---	H0876	---	H262	---
420/85-30	---	E0877	---	H0877	---	H266	---
420/85-34	---	E0877	---	H0877	---	H270	---
420/85-38	---	---	---	---	---	H270	---
420/90-30	---	E0877	---	H0877	---	H266	---
440/65-24	---	E0859	---	H0859	---	H240	---
440/80-28	---	E0884	---	H0884	---	H269	---
445/65-19.5	E2612	E0858	H2612	H0858	H2912	---	H2712
445/70-24	---	---	---	---	---	H240	---
445/80-25	E2624	---	H2624	---	H2924	---	H2724
445/95-25	E2612	E0858	H2612	H0858	H2912	---	H2712
460/70-24	E2615	E0874	H2615	H0874	H2915	H262	H2715
460/85-26	---	E0883	---	H0883	---	H268	---
460/85-30	---	E0885	---	H0885	---	H271	---
460/85-34	---	E0887	---	H0887	---	H273	---
460/85-38	---	---	---	---	---	H272	---
460/85-42	---	E0894	---	H0894	---	H277	---
460/85-46	---	---	---	---	---	H277	---
480/65-28	---	E0869	---	H0869	---	H250	---
480/70-24	---	E0874	---	H0874	---	H262	---
480/70-26	---	E0876	---	H0876	---	H262	---
480/70-28	---	E0876	---	H0876	---	H262	---
480/70-30	---	E0877	---	H0877	---	H266	---
480/70-34	---	E0879	---	H0879	---	H270	---
480/70-38	---	E0880	---	H0880	---	H272	---
480/80-38	---	---	---	---	---	H274	---
480/80-42	---	E0894	---	H0894	---	H277	---
480/80-46	---	---	---	---	---	H277	---
480/85-26	---	E0883	---	H0883	---	H268	---
480/85-34	---	E0887	---	H0887	---	H273	---
495/55-22.5	E2612	E0858	H2612	H0858	H2912	---	H2712
500/70-34	---	E0879	---	H0879	---	H270	---
505/95-25	E2636	---	H2636	---	---	---	H2736
520/70-26	---	E0883	---	H0883	---	H268	---
520/70-30	---	E0885	---	H0885	---	H271	---
520/70-34	---	E0887	---	H0887	---	H273	---
520/85-38	---	E0892	---	H0892	---	H276	---
520/85-42	---	---	---	---	---	H286	---
525/80-25	E2633	---	H2633	---	---	---	H2733
540/65-26	---	E0876	---	H0876	---	H262	---
540/65-28	---	E0876	---	H0876	---	H262	---
540/65-30	---	E0877	---	H0877	---	H266	---
540/65-34	---	E0885	---	H0885	---	H270	---
540/65-38	---	E0880	---	H0880	---	H272	---
550/65-25	E2636	---	H2636	---	---	---	H2736
555/70-25	E2636	---	H2636	---	---	---	H2733
580/70-38	---	E0892	---	H0892	---	H276	---
580/70-42	---	---	---	---	---	H286	---
600/65-25	E2642	---	H2642	---	---	---	H2742
600/65-28	---	E0877	---	H0877	---	H266	---
600/65-34	---	E0887	---	H0887	---	H273	---
605/80-25	E2645	---	H2645	---	---	---	H2745
620/70-42	---	---	---	---	---	H286	---
625/70-20	E2645	---	H2645	---	---	---	H2745
650/65-25	E2648	---	H2648	---	---	---	H2748
650/65-38	---	E0892	---	H0892	---	H276	---
650/65-42	---	---	---	---	---	H286	---
650/75-32	---	---	---	---	---	H278	---
685/80-25	E2657	---	H2657	---	---	---	H2757
705/70-25	E2648	---	H2648	---	---	---	H2748
710/70-38	E2657	---	H2657	---	---	---	H2757
750/65-25	E2657	---	H2657	---	---	---	H2757
755/70-25	E2657	---	H2657	---	---	---	H2757
800/65-32	E2657	---	H2657	---	---	---	H2757

pewag servo RS

Sporty, thrilling, and durable.

pewag servo was developed for vehicles with high powered engines and offers the comfort of stationary mounting with reliability under all conditions. Due to its tight chain mesh in material thickness 3.2 mm pewag servo allows for perfect grip and a long life span. The patented servo-technology is used in the automatic tightening elements, which guarantee an even more exact chain tension. Tire sizing on **page 6**.

• **Always** pre-fit chains before use



pewag brenta-c 4x4

Simply strong and reliable.

pewag brenta-c 4x4 has been proven worldwide a thousand times over. This top-seller has everything that a first class chain needs. The square links with a material thickness of 4.5 mm are suited for the hardest requirements and resist even the most adverse conditions. The heavy-duty hook on the inside allows for easy and fast mounting of the chain. From the city, to the mountains, Brenta chains truly are a link above the rest. Tire sizing on **page 21**.

• **Always** pre-fit chains before use



pewag CL

The standard chain for medium-weight.

The proven and popular pewag CL is the standard chain for medium-weight utility vehicle use. The light weight of the chain allows it to be mounted easily on the vehicle, nevertheless providing perfect traction. Made using our brilliant 7mm square link titanium alloy steel for lasting wear. CL chains perform at their peak on or off-road, suitable for any application and maintaining a low profile. Tire sizing on **page 21**.

• **Always** pre-fit chains before use

TITAN Grip®



Cross chain replacements and spare parts are available

pewag ASV


Strength for heavy-duty vehicle use.

The ASV pattern chain has been engineered to stand up to the most severe conditions where traction is a must. This design provides exceptional lateral and braking traction. Our ASV chains are widely used and depended upon for military and emergency vehicles alike on or off-road. Easy mounting combined with hassle free traction when you need it. Tire sizing on **page 21**.

• **Always** pre-fit chains before use

TITAN Grip®

Available in: 7mm & 8.2mm



ASV chain profile



pewag square link

The standard of quality; pewag square link.

Available in: **5.6mm, 7mm, 8.2mm, 10mm, & 12mm**

Double-spacing built on request, call for details!



pewag nickel manganese alloy square link tire chains wear over four times longer than conventional twist link tire chains while giving you 32% more traction. The ladder style is a tested true design, combined with award winning pewag performance to guarantee results. Our ladder style chain features both a cam (SC) or non-cam (S) side chain for every driver preference.

• **Always** pre-fit chains before use



pewag tite-n-lite

Light-weight with maximum traction.



TITAN Grip

Here is our lightweight alternative pattern chain for trucks with limited clearance that need the most traction. Made using our brilliant 5.6mm titanium alloy square link chain that lasts four times longer than conventional twist link tire chain. If clearance is an issue don't let traction be your sacrifice. Tite-N-Lite will give that performance you need every time.

•**Always** pre-fit chains before use

Tire Size	Singles	Duals	Cross Chain
11-22.5	TNL 2245SC	TNL4245SC	TNL6251
295/75-22.5	TNL 2245SC	TNL4245SC	TNL6251
285/75-24.5	TNL 2245SC	TNL4245SC	TNL6251
10.00x20	TNL 2245SC	TNL4245SC	TNL6251
10.00/90-20	TNL 2245SC	TNL4245SC	TNL6251
275/80-24.5	TNL 2245SC	TNL4245SC	TNL6251
10.00x22	TNL 2249SC	TNL4249SC	TNL6253
11x24.5	TNL 2249SC	TNL4249SC	TNL6253
285/80-24.5	TNL 2249SC	TNL4249SC	TNL6253
11.00x20	TNL 2249SC	TNL4249SC	TNL6253
12x22.5	TNL 2249SC	TNL4249SC	TNL6253
315/80-22.5	TNL 2249SC	TNL4249SC	TNL6253

pewag skid steer

Strength for your equipment.



Finally a reliable, lasting traction solution for skid steer equipment. Built pewag tough using our 8.2mm cross chain in a 2 and 4 link spacing design for chains that stay on top of your lugs, and on the road. Whether it's plowing snow 24 hours a day, or getting materials around that muddy job site; pewag SSE 8.2mm chains take you where you need to go.

•**Always** pre-fit chains before use

Tire Size	Stock No.	Description
10x16.5	SSE10165-4	4 Link Spacing
12x16.5	SSE12165-4	4 Link Spacing
14x17.5	SSE14175-4	4 Link Spacing
10x16.5	SSE10165-2	2 Link Spacing
12x16.5	SSE12165-2	2 Link Spacing
14x17.5	SSE14175-2	2 Link Spacing

pewag OTR & tractor

For Plows, Scrapers, Loaders, Graders, Backhoes, & Tractors.

We manufacture and assemble chains for any application with trusted traction for snow removal and agriculture machinery. All made from pewag nickel manganese alloy square link; guaranteed to last longer and outperform conventional twist link. Also, can be reversed for extended life of your chain.

• **Always** pre-fit chains before use

Available in: **8.2mm, 10mm, & 12mm**
Single or Double Spaced



Double-spaced (2-link)



Single-spaced (4-link)



Special order available with
swivel hook shown here



Special order available with
5858SP hook shown here



pewag studded truck

Aggressive off-road traction on demand.

Available in: **7mm & 8mm**

Heavy truck studded alloy twist link made only from pewag premium alloy steel for extended wear and strength. The KST model is engineered for the most aggressive off-road applications, ideally forestry, oil fields, and ice road trucking.
•Always pre-fit chains before use



7mm

Tire Size	Singles	Duals	Cross Chain
10.00-22	KST2249S	KST4249S	KST6253
295/80-22.5	KST2249S	KST4249S	KST6253
11-24.5	KST2249S	KST4249S	KST6253
315/75-24.5	KST2249S	KST4249S	KST6253

8mm

Tire Size	Singles	Duals	Cross Chain
10.00-22	KST2249S 8mm	KST4249S 8mm	KST6253 8mm
295/80-22.5	KST2249S 8mm	KST4249S 8mm	KST6253 8mm
11-24.5	KST2249S 8mm	KST4249S 8mm	KST6253 8mm
315/75-24.5	KST2249S 8mm	KST4249S 8mm	KST6253 8mm



Close-up of actual KST dual



Available in duals

pewag mud service

Extra heavy duty traction for deep mud.

Oversized cross chain, combined with heavier side chain, deliver the off-road traction in that deep mud. Made only from pewag premium alloy square link for extended wear and strength, it's quality you can trust, and rely on every time.
•Always pre-fit chains before use

We will build a chain for **ANY** mud application.



Available in duals



Optional tightener

The chain for high traction demands.

The reinforced version of the popular universal chain now comes with welded wear bars added to the 3-Link design, providing wear resistance and durability that is unmatched.

The addition of these wear bars, made of pewag strengthened steel, significantly increase grip, stability, and life span of these chains. The universal chain mesh design provides great wear resistance and smoother riding.

• **Always** pre-fit chains before use



pewag extension fields

Universal & Erzberg “Extension Fields” With Wear Bars Made in 8.2mm, 10mm, and 12mm



pewag universal extension field



pewag erzberg extension field

pewag Universal and Erzberg chains are designed to fit up to L3 tires (that have NOT been capped). For capped L4 and L5 tires, pewag makes “Extension Fields” which can be easily added to the chains to increase the length of the chain for these types of tires.

The use of “Extension Fields” insures the best possible fit on larger OTR tires and should be anticipated when ordering any tire chains for use on an OTR tire. Follow our sizing reference on **page 33**.

Universal sizing chart

Tire Size	Stock No. 8.2mm	Weight	Stock No. 10mm	Weight	Stock No. 12mm	Weight
12.00-20	UNE120020-8	174 lbs	---	---	---	---
12.5-20	UNE12520-8	154 lbs	---	---	---	---
13.00-20	UNE130020-8	190 lbs	---	---	---	---
14.00-20	UNE140020-8	209 lbs	---	---	---	---
14.5-20	UNE14520-8	170 lbs	---	---	---	---
16-20	UNE160020-8	183 lbs	---	---	---	---
365/85-20	UNE3658520-8	190 lbs	---	---	---	---
395/85-20	---	---	UNE3958520-10	342 lbs	---	---
405/70-20	UNE4057020-8	204 lbs	---	---	---	---
445/65-22.5	UNE44565225-8	187 lbs	---	---	---	---
13.00-24	UNE130024-8	186 lbs	---	---	---	---
14.00-24; 385/95-24; 385/95-25	UNE140024-8	235 lbs	UNE140024-10*	418 lbs	---	---
16.00-24; 445/95-25; 19.5L-24	---	451 lbs	UNE160024-10	451 lbs	UNE160024-12	550 lbs
13.00-25	UNE130025-8	188 lbs	---	---	---	---
15.5-25	---	---	UNE15525-10	360 lbs	---	---
16.00-25; 445/95-25	---	---	UNE160025-10	454 lbs	UNE160025-12	592 lbs
16.00-20; 17.5-25; 445/80-25	---	---	UNE17525-10	396 lbs	UNE17525-12	503 lbs
18.00-24/25; 505/95-25	---	---	UNE180025-10	511 lbs	---	---
20.5-25; 525/80-25	---	---	UNE20525-10	453 lbs	UNE20525-12	604 lbs
23.5-25; 23.1-26; 605/80-25; 600/70-30	---	---	UNE23525-10*	525 lbs	UNE23525-12	640 lbs
26.5-25; 685/80-25	---	---	UNE26525-10	571 lbs	UNE26525-12	744 lbs
29.5-25	---	---	---	---	UNE29525-12	889 lbs
625/70-25; 650/65-25	---	---	---	---	UNE6257025-12	686 lbs

* Extension Fields included with chains

Special chain for high traction demands.

pewag erzberg features a densely meshed net-style chain in a robust welded ring version. This design offers improved grip matched with tire protecting properties. The forged closing hooks reduce noise and ensure quiet running in operation. All around very reliable chain which is easy to handle and can withstand the harshest conditions.

•**Always** pre-fit chains before use



Erzberg sizing chart

Tire Size	Stock No. 8.2mm	Weight	Stock No. 10mm	Weight	Stock No. 12mm	Weight
13.00-24	ERE130024-8	405 lbs	---	---	---	---
14.00-24	---	---	ERE140024-10	595 lbs	---	---
17.5-25	---	---	ERE17525-10	659 lbs	---	---
18.00-25	---	---	ERE180025-10	855 lbs	---	---
20.5-25	---	---	ERE20525-10	775 lbs	ERE20525-12	990 lbs
23.5-25	---	---	ERE23525-10	972 lbs	ERE23525-12	1,091 lbs
26.5-25	---	---	ERE26525-10	1,047 lbs	ERE26525-12	1,240 lbs
29.5-25	---	---	ERE29525-10	1,365 lbs	ERE26525-12	1,689 lbs



pewag heavy equipment sizing

Universal, Erzberg, OTR & Tractor Sizing Information



Goodyear 20.5R25 GP-2B G3

Dia: 58.1" = Cir: 182.53" x Width: 20.9" = 3815 sq in.



Goodyear 20.5R25 RT-5C L5

Dia: 63.8" = Cir: 200.4" x Width: 22.7" = 4549 sq in.

Today's equipment tires can vary greatly in physical size making it important to know your tire BRAND, MODEL, and the E, G, or L number when ordering equipment chains.

The Goodyear OTR tires shown to the left are a graphic example of this variation in physical size - Both are cataloged as 20.5R25 tires - yet there is a 17% difference in the physical size of the tires when fitting a tire chain such as the pewag Universal & Erzberg chains. There is a 5.7" difference in the diameter of the 2 tires which directly effects the length of the chain needed to connect around the tire by 17.9".

• **How is this calculated?**

Diameters are translated into circumference by multiplying:

diameter x 3.1416 x width = tread area to be covered by the tire chain. In the example to the left, this calculation yields results of 3815 vs. 4549 sq inches; a 17% variation.

pewag Universal & Erzberg chains are designed to fit up to L3 tires - (that have **NOT** been capped). For capped L4 tires and L5 tires - pewag makes "Extension Felds " which can easily be added to the chains to increase the length of the chain for these type tires. The use of extension felds ensures the best possible fit on the larger OTR tires and should be anticipated when ordering any tire chains for use on OTR tires.

pewag will custom build chains for **ANY** tire size. Our experienced chain builders are standing by to fulfill your request.

Name: _____

Tire Size: _____

Phone: _____

Tire Manufacture/Brand: _____

Fax: _____

Tread Profile: ☐ L2 ☐ L3

☐ L4 ☐ L5

Chain Type: ☐ Pattern

☐ Ladder

☐ Single Space

☐ Double Space

Chain Size: ☐ 8.2mm

☐ 10mm


☐ 12mm

Number of Pairs Needed: _____

Tread Width (A): _____

Sidewall Height (B): _____

Diameter (C): _____



Do you have a question about tires?

Call our friendly, knowledgeable staff 7 days a week; we're here to help.

California
(800) 445-2895

Illinois
(800) 526-3924




pewag genuine parts



pewag slit ring

Stock No.	Trade Size	Description	Application	Package	Weight
5073	8mm x 36mm	Slit Ring	UNE & ERZ	10	2 lbs
5109	12mm x 45mm	Slit Ring	UNE & ERZ	10	5 lbs
7093	14mm x 52mm	Slit Ring	UNE & ERZ	10	7 lbs
7094	17mm x 64mm	Slit Ring	UNE & ERZ	10	9 lbs



pewag coupling ring

Stock No.	Description	Application	Package	Weight
7077TC	Coupling Ring	8.2mm UNE & ERZ	10	6 lbs
7078TC	Coupling Ring	10mm UNE & ERZ	10	7 lbs
7079TC	Coupling Ring	12mm UNE & ERZ	10	12 lbs



pewag connecting hook

Stock No.	Trade Size	Description	Application	Package	Weight
9008	8.2mm	Connecting Hook	8.2mm UNE & ERZ	10	3 lbs
9010	10mm	Connecting Hook	10mm UNE & ERZ	10	6 lbs
9012	12mm	Connecting Hook	12mm UNE & ERZ	10	10 lbs
21363	8.2mm	Connecting Hook w/Ring	8.2mm UNE & ERZ	10	5 lbs
84942	10mm	Connecting Hook w/Ring	10mm UNE & ERZ	10	8 lbs
88502	12mm	Connecting Hook w/Ring	12mm UNE & ERZ	10	12 lbs



pewag 3-link replacement

Stock No.	Trade Size	Description	Application	Package	Weight
9900	8.2mm	3-Link Replacement	8.2mm UNE & ERZ	10	5 lbs
9902	10mm	3-Link Replacement	10mm UNE & ERZ	10	10 lbs
9904	12mm	3-Link Replacement	12mm UNE & ERZ	10	20 lbs



pewag pin lock

Stock No.	Description	Application	Package	Weight
7084TC	UNE & ERZ Pin Lock	8.2mm UNE & ERZ	10	5 lbs
7085TC	UNE & ERZ Pin Lock	10mm UNE & ERZ	10	7 lbs
11966TC	UNE & ERZ Pin Lock	12mm UNE & ERZ	10	9 lbs



pewag VBS pin lock

Stock No.	Description	Application	Package	Weight
6177TC	VBS Pin Lock	10mm UNE & ERZ	10	6 lbs
6035TC	VBS Pin Lock	12mm UNE & ERZ	10	8 lbs

pewag genuine parts

pewag hardened twisted square link

Stock No.	Trade Size	Diameter	Application	Package	Weight
3008TSL	8.2mm	.322 (5/16")	Truck/Equip	100'	108 lbs
3010TSL	10mm	.409 (3/8")	Heavy Equip	100'	162 lbs



pewag hardened square link

Stock No.	Trade Size	Diameter	Application	Package	Weight
3003	3.7mm	.145 (9/64")	Passenger	100'	21.2 lbs
3004	4.5mm	.177 (5/32")	Passenger	100'	31.2 lbs
3005	5.6mm	.220 (3/16")	Light Truck	100'	49 lbs
3007	7mm	.275 (1/4")	Truck	100'	78 lbs
3008	8.2mm	.322 (5/16")	Truck/Equip	100'	108 lbs
3010	10mm	.409 (3/8")	Heavy Equip	100'	162 lbs
3012	12mm	.472 (7/16")	Heavy Equip	50'	119 lbs



pewag side chain

Stock No.	Trade Size	Diameter	Application	Package	Weight
1004A	4/0	.219 (7/32")	Light Truck	100'	35 lbs
1006A	6/0	.281 (9/32")	Heavy Truck	100'	56 lbs
1007A	7/0	.312 (5/16")	Truck/Equip	100'	71 lbs
1009A	9/0	.375 (3/8")	Heavy Equip	100'	108 lbs
1011A	11/0	.437 (7/16")	Heavy Equip	100'	138 lbs
1008 (Hardened)	7/0	.312 (5/16")	Truck/Equip	100'	68 lbs
1010 (Hardened)	9/0	.375 (3/8")	Heavy Equip	100'	104 lbs
1012 (Hardened)	11/0	.437 (7/16")	Heavy Equip	100'	141 lbs



pewag repair link

Stock No.	Trade Size	Diameter	Application	Package	Weight
705	5.6mm	3/16"	Light Truck	10	0.33 lbs
707	7mm	1/4"	Heavy Truck	10	0.63 lbs
708	8.2mm	5/16"	Heavy Truck & Equipment	10	1.12 lbs
710	10mm	3/8"	Heavy Equipment	10	2.11 lbs
712	12mm	7/16"	Heavy Equipment	10	3.25 lbs



pewag cross chain hook

Stock No.	Trade Size	Diameter	Application	Package	Weight
403	3/0	.207 (13/64")	Passenger	50	1.26 lbs
405	5/0	.250 (1/4")	Small Equipment	50	3.5 lbs
406	6/0	.281 (9/32")	Light Truck	50	5.5 lbs
407	7/0	.312 (5/16")	Heavy Truck	50	8.2 lbs
409	9/0	.375 (3/8")	Equipment	50	13.3 lbs
411	11/0	.433 (7/16")	Heavy Equipment	50	21.8 lbs





Ladder Cables



Durable traction, light weight, and inexpensive.

GREAT for your car, truck, van, SUV, or big rig.

Meets all state
requirements
incl Colorado
D.O.T.



- Case hardened steel rollers on cable cross members
- Meets SAE Type "S" (limited clearance) for passenger cars
- Suitable for front and rear wheel drive vehicles
- Adjusters recommended, sold separately
- Meets all state requirements for cable traction devices
- Heavy duty lever fastener for easy mounting
- Light weight and easy to install
- Always** pre-fit chains before use



Nylon carry bag



Optional tightener



Available in dual



V-Trac Cables


Smoother ride, with great lateral traction.

GREAT for your car, truck, van, SUV, or big rig.

Meets all state
requirements
incl Colorado
D.O.T.



- Diagonal pattern design for smoother ride
- Can be installed without moving vehicle
- Case hardened steel rollers on cable cross members
- Meets SAE Type "S" (limited clearance) for passenger cars
- Suitable for front and rear wheel drive vehicles
- Meets all state requirements for cable traction devices
- Light weight and easy to install
- **Always** pre-fit chains before use



Tightener included



Nylon carry bag



Twist Link



Durable traction, light weight, and economical.

GREAT for your car, light truck, van, SUV, or big rig.


HD: Also available with **Heavy Duty** cross chain, and side chain.



- Tough, durable carbon steel twist link cross chain
- Meets SAE Type "S" (limited clearance) for passenger cars
- Adjusters recommended. Sold separately
- Heavy duty lever fastener for easy mounting
- Light weight and easy to install
- **Always** pre-fit chains before use



Close-up of link



Optional tightener



Available in dual



Alloy Square Link

Popular and economical square link design.

GREAT for your car, truck, van, SUV, or big rig.



Available in dual

- Alloy steel square link cross chain
- Meets SAE Type "S" (limited clearance) for passenger cars
- Excellent grip for snowy, icy roads
- Made with cam (SC) or non-cam (S) locking side chain
- More traction than conventional twist link
- **Always** pre-fit chains before use



Optional tightener



Close-up of link



V-Bar & Studded Twist Link



Welded V-Bar & studs for aggressive off road.



- Aggressive V-Bar or Studded cross chain
- Perfect for off-road use on light or heavy truck
- Proven traction on icy, un-even, muddy terrain
- Made with cam (SC) or non-cam (S) locking side chain
- Heavy duty lever fastener for easy mounting
- Ask about sizing for some heavy equipment
- **Always** pre-fit chains before use



Close-up of V-Bar



Optional tightener



Available in dual



OTR & Tractor

Designed for Plows, Scrapers, Loaders, Graders, and Backhoes.

Glacier OTR equipment chains are available in these options:

- **Standard twist link**
- **Alloy square link**
- **V-Bar twist link**
- **Double link spacing**



Square link single-spaced



Twist link single-spaced



Square Link Duo

Square link “H” pattern chains.

- 8mm alloy square link steel construction for superior wear and reliable traction
- Designed for use on farm and agricultural elements
- **H** pattern section keeps the chain on top of the tread
- Cross chain replacements are available



Square Link Duo





Ring Skidder



Hardened 9/16" & 5/8" carbon steel construction with fixed ring design.


Tire Size	Stock No.	Chain Size	Weight
18.4-26	GRS001	9/16 (14mm)	625 lbs
16.9-30	GRS001	9/16 (14mm)	625 lbs
23.1-26	GRS002	5/8 (16mm)	749 lbs
18.4-34	GRS002	5/8 (16mm)	749 lbs
24.5-32	GRS003	5/8 (16mm)	865 lbs
28L-26	GRS004	5/8 (16mm)	743 lbs
30.5-32	GRS005	5/8 (16mm)	786 lbs



Net Skidder

Studded 5/8" double diamond pattern cross sections for maximum traction.

Tire Size	Stock No.	Chain Size	Weight
18.4-26	GDDS001	5/8 (16mm)	814 lbs
16.9-30	GDDS001	5/8 (16mm)	814 lbs
23.1-26	GDDS002	5/8 (16mm)	916 lbs
18.4-34	GDDS002	5/8 (16mm)	916 lbs
24.5-32	GDDS003	5/8 (16mm)	968 lbs
28L-26	GDDS004	5/8 (16mm)	975 lbs
30.5-32	GDDS005	5/8 (16mm)	1130 lbs





Small Equipment

For snow blowers, garden tractors, and other small equipment.



- Keeps your snow blower on its path
- The right traction when clearance is an issue

Tire Size	Stock No.	Weight	Tire Size	Stock No.	Weight
10/10.5-2.75	SE3301	3 lbs	18x6.5-8	SE3312	14 lbs
10-3	SE3301	3 lbs	18x8.5-8	SE3307	15 lbs
12x-3	SE3308	3 lbs	18x9.5-8	SE3305	16 lbs
10.25-3.25	SE3301	3 lbs	20x8-8	SE1308	19 lbs
4.1/350-4	SE7106	3 lbs	20x10-8	SE7145	20 lbs
3.4/3-5	SE7106	3 lbs	20x8-10	SE1308	19 lbs
4.1/3.5-5	SE3302	4 lbs	20x10-10	SE7145	20 lbs
4.1/3.5-6	SE3302	4 lbs	22x10-10	SE1308	19 lbs
12x3.5-6	SE3302	4 lbs	6-12	SE5313	19 lbs
12.25x3.5-6	SE3302	4 lbs	7/8-12	SE4300	22 lbs
13x5-6	SE7129	6 lbs	12-12	SE5308	30 lbs
13x6.5-6	SE1301	11 lbs	23x7.5-12	SE5313	19 lbs
14x4-6	SE1301	11 lbs	23x8.5-12	SE4300	22 lbs
15x5-6	SE3300	12 lbs	23x9.5-12	SE5307	25 lbs
15x6-6	SE3300	12 lbs	23x10.5-12	SE5307	25 lbs
4/4.8-8	SE1301	11 lbs	24x12-12	SE5308	30 lbs
5/5.7-8	SE3303	16 lbs	26x12-12	SE5308	30 lbs
16x6.5-8	SE3300	12 lbs	27x12-12	SE5308	30 lbs



ATV & Off Road V-Bar

Double spaced and V-Bar reinforced for any off-road terrain.



- Great for hunting, off road, or getting around on the farm
- Never worry about river beds, hill climbs, or open range

Tire Size	Stock No.	Weight	Tire Size	Stock No.	Weight
22x11-8	ATV615	28 lbs	25x12-10	ATV620	37 lbs
22x12-9	ATV615	28 lbs	20x8-11	ATV610	26 lbs
24x11-9	ATV618	39 lbs	22x8-11	ATV610	26 lbs
24x13-9	ATV620	37 lbs	23x8-11	ATV611	29 lbs
25x12-9	ATV620	37 lbs	24x8-11	ATV611	29 lbs
25x13-9	ATV620	37 lbs	24x9-11	ATV618	39 lbs
25x13.5-9	ATV620	37 lbs	25x8-11	ATV612	33 lbs
22x10-10	ATV615	28 lbs	24x8-12	ATV618	39 lbs
22x11-10	ATV615	28 lbs	25x10-12	ATV618	39 lbs
23x10-10	ATV615	28 lbs	25x11-12	ATV620	37 lbs
24x11-10	ATV618	39 lbs	26x8-12	ATV611	29 lbs
24x12-10	ATV620	37 lbs	26x11-12	ATV620	37 lbs
25x8-10	ATV612	33 lbs	23x5.5-14	ATV611	29 lbs
25x11-10	ATV620	37 lbs	23x8.5x14	ATV611	29 lbs




Mud Service



Extra heavy duty chain design



- Ideal for use in deep mud
- Larger side chain for durability
- Oversize cross chain for more traction
- **Always** pre-fit chains before use



Optional tightener



Emergency Chains



6086V (V-Bar)



6087 (Twist Link)



6085V / 6088V

- Ideal for emergency and short use situations
- Twist link cross chain case hardened construction
- EASY-ON, EASY-OFF installation, requires wheels with holes or slots for mounting



6081 / 6083

Stock No.	Trade Size	Application	Description	Rim Size	Packaging	Weight
6081	4/0	Light Truck	Chain Fastener, 1 Cross Chain	15" - 18"	1 pair	2 lbs
6083	6/0	Heavy Truck	Chain Fastener, 1 Cross Chain	19.5" - 24.5"	1 pair	3 lbs
6085V	7/0	Heavy Truck	Chain Fastener, 2 V-bar Cross Chains	19.5" - 24.5"	1 pair	13 lbs
6086V	6/0	Heavy Truck	Web Strap Fastener, 2 V-bar Cross Chains	19.5" - 24.5"	1 pair	8 lbs
6087	4/0	Light Truck	Web Strap Fastener, 2 Cross Chains	15" - 18"	1 pair	3 lbs
6088V	7/0	Heavy Truck	Chain Fastener, 2 V-bar Cross Chains	Wide Base Tire	1 pair	15 lbs



Load Securement

Grade 70 Bulk Chain

Stock No.	Trade Size	Wire Dia/Pitch	Qty. Per Drum	Weight	WLL
G7-516-D-YC-ASTM	5/16"	0.343"/1.00"	550 Feet	640 lbs	4,700 lbs
G7-38-D-YC-ASTM	3/8"	0.394"/1.26"	400 Feet	596 lbs	6,600 lbs
G7-12-D-YC-ASTM	1/2"	0.516"/1.70"	200 Feet	476 lbs	11,300 lbs



Grade 70 Transport Chain

Stock No.	Trade Size	Description	Qty. Per Drum	Weight	WLL
G7TC-516-16	5/16"	16 Feet	30 Pieces	540 lbs	4,700 lbs
G7TC-516-20	5/16"	20 Feet	25 Pieces	575 lbs	4,700 lbs
G7TC-516-25	5/16"	25 Feet	20 Pieces	745 lbs	4,700 lbs
G7TC-38-16	3/8"	16 Feet	25 Pieces	700 lbs	6,600 lbs
G7TC-38-20	3/8"	20 Feet	20 Pieces	620 lbs	6,600 lbs
G7TC-38-25	3/8"	25 Feet	20 Pieces	760 lbs	6,600 lbs
G7TC-12-20	1/2"	20 Feet	10 Pieces	560 lbs	11,300 lbs



Grade 70 Grab Hook

Stock No.	Trade Size	Description	Packaging	Weight	WLL
G7CG-516-YC	5/16"	Grab Hook	1 Piece	0.6 lbs	4,700 lbs
G7CG-38-YC	3/8"	Grab Hook	1 Piece	1.1 lbs	6,600 lbs
G7CG-12-YC	1/2"	Grab Hook	1 Piece	2.4 lbs	11,300 lbs



Grade 70 Slip Hook


Stock No.	Trade Size	Description	Packaging	Weight	WLL
G7CSL-516-YC	5/16"	Slip Hook	1 Piece	0.9 lbs	4,700 lbs
G7CSL-38-YC	3/8"	Slip Hook	1 Piece	1.5 lbs	6,600 lbs
G7CSL-12-YC	1/2"	Slip Hook	1 Piece	2.8 lbs	11,300 lbs



Load Binders

Stock No.	Trade Size	Description	Packaging	Weight	WLL
LLB-51638	5/16 - 3/8"	Lever	6 Pieces	52 lbs	5,400 lbs
LLB-3812	3/8 - 1/2"	Lever	6 Pieces	60 lbs	9,200 lbs
RLB-14	1/4"	Ratchet	10 Pieces	61 lbs	2,600 lbs
RLB-51638	5/16 - 3/8"	Ratchet	2 Pieces	22 lbs	5,400 lbs
RLB-3812	3/8 - 1/2"	Ratchet	2 Pieces	25 lbs	9,200 lbs

Lever Load Binder



Ratchet Load Binder




GRADE 70 CHAIN IS NOT TO BE USED FOR OVERHEAD LIFTING!



Bulk Chain & Cam Chain




Unhardened Side Chain




Stock No.	Trade Size	Diameter	Application	Package	Weight
1004	4/0	.219 (7/32")	Light Truck	100'	35 lbs
1006	6/0	.281 (9/32")	Heavy Truck	100'	56 lbs
1007	7/0	.312 (5/16")	Truck/Equip	100'	71 lbs
1009	9/0	.375 (3/8")	Heavy Equip	100'	108 lbs
1011	11/0	.437 (7/16")	Heavy Equip	100'	138 lbs
1013	13/0	.512 (1/2")	Heavy Equip	100'	236 lbs

Side Chain With Cam Lock




Stock No.	Trade Size	Description	Application	Package	Weight
1017	4/0	4 cams .219 (7/32")	Light Truck	10 pcs	37 lbs
1016	6/0	3 cams .281 (9/32")	Heavy Truck	10 pcs	64 lbs
1019	7/0	4 cams .312 (5/16")	Truck/Equip	10 pcs	71 lbs

Twist Link Chain



Stock No.	Trade Size	Diameter	Application	Package	Weight
2004	4/0	.219 (7/32")	Light Truck	100'	24 lbs
2006	6/0	.281 (9/32")	Truck	100'	35 lbs
2007	7/0	.312 (5/16")	Heavy Truck	50'	41 lbs
2009	9/0	.375 (3/8")	Heavy Equip	50'	68 lbs
2011	11/0	.437 (7/16")	Heavy Equip	50'	92 lbs
2014	14/0	.531 (17/32")	Heavy Equip	50'	140 lbs

Alloy Square Link



Stock No.	Trade Size	Diameter	Application	Package	Weight
2005SL	5.6mm	.220 (3/16")	Light Truck	100'	47 lbs
2007SL	7mm	.275 (1/4")	Truck	100'	82 lbs
2008SL	8mm	.315 (5/16")	Truck/Equip	100'	94 lbs
2010SL	10mm	.409 (3/8")	Heavy Equip	100'	147 lbs
2012SL	12mm	.472 (7/16")	Heavy Equip	50'	112 lbs

Alloy Twisted Square Link



Stock No.	Trade Size	Diameter	Application	Package	Weight
2008TSL	8mm	.315 (5/16")	Truck/Equip	50'	48 lbs
2010TSL	10mm	.409 (3/8")	Heavy Equip	50'	83 lbs



Links, Fasteners, & Cams


Side Chain Repair Link

Stock No.	Trade Size	Diameter	Application	Package	Weight
603SC	3.5mm	1/8"	Passenger	25	0.31 lbs
605SC	5.6mm	3/16"	Light Truck	25	1 lbs
607SC	7mm	1/4"	Heavy Truck	25	2 lbs
608SC	8mm	5/16"	Heavy Truck	25	3 lbs
609SC	10mm	3/8 x 2 1/8"	Heavy Truck & Equipment	25	6.5 lbs
610SC	10mm	3/8 x 1 5/8"	Heavy Truck & Equipment	25	5 lbs




Emergency Quick Link/Side Chain Repair Link

Stock No.	Trade Size	Diameter	Application	Package	Weight
8004	4/0	.219 (7/32")	Light Truck	20	1.0 lbs
8005	6/0	.281 (9/32")	Light/Heavy Truck	20	1.3 lbs
8006	7/0	.312 (5/16")	Heavy Truck	20	1.5 lbs
8008	9/0	.375 (3/8")	Med/Heavy Equip	20	3.3 lbs
8010	11/0	.437 (7/16")	Heavy Equipment	20	6.0 lbs
8013	13/0	.512 (1/2")	Heavy Equipment	20	9.3 lbs



Lever Fastener

Stock No.	Type	Application	Package	Weight
8220	Lever	Passenger	20	1.6 lbs
8230	Lever	Light Truck	20	3.5 lbs
8250	Lever	Heavy Truck	20	11.6 lbs
8260	Lever	Heavy Truck	20	10 lbs
8270	Lever	Heavy Equipment	20	21 lbs
5297	Lever	Universal Tension Chain	20	36 lbs



Clevis Fastener

Stock No.	Type	Application	Package	Weight
312	Clevis	Small Equipment	10	4.5 lbs
317	Clevis	Heavy Equipment	10	11 lbs



Cam Tightener

Stock No.	Application	Package	Weight
5998	Light Truck	10	3 lbs
5999	Heavy Truck	10	7 lbs



Cam Tool

Stock No.	Application	Package	Weight
204LT	Light Truck	20	5 lbs
204	Heavy Truck	20	8 lbs



Do you have a question about parts?

Call our friendly, knowledgeable staff 7 days a week; we're here to help.

California
(800) 445-2895

Illinois
(800) 526-3924





Hooks, Fasteners & Other



Cross Chain Hook

Stock No.	Trade Size	Diameter	Application	Package	Weight
410	10/0	.406 (13/32")	Med/Heavy Equipment	50	17.6 lbs
413	13/0	.512 (33/64")	Heavy Equipment	50	32.2 lbs



509



5858SP



5862



5861



5864

Swivel Hooks & Rugger Style Hooks

Stock No.	Trade Size	Diameter	Application	Package	Weight
505	4/0	---	Light Truck	25	3.5 lbs
507	7/0	---	Truck	25	5.9 lbs
509	9/0	.437 (7/16")	Heavy Equipment	25	6 lbs
511	11/0	.563 (9/16")	Heavy Equipment	25	12 lbs
513	14/0	---	Heavy Equipment	25	13.3 lbs
5858SP	9/0	.563 (9/16")	8.2mm & 10mm	25	7 lbs
5861	Rugger Assembly	.437 (7/16")	8.2 & 10mm, 9/0, 11/0	25	15 lbs
5862	Rugger Hanger	.375 (3/8")	509, 5858SP	25	6 lbs
5864	Rugger Washer	---	For Stock No. 5861	100	5.8 lbs


Side Chain End Fasteners (Speed Hook)

Stock No.	Trade Size	Diameter	Application	Package	Weight
318	3/0	.207 (13/64")	Passenger	100	3 lbs
319	6/0	.281 (9/32")	Light Truck	100	8.5 lbs
320	9/0	.375 (3/8")	Heavy Truck	100	21 lbs
324	11/0	.468 (15/32")	Heavy Equipment	100	25.5 lbs




Screw Pin Shackle

Stock No.	Trade Size	Description	Application	Package	Weight
SHACKLE 3/8"	3/8"	Screw Pin Bow Shackle	Heavy Equipment	10	3 lbs
SHACKLE 1/2"	1/2"	Screw Pin Bow Shackle	Heavy Equipment	10	6 lbs



Pin Lock

Stock No.	Trade Size	Description	Application	Package	Weight
908	8.2mm	Pin Lock	8.2mm Chain	10	2 lbs
910	10mm	Pin Lock	10mm Chain	10	4 lbs
912	12mm	Pin Lock	12mm/13mm Chain	10	8 lbs







Chain Tighteners



15" Bungee Type



Metal Spring Type



Rubber Ring Type

Stock No.	Description	Application	Fits Rim	Package	Weight
94	Metal Spring	Light Truck	16 - 20"	4	1.2 lbs
96	15" Bungee	Heavy Truck	---	50	12 lbs
97	Rubber Ring	Heavy Truck	18.5 - 24.5"	25	19 lbs
98	Metal Spring	Heavy Truck	19.5 - 24.5"	4	4 lbs
99	Rubber Ring	Light Truck	15 - 18"	80	40 lbs
100	Rubber Ring	Passenger	12 - 16"	80	35 lbs
101	Rubber Ring	Heavy Equipment & Tractor	20 - 33"	20	3 lbs
103	Multi-Arm	Heavy Truck	18.5 - 24.5"	25	1.5 lbs
105	Multi-Arm	Light Truck	15 - 18"	40	1 lbs



Multi-Arm Type



Pliers & Cutters



BC 36



201



202 & 203




202A

Stock No.	Description	Application	Length	Package	Weight
BC36	Bolt Cutters	ALL	36"	1	12 lbs
200	Handheld Plier	Passenger	7"	1	0.35 lbs
201 (Import)	Short Handle Plier	Light & Heavy Truck	22"	1	7.95 lbs
202 (Import)	Long Handle Plier	Light & Heavy Truck	33"	1	10.4 lbs
203 (H.K.Porter)	Long Handle Plier	Light & Heavy Truck	33"	1	9.4 lbs
202A	Plier Replacement Jaw	For 201, 202, & 203	----	1	2.2 lbs

H.K.Porter®

pewag grade 120 load securement


Load Binders for cargo securement and tightening of chains.



Code	WLL=Working Load Limit (lb)	Chain Size (inch)	Dimensions in inches				L= Reach length with Hooks		R= Reach length without Hooks		T= thread size	Weight ea. w/Hooks (lb) approx
			A	B	C	D	max	min	max	min		
7G120RLB	5,200	9/32	9.3	10	1.34	0.787	29.97	23.47	20.4	13.9	22 mm	9
10G120RLB	10,600	3/8	14	10	1.46	1.02	32.78	26.68	20.31	14.21	24 mm	12
13G120RLB	17,900	1/2	14.13	16.93	1.97	1.22	50.87	38.86	34.49	22.48	30 mm	15


- High strength Grade 120 construction for maximum working loads
- Forged steel eye bolt, steel barrel construction and cast handle assembly
- High load capacity trapezoidal thread form
- Hooks and links heat treated to Grade 120 strength standards
- Short reach hooks provide for maximum take-up
- Double acting spring loaded pawls
- Working load limit, chain size and batch code stamped on handle with 1/4" tall raised letters
- Meets NACM specification of 4:1 design factor on WLL
- Meets or exceeds US FMCSA and CVSA regulations including 49 CFR parts 392 and 393

Lashing & Tie-Down Chain




Code	WLL=Working Load Limit (lb)	Chain Size (inch)	Chain Size (mm)	G= Hook Opening (inch)	Weight per 20 ft (lb)
					approx
7G120TD/20	5,200	9/32	7	1.02	20
10G120TD/20	10,600	3/8	10	1.22	37
13G120TD/20	17,900	1/2	13	1.54	65

2-Part Binding & Tie Down System



pewag grade 100 load securement


Load Binders for cargo securement and tightening of chains.



Code	WLL=Working Load Limit (lb)	Chain Size (inch)	Dimensions in inches				L= Reach length with Hooks		R= Reach length without Hooks		T= thread size	Weight ea. w/Hooks (lb) approx
			A	B	C	D	max	min	max	min		
8G100RLB	5,700	5/16	9.3	10	1.34	0.787	30.8	24.3	20.4	13.9	22 mm	10
10G100RLB	8,800	3/8	14	10	1.46	1.02	32.89	26.79	20.31	14.21	24 mm	12
13G100RLB	15,000	1/2	14.13	16.93	1.97	1.22	50.31	38.3	34.49	22.48	30 mm	15


- Forged steel eye bolt, steel barrel construction and cast handle
- High load capacity trapezoidal thread form
- Short reach hooks provide for maximum take-up
- Double acting spring loaded pawls
- Meets NACM specification of 4:1 design factor on WLL
- Meets or exceeds US FMCSA and CVSA regulations including 49 CFR parts 392 and 393

Lashing & Tie-Down Chain



Code	WLL=Working Load Limit (lb)	Chain Size (inch)	Chain Size (mm)	G= Hook Opening (inch)	Weight per 20 ft (lb)
					approx
8G100TD/20	5,700	5/16	8	1.02	20
10G100TD/20	8,800	3/8	10	1.22	37
13G100TD/20	15,000	1/2	13	1.54	65

2-Part Binding & Tie Down System



INSTA-CHAIN™

CHAIN UP INSTANTLY!

INSTANT TRACTION AT YOUR COMMAND™



INSTA-CHAIN™
The **AUTOMATIC ICECHAIN**

Made with
pewag



Features & Benefits:

- **Perfect for** Ambulances, Fire Trucks, School Buses, Big Rig, Propane, Fuel, Oil, and Hazmat Vehicles. ½ Ton through Class 8 Trucks.
- **Hardened pewag** special alloy chain provides maximum biting edge contact with the road for superior traction and long life.
- **Equal Traction in Forward or Reverse** – Non-Directional square chain links provide equal traction forward and in reverse.
- **Individually Replaceable Chain Strands** means lower cost maintenance because you only replace what needed, not the whole ring of chain.
- **Available** in 6 or 12 strand models with steel or anti-spark chain.
- **Grease-able** chain wheels, arm pivots, and ball joints for long service life.
- **Accepted** by ALL state D.O.T.'s to meet chain requirements.



**CALL US TODAY FOR
MORE INFORMATION:
(800)445-2895**

COREX Ramp-Up™



Ramp-Up™

Manufactured by:
COREX LLC

For a smooth, quick installation with fewer adjustments; simply drive onto the Ramp-Up™ Chain your vehicle, and drive off.

MERRITT™ Chain Hanger



- Attractive diamond plate locking lid for security
- Strong design can store up to 300 lbs. of chains
- 24" for open frame mounting
- 18" for fairing package mounting
- Non-locking lid also available

**CALL US TODAY FOR
MORE INFORMATION:
(800)445-2895**





Shoe Chains



Boot traction for any weather!



- Aggressive ALL-METAL spikes and chain links for maximum outdoor traction and durability
- Easy-on & Easy-off design
- Great for slick icy sidewalks, porches, stairs, slopes, inclines, and driveways
- Durable elastic rubber keeps them in place

Sizing

Stock No.	Size	Men's	Women's
GSC - S	Small	2 - 5	3 - 6
GSC - M	Medium	5 1/2 - 8	6 1/2 - 9 1/2
GSC - L	Large	8 1/2 - 10 1/2	10 - 12
GSC - XL	X-Large	11 - 13	12 & Up





S.A.E. Clearance Info




S.A.E. Minimum Clearance For Tire Chains

Note: For design purposes, "D" is the maximum known tire section width as established by the Tire & Rim Association (TRA). The minimum clearances specified must be maintained around spring clips, fenders, braces, splash pans, fuel lines, brake lines, brake controls, and wherever necessary. Tire size must be known in order to select a tire chain of correct fit. For passenger cars, vans, and small pick-up trucks; it is important to check the owners manual. The restricted wheel clearances in most of today's downsized and front wheel drive (FWD) vehicles may require the use of SAE Class "S" tire chains or prohibit their use, as noted in the owners manual.

1. Tire sizes containing an "R" designate "Radial" tires. All traction devices for sizes with a letter designation (i.e. P175/70R-14) can also be translated as (i.e. 175/70-14).
2. Most tire size designations shown do not indicate radial construction. This is done by replacing the dash with a capital "R" in the tire size listing. Example: 10.00-20 becomes 10.00R20.
3. Snow tires, Mud & Snow (M&S) tires and other oversized tires may require a larger size chain.

SAE Class "S": Regular passenger traction devices for vehicles with restricted wheel well clearances.
SAE Class "U": Regular and square link tire chains for vehicles with regular wheel well clearances.
SAE Class "W": Passenger traction devices that use light truck components, and some light truck PL Chain.



Tire Chain Minimum Clearance

SAE Class	Figure (A)	Figure (C)
Class "S"	1.46" / 37mm	.59" / 15mm
Class "U"	1.97" / 50mm	.91" / 23mm
Class "W"	2.50" / 63.5mm	1.50" / 38mm

pewag chain specifications

Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
pewag 2200 LT/HT Singles									
E2209	21.5	11	E6219	11.25"	5.6 mm	9	406 .276"	1004 .219"	66.00"
E2211	26.0	13	E6221	13.25"	5.6 mm	11	406 .276"	1004 .219"	77.75"
E2214	31.0	15	E6221	13.25"	5.6 mm	11	406 .276"	1004 .219"	89.00"
E2216	25.5	12	E6221	13.25"	5.6 mm	11	406 .276"	1004 .219"	74.00"
E2219	27.0	13	E6221	13.25"	5.6 mm	11	406 .276"	1004 .219"	80.00"
E2221	29.5	14	E6221	13.25"	5.6 mm	11	406 .276"	1004 .219"	84.50"
E2226	36.0	15	E6229	16.75"	5.6 mm	15	406 .276"	1004 .219"	89.00"
E2228	31.0	14	E6225	15.00"	5.6 mm	13	406 .276"	1004 .219"	84.50"
E2229	27.0	12	E6225	15.00"	5.6 mm	13	406 .276"	1004 .219"	74.00"
E2233	40.0	11	E6251	14.75"	7 mm	9	407 .315"	1006 .281"	83.50"
E2237	44.0	12	E6251	13.50"	7 mm	9	407 .315"	1006 .281"	94.50"
E2238	48.0	12	E6253	16.25"	7 mm	11	407 .315"	1006 .281"	94.50"
E2239	48.0	13	E6251	13.50"	7 mm	9	407 .315"	1006 .281"	101.75"
E2241	51.0	14	E6251	13.50"	7 mm	9	407 .315"	1006 .281"	109.00"
E2245	56.0	15	E6251	13.50"	7 mm	9	407 .315"	1006 .281"	116.00"
E2247	56.3	14	E6253	16.25"	7 mm	11	407 .315"	1006 .281"	109.00"
E2249	59.0	15	E6253	16.25"	7 mm	11	407 .315"	1006 .281"	116.00"
E2251	70.3	14	E6253	16.25"	7 mm	11	407 .315"	1007 .312"	111.50"
E2253	77.1	16	E6253	16.25"	7 mm	11	407 .315"	1007 .312"	126.75"
E2255	61.7	14	E6263	18.50"	7 mm	13	407 .315"	1007 .312"	116.75"
E2257	68.0	16	E6263	18.50"	7 mm	13	407 .315"	1007 .312"	126.75"
E2271	81.0	16	E6266	20.75"	7 mm	15	407 .315"	1007 .312"	130.50"
E2273	90.0	18	E6266	20.75"	7 mm	15	407 .315"	1007 .312"	145.50"
pewag 4200 LT/HT Duals									
E4211	42.0	26	E6219	13.25"	5.6 mm	11	405 .250"	1004 .219"	77.75"
E4214	57.0	30	E6221	13.25"	5.6 mm	11	405 .250"	1004 .219"	89.00"
E4216	44.0	24	E6221	13.25"	5.6 mm	11	405 .250"	1004 .219"	74.00"
E4219	50.0	26	E6221	13.25"	5.6 mm	11	405 .250"	1004 .219"	80.00"
E4221	53.0	28	E6221	13.25"	5.6 mm	11	405 .250"	1004 .219"	85.50"
E4228	58.0	28	E6225	15.00"	5.6 mm	13	405 .250"	1004 .219"	83.75"
E4229	47.0	24	E6225	15.00"	5.6 mm	13	405 .250"	1004 .219"	71.25"
E4233	73.0	22	E6251	13.50"	7 mm	9	407 .312"	1006 .281"	83.50"
E4237	82.0	24	E6251	13.50"	7 mm	9	407 .312"	1006 .281"	94.50"
E4238	88.0	24	E6253	16.25"	7 mm	11	407 .312"	1006 .281"	94.50"
E4239	89.0	26	E6251	13.50"	7 mm	9	407 .312"	1006 .281"	101.75"
E4241	91.0	28	E6251	13.50"	7 mm	9	407 .312"	1006 .281"	109.00"
E4245	101.0	30	E6251	13.50"	7 mm	9	407 .312"	1006 .281"	116.00"
E4247	103.0	28	E6253	16.25"	7 mm	11	407 .312"	1006 .281"	109.00"
E4249	105.0	30	E6253	16.25"	7 mm	11	407 .312"	1006 .281"	116.00"
E4251	117.0	28	E6253	16.25"	7 mm	11	407 .375"	1007 .312"	111.50"
E4253	112.0	32	E6253	16.25"	7 mm	11	407 .375"	1007 .312"	126.75"
E4255	117.0	28	E6263	18.50"	7 mm	13	407 .375"	1007 .312"	116.75"
E4257	126.0	32	E6263	18.50"	7 mm	13	407 .375"	1007 .312"	126.75"
E4271	154.0	32	E6266	20.75"	7 mm	15	407 .375"	1007 .312"	130.50"
E4273	171.0	36	E6266	20.75"	7 mm	15	407 .375"	1007 .312"	145.50"
pewag 3200 LT/HT Wide Base									
E3210	28.0	13	E6225	15.00"	5.6 mm	13	406 .250"	1004 .219"	77.75"
E3227	40.0	10	E6253	16.25"	7 mm	11	407 .312"	1006 .281"	80.00"
E3229	42.0	10	E6259	18.50"	7 mm	13	407 .312"	1006 .281"	80.00"
E3231	47.0	11	E6259	18.50"	7 mm	13	407 .312"	1006 .281"	87.25"
E3235	51.0	12	E6259	18.50"	7 mm	13	407 .312"	1006 .281"	94.50"
E3237	42.0	9	E6265	23.50"	7 mm	17	407 .312"	1006 .281"	69.00"
E3249	43.0	9	E6267	23.50"	7 mm	17	407 .312"	1006 .281"	69.00"
E3251	48.0	10	E6267	23.50"	7 mm	17	407 .312"	1006 .281"	76.25"
E3255	63.5	14	E7213	20.75"	7 mm	15	407 .312"	1006 .281"	109.00"
E3257	78.0	15	E7213	20.75"	7 mm	15	407 .312"	1006 .281"	112.25"
E3259	60.0	11	E7214	23.00"	7 mm	17	407 .312"	1006 .281"	83.50"

pewag chain specifications

Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
pewag 3200 LT/HT Wide Base									
E3261	75.0	16	E7214	23.00"	7 mm	17	407 .312"	1006 .281"	123.25"
E3265	59.0	11	E7214	23.00"	7 mm	17	407 .312"	1006 .281"	83.50"
E3267	60.0	12	E7214	23.00"	7 mm	17	407 .312"	1006 .281"	90.75"
E3269	60.5	13	E7214	23.00"	7 mm	17	407 .312"	1006 .281"	101.75"
E3271	66.0	14	E7214	23.00"	7 mm	17	407 .312"	1006 .281"	109.00"
E3273	79.0	12	E7216	32.50"	7 mm	25	407 .312"	1006 .281"	90.75"
E3275	86.0	13	E7216	32.50"	7 mm	25	407 .312"	1006 .281"	97.75"
E3277	92.0	14	E7216	32.50"	7 mm	25	407 .312"	1006 .281"	105.25"
pewag 2400 Mud Singles									
E2433	33.0	8	E6256	13.50"	7 mm	9	407 .312"	1006 .281"	61.75"
E2435	35.0	9	E6256	13.50"	7 mm	9	407 .312"	1006 .281"	69.00"
E2437	37.0	10	E6256	13.50"	7 mm	9	407 .312"	1006 .281"	80.00"
E2439	39.0	10	E6260	16.25"	7 mm	11	407 .312"	1006 .281"	80.00"
E2441	63.0	11	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	92.75"
E2445	71.0	12	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	96.25"
E2448	68.5	13	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	108.25"
E2452	73.5	14	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	116.00"
E2486	90.0	14	E6438	20.50"	8.2 mm	13	409 .375"	1007 .312"	111.25"
pewag 4400 Mud Duals									
E4412	72.0	20	E6256	13.50"	7 mm	9	407 .312"	1006 .281"	61.60"
E4435	118.0	22	E6256	13.50"	7 mm	9	407 .312"	1006 .281"	68.90"
E4437	124.0	24	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	76.10"
E4448	136.0	26	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	108.25"
E4461	137.0	28	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	117.50"
E4486	183.0	28	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	115.25"
pewag 2600 OTR									
E2612	98.0	14	E6630	25.50"	8.2 mm	17	409 .375"	1007 .312"	115.50"
E2615	114.0	16	E6630	25.50"	8.2 mm	17	409 .375"	1007 .312"	126.75"
E2624	146.0	13	E6640	28.00"	10 mm	17	411 .437"	1009 .375"	121.75"
E2627	168.0	15	E6640	28.00"	10 mm	17	411 .437"	1009 .375"	138.50"
E2633	176.0	14	E6650	33.75"	10 mm	21	411 .437"	1009 .375"	130.00"
E2636	188.0	15	E6650	33.75"	10 mm	21	411 .437"	1009 .375"	134.75"
E2642	232.0	18	E6650	33.75"	10 mm	21	411 .437"	1009 .375"	160.75"
E2645	268.0	15	E6660	38.25"	12 mm	19	411 .437"	1011 .437"	148.00"
E2648	298.0	16	E6660	38.25"	12 mm	19	411 .437"	1011 .437"	148.50"
E2657	375.0	16	E6670	45.25"	12 mm	23	411 .437"	1011 .437"	162.00"
E2672	403.0	17	E6680	52.25"	12 mm	27	411 .437"	1011 .437"	157.50"
E2675	427.0	18	E6680	52.25"	12 mm	27	411 .437"	1011 .437"	166.50"
pewag 0800 Tractor									
E0822	79.0	11	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	88.50"
E0829	76.0	9	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	73.00"
E0831	72.0	10	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	80.75"
E0832	79.0	12	E6434	17.50"	8.2 mm	11	409 .375"	1007 .312"	96.25"
E0834	78.0	11	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	88.50"
E0836	88.0	12	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	96.25"
E0838	109.0	14	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	111.50"
E0846	126.0	17	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	134.50"
E0850	86.0	10	E7420	22.75"	8.2 mm	15	409 .375"	1007 .312"	80.75"
E0852	105.0	13	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	103.75"
E0856	111.0	15	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	119.25"
E0858	122.0	14	E7420	22.75"	8.2 mm	15	409 .375"	1007 .312"	111.50"
E0859	124.0	15	E7420	22.75"	8.2 mm	15	409 .375"	1007 .312"	119.25"
E0862	145.0	18	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	142.25"
E0866	153.0	19	E7420	22.75"	8.2 mm	15	409 .375"	1007 .312"	149.75"
E0869	137.0	16	E7420	22.75"	8.2 mm	15	409 .375"	1007 .312"	126.75"
E0871	163.0	20	E7420	22.75"	8.2 mm	15	409 .375"	1007 .312"	157.50"
E0874	137.0	15	E7426	28.50"	8.2 mm	19	409 .375"	1007 .312"	119.25"

pewag chain specifications

Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
pewag 0800 Tractor									
E0876	158.0	16	E7426	28.50"	8.2 mm	19	409 .375"	1007 .312"	126.75"
E0877	164.0	17	E7426	28.50"	8.2 mm	19	409 .375"	1007 .312"	134.50"
E0879	171.0	18	E7426	28.50"	8.2 mm	19	409 .375"	1007 .312"	142.25"
E0881	205.0	10	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	92.25"
E0882	244.0	12	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	108.50"
E0883	268.0	13	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	117.25"
E0884	283.0	14	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	126.00"
E0885	319.0	15	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	134.75"
E0887	324.0	16	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	143.25"
E0889	364.0	17	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	152.00"
E0890	438.0	17	E6650	33.75"	10 mm	21	411 .437"	1009 .375"	152.00"
E0891	338.0	14	E9567	39.25"	10 mm	25	411 .437"	1009 .375"	126.00"
E0892	385.0	18	E6650	33.75"	10 mm	21	411 .437"	1009 .375"	160.75"
E0893	384.0	16	E9567	39.25"	10 mm	25	411 .437"	1009 .375"	143.25"
E0894	370.0	19	E9562	30.75"	10 mm	19	411 .437"	1009 .375"	169.50"
E0895	523.0	17	E9567	39.25"	10 mm	25	411 .437"	1009 .375"	152.00"
pewag SSE Skid Steer									
SSE10165-2	78.0	16	E6263	18.50"	8.2 mm	11	409 .375"	1007 .312"	72.00"
SSE10165-4	44.0	10	E6263	18.50"	8.2 mm	11	409 .375"	1007 .312"	72.00"
SSE12165-2	88.0	18	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	79.00"
SSE12165-4	69.0	10	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	79.00"
SSE14175-2	120.0	23	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	94.00"
SSE14175-4	76.0	12	E6445	20.50"	8.2 mm	13	409 .375"	1007 .312"	94.00"

pewag chain data

pewag Square Link

Trade Size	Decimal	Fraction	Metric	Pitch
3.7 mm	0.145"	9/64"	3.7 mm	11 mm
4.5 mm	0.177"	5/32"	4.5 mm	18 mm
5.6 mm	0.221"	15/64"	5.6 mm	24 mm
7 mm	0.276"	9/32"	7 mm	30 mm
8.2 mm	0.322"	21/64"	8.2 mm	33 mm
10 mm	0.394"	25/64"	10 mm	35 mm
12 mm	0.472"	15/32"	12 mm	45 mm
14 mm	0.551"	35/64"	14 mm	43 mm
16 mm	0.630"	5/8"	16 mm	56 mm
18 mm	0.709"	45/64"	18 mm	52 mm
21 mm	0.827"	53/64"	21 mm	66 mm

Diameter & Pitch: There are two primary measurements of importance used in the manufacturing of tire chains. These are the **diameter** of the link and the **pitch** of the link. The illustration shows the proper way to take these measurements.



Diameter: (A) is the thickness of the steel wire material used to form the chain link. The measurement should be taken at an unbent area of the link where possible.

Pitch: (B) is the inside measurement across the length of the link.



chain data

Glacier Twist Link

Trade Size	Decimal	Fraction	Metric	Pitch
1/0	0.177"	11/64"	4.5 mm	1.180"
3/0	0.207"	13/64"	5.25 mm	0.920"
4/0	0.234"	15/64"	5.95 mm	1.000"
6/0	0.281"	9/32"	7.14 mm	1.250"
7/0	0.312"	5/16"	7.92 mm	1.390"
9/0	0.375"	3/8"	9.53 mm	1.260"
11/0	0.437"	7/16"	11.10 mm	1.562"
14/0	0.531"	17/32"	13.50 mm	1.734"

Glacier Square Link

Trade Size	Decimal	Fraction	Metric	Pitch
5 mm	0.215"	3/16"	5.4 mm	20.9 mm
7 mm	0.274"	1/4"	7.0 mm	24.4 mm
8 mm	0.314"	5/16"	8.0 mm	30.3 mm
10 mm	0.399"	3/8"	10.1 mm	35.4 mm
12 mm	0.472"	7/16"	12.1 mm	45.0 mm

Side Chain

Trade Size	Decimal	Fractional	Metric	Pitch
#1	0.162"	5/32"	3.96 mm	1.250"
1/0	0.177"	11/64"	4.50 mm	1.250"
2/0	0.192"	3/16"	4.88 mm	1.296"
4/0	0.218"	7/32"	5.54 mm	1.390"
6/0	0.281"	9/32"	7.14 mm	1.810"
7/0	0.312"	5/16"	7.93 mm	1.920"
9/0	0.375"	3/8"	9.52 mm	2.170"
11/0	0.437"	7/16"	11.10 mm	2.330"



Chain Specifications

Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
Glacier PLC Square Link Passenger									
PLC 1110	9.1	9	H5414SL	10.38"	3.7 mm	13	404 .177"	1000 .162"	47.50"
PLC 1114	9.9	10	H5414SL	10.38"	3.7 mm	13	404 .177"	1000 .162"	52.50"
PLC 1118	10.7	11	H5414SL	10.38"	3.7 mm	13	404 .177"	1000 .162"	60.00"
PLC 1122	11.8	12	H5414SL	10.38"	3.7 mm	13	404 .177"	1000 .162"	65.25"
PLC 1126	11.5	11	H5419SL	11.25"	4.5 mm	15	404 .177"	1000 .162"	60.00"
PLC 1130	12.3	12	H5419SL	11.25"	4.5 mm	13	404 .177"	1000 .162"	65.00"
PLC 1134	13.3	12	H5420SL	12.74"	4.5 mm	15	404 .177"	1000 .162"	65.00"
PLC 1138	14.3	13	H5420SL	12.74"	4.5 mm	15	404 .177"	1000 .162"	70.00"
PLC 1142	15.1	13	H5422SL	14.50"	4.5 mm	17	404 .177"	1000 .162"	70.00"
PLC 1144	15.9	14	H5422SL	14.50"	4.5 mm	17	404 .177"	1000 .162"	75.50"
PLC 1146	16.7	15	H5422SL	14.50"	4.5 mm	17	404 .177"	1000 .162"	80.50"
Glacier 1000 Passenger Ladder Cables									
1014	4.2	10	----	10.50"	----	----	----	----	56.25"
1018	4.7	11	----	10.50"	----	----	----	----	61.00"
1022	5.1	12	----	10.50"	----	----	----	----	66.00"
1026	5.0	11	----	11.40"	----	----	----	----	61.00"
1030	5.3	12	----	11.40"	----	----	----	----	66.00"
1034	5.6	12	----	12.75"	----	----	----	----	66.00"
1038	6.2	13	----	12.75"	----	----	----	----	71.00"
1042	6.7	13	----	13.75"	----	----	----	----	71.00"
1046	7.2	14	----	13.75"	----	----	----	----	76.00"
Glacier 1900 Passenger V-Trac Cables									
1914V	6.6	13	PRC242V	11.25"	.349"	----	----	----	60.50"
1918V	7.0	13	PRC267V	12.00"	.349"	----	----	----	62.25"
1922V	7.6	13	PRC293V	12.85"	.349"	----	----	----	60.80"
1926V	7.8	13	PRC317V	13.75"	.349"	----	----	----	62.00"
1930V	8.4	13	PRC343V	14.75"	.349"	----	----	----	62.25"
1934V	8.6	13	PRC343V	14.75"	.349"	----	----	----	65.75"
1938V	8.8	13	PRC370V	15.85"	.349"	----	----	----	65.75"
1942V	9.0	13	PRC370V	16.20"	.349"	----	----	----	70.25"
1946V	9.0	13	PRC395V	16.80"	.349"	----	----	----	70.20"
1948V	9.8	13	PRC425V	17.80"	.349"	----	----	----	70.20"
Glacier 2000 LT/HT Ladder Cables									
2009C	9.0	11	8821	12.50"	.486"	----	----	----	69.0"
2011C	10.5	13	8821	12.50"	.486"	----	----	----	79.0"
2014C	12.5	15	8821	12.50"	.486"	----	----	----	90.0"
2016C	10.3	12	8821	12.50"	.486"	----	----	----	74.0"
2019C	11.5	13	8821	12.50"	.486"	----	----	----	79.0"
2021C	11.8	14	8821	12.50"	.486"	----	----	----	85.0"
2028C	13.2	14	8825	14.30"	.486"	----	----	----	85.0"
2029C	11.5	12	8825	14.30"	.486"	----	----	----	74.25"
2033C	15.8	13	8851	14.75"	.585"	----	----	----	89.0"
2037C	17.0	14	8851	15.25"	.585"	----	----	----	95.0"
2039C	18.4	15	8851	15.25"	.585"	----	----	----	101.5"
2041C	19.4	16	8851	15.25"	.585"	----	----	----	107.0"
2045C	20.9	16	8853	16.25"	.585"	----	----	----	107.0"
2049C	21.9	17	8853	16.25"	.585"	----	----	----	113.0"
Glacier 2100/3100 LT/HT V-Trac Cables									
2114V	12.2	12	LTRC445V	18.80"	.425"	----	----	----	80.00"
2115V	10.4	12	----	15.00"	.425"	----	----	----	72.00"
2117V	10.2	12	----	14.75"	.425"	----	----	----	78.00"
2119V	11.3	12	LTRC395V	16.75"	.425"	----	----	----	71.30"
2121V	11.5	12	LTRC420V	17.80"	.425"	----	----	----	74.80"
2127V	12.2	12	LTRC445V	18.75"	.425"	----	----	----	76.25"
2129V	11.3	12	LTRC395V	16.75"	.425"	----	----	----	74.50"
2145V	28.6	14	HTRC470V	20.25"	.595"	----	----	----	96.25"
2149V	31.7	14	HTRC555V	23.60"	.595"	----	----	----	96.25"



Chain Specifications



Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
Glacier 2100/3100 LT/HT V-Trac Cables									
2155V	31.6	14	HTRC555V	23.60"	.595"	----	----	----	96.25"
3161V	37.6	14	HTRC740V	30.75"	.585"	----	----	----	97.00"
3171V	35.8	14	HTRC675V	27.50"	.585"	----	----	----	101.50"
Glacier 3000 LT/HT Ladder Cables Wide Base									
3010C	12.6	13	8825	14.30"	.486"	----	----	----	79.00"
3027C	14.5	11	----	16.50"	.585"	----	----	----	76.25"
3029C	17.2	11	----	18.50"	.585"	----	----	----	76.25"
3061C	24.9	18	----	23.50"	.585"	----	----	----	117.50"
3069C	28.9	15	----	25.00"	.585"	----	----	----	100.00"
3071C	31.5	16	----	25.30"	.585"	----	----	----	106.00"
Glacier 4000 HT Ladder Cables Duals									
4039C	27.7	30	8851	15.25"	.585"	----	----	----	102.00"
4041C	29.5	32	8851	15.25"	.585"	----	----	----	108.00"
4045C	40.2	32	8853	16.25"	.585"	----	----	----	108.00"
4049C	33.5	34	8853	16.25"	.585"	----	----	----	114.00"
Glacier 2200 LT/HT Twist Link Singles									
H2209	20.0	11	H6219	12.12"	4/0 .234"	9	406 .276"	1004 .219"	63.90"
H2211	24.0	13	H6219	12.12"	4/0 .234"	9	406 .276"	1004 .219"	75.10"
H2214	28.0	15	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	86.20"
H2216	23.0	12	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	69.50"
H2219	25.0	13	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	75.10"
H2221	26.0	14	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	80.60"
H2226	33.0	15	H6229	17.12"	4/0 .234"	14	406 .276"	1004 .219"	86.20"
H2228	29.0	14	H6225	15.12"	4/0 .234"	12	406 .276"	1004 .219"	80.60"
H2229	25.0	12	H6225	15.12"	4/0 .234"	12	406 .276"	1004 .219"	69.50"
H2233	40.0	11	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	83.40"
H2237	42.0	12	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	90.60"
H2238	45.0	12	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	93.30"
H2239	46.0	13	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	97.80"
H2241	51.0	14	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	105.10"
H2245	52.0	15	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	112.30"
H2247	51.0	14	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	105.10"
H2249	56.0	15	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	112.30"
H2251	64.0	14	H6260	16.01"	7/0 .312"	9	409 .375"	1007 .312"	111.40"
H2253	80.0	16	H6260	16.01"	7/0 .312"	9	409 .375"	1007 .312"	126.80"
H2255	68.0	14	H6263	17.40"	7/0 .312"	10	409 .375"	1007 .312"	115.90"
H2257	79.0	16	H6263	17.40"	7/0 .312"	10	409 .375"	1007 .312"	126.80"
H2271	82.0	16	H6266	18.79"	7/0 .312"	11	409 .375"	1007 .312"	126.80"
H2273	91.0	18	H6266	18.79"	7/0 .312"	11	409 .375"	1007 .312"	142.20"
Glacier 2800 LT/HT V-Bar Singles									
H2809	20.0	11	H6819	12.12"	4/0 .234"	9	406 .276"	1004 .219"	63.90"
H2811	24.0	13	H6819	12.12"	4/0 .234"	9	406 .276"	1004 .219"	75.10"
H2814	28.0	15	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	86.20"
H2816	23.0	12	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	69.50"
H2819	25.0	13	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	75.10"
H2821	26.0	14	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	80.60"
H2828	29.0	14	H6825	15.12"	4/0 .234"	12	406 .276"	1004 .219"	80.60"
H2829	25.0	12	H6825	15.12"	4/0 .234"	12	406 .276"	1004 .219"	69.50"
H2833	40.0	11	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	83.40"
H2837	42.0	12	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	90.60"
H2838	45.0	12	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	93.30"
H2839	46.0	13	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	97.80"
H2841	51.0	14	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	105.10"
H2845	52.0	15	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	112.30"
H2847	51.0	14	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	105.10"
H2849	56.0	15	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	112.30"
H2851	64.0	14	H6860	16.01"	7/0 .312"	9	409 .375"	1007 .312"	111.40"



Chain Specifications

Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
Glacier 2800 LT/HT V-Bar Singles									
H2853	80.0	16	H6860	16.01"	7/0 .312"	9	409 .375"	1007 .312"	126.80"
H2855	68.0	14	H6863	17.40"	7/0 .312"	10	409 .375"	1007 .312"	111.40"
H2857	79.0	16	H6863	17.40"	7/0 .312"	10	409 .375"	1007 .312"	126.80"
H2871	82.0	16	H6866	18.79"	7/0 .312"	11	409 .375"	1007 .312"	126.80"
H2873	91.0	18	H6866	18.79"	7/0 .312"	11	409 .375"	1007 .312"	142.20"
Glacier 3200 LT/HT Twist Link Wide Base									
H3210	26.0	13	H6225	15.12"	4/0 .234"	12	406 .276"	1004 .219"	75.10"
H3227	36.0	10	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	76.10"
H3229	38.0	10	H6259	18.12"	6/0 .281"	12	407 .312"	1006 .281"	76.10"
H3231	44.0	11	H6259	18.12"	6/0 .281"	12	407 .312"	1006 .281"	83.40"
H3235	48.0	12	H6259	18.12"	6/0 .281"	12	407 .312"	1006 .281"	90.60"
H3237	41.0	9	H6265	23.12"	6/0 .281"	16	407 .312"	1006 .281"	68.90"
H3249	43.0	9	H6267	24.37"	6/0 .281"	17	407 .312"	1006 .281"	68.90"
H3251	48.0	10	H6267	24.37"	6/0 .281"	17	407 .312"	1006 .281"	76.10"
H3255	72.0	14	H7213	21.57"	7/0 .312"	13	409 .375"	1006 .281"	105.10"
H3257	76.0	15	H7213	21.57"	7/0 .312"	13	409 .375"	1006 .281"	112.30"
H3259	60.0	11	H7214	22.96"	7/0 .312"	14	409 .375"	1006 .281"	83.40"
H3261	88.0	16	H7214	22.96"	7/0 .312"	14	409 .375"	1006 .281"	119.60"
H3265	61.0	11	H7215	24.35"	7/0 .312"	15	409 .375"	1006 .281"	83.40"
H3267	67.0	12	H7215	24.35"	7/0 .312"	15	409 .375"	1006 .281"	90.60"
H3269	71.0	13	H7215	24.35"	7/0 .312"	15	409 .375"	1006 .281"	97.80"
H3271	78.0	14	H7215	24.35"	7/0 .312"	15	409 .375"	1006 .281"	105.10"
H3273	79.0	12	H7216	31.30"	7/0 .312"	20	409 .375"	1006 .281"	90.60"
H3275	81.0	13	H7216	31.30"	7/0 .312"	20	409 .375"	1006 .281"	97.80"
H3277	90.0	14	H7216	31.30"	7/0 .312"	20	409 .375"	1006 .281"	105.10"
Glacier 3800 LT/HT V-Bar Wide Base									
H3810	26.0	13	H6825	15.12"	4/0 .234"	12	406 .276"	1004 .219"	75.10"
H3827	36.0	10	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	76.10"
H3829	38.0	10	H6859	18.12"	6/0 .281"	12	407 .312"	1006 .281"	76.10"
H3855	72.0	14	H7813	21.57"	7/0 .312"	13	409 .375"	1006 .281"	105.10"
H3871	78.0	14	H7815	24.35"	7/0 .312"	15	409 .375"	1006 .281"	105.10"
Glacier 4200 LT/HT Twist Link Duals									
H4211	46.0	26	H6219	12.12"	4/0 .234"	9	406 .276"	1004 .219"	75.10"
H4214	54.0	30	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	86.20"
H4216	42.0	24	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	69.50"
H4219	44.0	26	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	75.10"
H4221	49.0	28	H6221	13.12"	4/0 .234"	10	406 .276"	1004 .219"	80.60"
H4228	52.0	28	H6225	15.12"	4/0 .234"	12	406 .276"	1004 .219"	80.60"
H4229	46.0	24	H6225	15.12"	4/0 .234"	12	406 .276"	1004 .219"	69.50"
H4233	72.0	22	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	83.40"
H4237	76.0	24	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	90.60"
H4238	88.0	24	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	90.60"
H4239	82.0	26	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	97.80"
H4241	88.0	28	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	105.10"
H4245	94.0	30	H6251	14.37"	6/0 .281"	9	407 .312"	1006 .281"	112.30"
H4247	94.0	28	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	105.10"
H4249	101.0	30	H6253	15.62"	6/0 .281"	10	407 .312"	1006 .281"	112.30"
H4251	120.0	28	H6260	16.01"	7/0 .312"	9	409 .375"	1007 .312"	111.40"
H4253	140.0	32	H6260	16.01"	7/0 .312"	9	409 .375"	1007 .312"	126.80"
H4255	133.0	28	H6263	17.40"	7/0 .312"	10	409 .375"	1007 .312"	115.90"
H4257	137.0	32	H6263	17.40"	7/0 .312"	10	409 .375"	1007 .312"	126.80"
H4271	142.0	32	H6266	18.79"	7/0 .312"	11	409 .375"	1007 .312"	126.80"
H4273	160.0	36	H6266	18.79"	7/0 .312"	11	409 .375"	1007 .312"	142.20"
Glacier 4800 LT/HT V-Bar Duals									
H4811	46.0	26	H6819	12.12"	4/0 .234"	9	406 .276"	1004 .219"	75.10"
H4814	54.0	30	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	86.20"
H4816	42.0	24	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	69.50"



Chain Specifications



Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
Glacier 4800 LT/HT V-Bar Duals									
H4819	44.0	26	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	75.10"
H4821	49.0	28	H6821	13.12"	4/0 .234"	10	406 .276"	1004 .219"	80.60"
H4828	52.0	28	H6825	15.12"	4/0 .234"	12	406 .276"	1004 .219"	80.60"
H4829	46.0	24	H6825	15.12"	4/0 .234"	12	406 .276"	1004 .219"	69.50"
H4833	72.0	22	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	83.40"
H4837	76.0	24	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	90.60"
H4838	88.0	24	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	90.60"
H4839	82.0	26	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	97.80"
H4841	88.0	28	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	105.10"
H4845	94.0	30	H6851	14.37"	6/0 .281"	9	407 .312"	1006 .281"	112.30"
H4847	94.0	28	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	105.10"
H4849	101.0	30	H6853	15.62"	6/0 .281"	10	407 .312"	1006 .281"	112.30"
H4851	120.0	28	H6860	16.01"	7/0 .312"	9	409 .375"	1007 .312"	111.40"
H4853	140.0	32	H6860	16.01"	7/0 .312"	9	409 .375"	1007 .312"	126.80"
H4855	133.0	28	H6863	17.40"	7/0 .312"	10	409 .375"	1007 .312"	111.40"
Glacier 2400 Twist Link Mud									
H2433	34.0	8	H6256	14.62"	7/0 .312"	8	409 .375"	1006 .281"	61.60"
H2435	39.0	9	H6256	14.62"	7/0 .312"	8	409 .375"	1006 .281"	68.90"
H2437	41.0	10	H6256	14.62"	7/0 .312"	8	409 .375"	1006 .281"	76.10"
H2439	43.0	10	H6260	16.01"	7/0 .312"	9	409 .375"	1006 .281"	76.10"
H2441	66.0	11	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	88.40"
H2445	70.0	12	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	96.10"
H2448	77.0	13	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	103.70"
H2452	83.0	14	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	111.40"
H2486	92.0	14	H6438	19.50"	9/0 .375"	13	409 .375"	1007 .312"	111.40"
Glacier 4400 Twist Link Mud Duals									
H4412	74.0	20	H6256	14.62"	7/0 .312"	8	409 .375"	1006 .281"	61.60"
H4435	118.0	22	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	68.90"
H4437	132.0	24	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	76.10"
H4448	144.0	26	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	103.70"
H4461	154.0	28	H6434	17.42"	9/0 .375"	11	409 .375"	1007 .312"	111.40"
H4486	168.0	28	H6438	19.50"	9/0 .375"	13	409 .375"	1007 .312"	111.40"
Glacier 2600 Twist Link OTR									
H2612	109.0	14	H6630	25.00"	9/0 .375"	17	410 .406"	1007 .312"	111.40"
H2615	130.0	16	H6630	25.00"	9/0 .375"	17	410 .406"	1007 .312"	126.80"
H2624	156.0	13	H6640	28.20"	11/0 .437"	15	411 .437"	1009 .375"	117.30"
H2627	180.0	15	H6640	28.20"	11/0 .437"	15	411 .437"	1009 .375"	134.70"
H2633	192.0	14	H6650	34.40"	11/0 .437"	19	411 .437"	1009 .375"	126.00"
H2636	207.0	15	H6650	34.40"	11/0 .437"	19	411 .437"	1009 .375"	134.70"
H2642	247.0	18	H6650	34.40"	11/0 .437"	19	411 .437"	1009 .375"	160.47"
H2645	354.0	15	H6660	39.30"	14/0 .531"	20	413 .512"	1011 .437"	139.50"
H2648	373.0	16	H6660	39.30"	14/0 .531"	20	413 .512"	1011 .437"	148.50"
H2657	419.0	17	H6670	44.50"	14/0 .531"	23	413 .512"	1011 .437"	157.50"
H2672	489.0	17	H6680	51.50"	14/0 .531"	27	413 .512"	1011 .437"	157.50"
H2675	516.0	18	H6680	51.50"	14/0 .531"	27	413 .512"	1011 .437"	166.50"
Glacier 2700 Square Link OTR									
H2712	96.0	14	H6730	26.25"	8mm	17	409 .375"	1007 .312"	114.60"
H2715	145.0	14	H6730	25.50"	10mm	15	411 .437"	1009 .375"	131.00"
H2724	158.0	13	H6740	28.00"	10mm	17	411 .437"	1009 .375"	121.50"
H2727	167.0	15	H6740	28.00"	10mm	17	411 .437"	1009 .375"	138.90"
H2733	177.0	14	H6750	33.75"	10mm	21	411 .437"	1009 .375"	128.75"
H2736	195.0	15	H6750	33.75"	10mm	21	411 .437"	1009 .375"	138.90"
H2742	232.0	18	H6750	33.75"	10mm	21	411 .437"	1009 .375"	164.90"
H2745	300.0	15	H6760	39.25"	12mm	19	411 .437"	1011 .437"	147.70"
H2748	298.0	16	H6760	39.25"	12mm	19	411 .437"	1011 .437"	152.70"
H2754	351.0	19	H6760	39.25"	12mm	19	411 .437"	1011 .437"	179.70"
H2757	346.0	17	H6770	44.75"	12mm	23	411 .437"	1011 .437"	161.70"



Chain Specifications

Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
Glacier 2700 Square Link OTR									
H2760	356.0	18	H6770	44.75"	12mm	23	411 .437"	1011 .437"	170.70"
H2763	370.0	19	H6770	44.75"	12mm	23	411 .437"	1011 .437"	182.00"
H2772	403.0	17	H6780	50.25"	12mm	27	411 .437"	1011 .437"	161.70"
H2775	427.0	18	H6780	50.25"	12mm	27	411 .437"	1011 .437"	170.70"
Glacier 2900 V-Bar OTR									
H2912	109.0	14	H6930	25.00"	9/0 .375"	17	410 .406"	1007 .312"	111.40"
H2915	130.0	16	H6930	25.00"	9/0 .375"	17	410 .406"	1007 .312"	126.80"
H2924	156.0	13	H6940	28.20"	11/0 .437"	15	411 .433"	1009 .375"	117.30"
H2927	180.0	15	H6640	28.20"	11/0 .437"	15	411 .433"	1009 .375"	134.70"
Glacier 0800 Twist Link Tractor									
H0822	75.0	11	H6434	17.36"	9/0 .375"	11	410 .406"	1007 .312"	88.40"
H0829	72.0	9	H6434	17.36"	9/0 .375"	11	410 .406"	1007 .312"	73.00"
H0831	68.0	10	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	80.70"
H0832	75.0	12	H6434	17.36"	9/0 .375"	11	410 .406"	1007 .312"	96.10"
H0834	74.0	11	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	88.40"
H0836	84.0	12	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	96.10"
H0838	104.0	14	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	111.40"
H0846	120.0	17	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	134.50"
H0850	82.0	10	H7420	23.66"	9/0 .375"	16	410 .406"	1007 .312"	80.70"
H0852	100.0	13	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	103.70"
H0856	105.0	15	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	119.10"
H0858	116.0	14	H7420	23.66"	9/0 .375"	16	410 .406"	1007 .312"	111.40"
H0859	118.0	15	H7420	23.66"	9/0 .375"	16	410 .406"	1007 .312"	119.10"
H0862	138.0	18	H6445	21.14"	9/0 .375"	14	410 .406"	1007 .312"	142.20"
H0866	145.0	19	H7420	23.66"	9/0 .375"	16	410 .406"	1007 .312"	149.80"
H0869	130.0	16	H7420	23.66"	9/0 .375"	16	410 .406"	1007 .312"	126.80"
H0871	155.0	20	H7420	23.66"	9/0 .375"	16	410 .406"	1007 .312"	157.50"
H0874	130.0	15	H7426	27.44"	9/0 .375"	19	410 .406"	1007 .312"	119.10"
H0876	150.0	16	H7426	27.44"	9/0 .375"	19	410 .406"	1007 .312"	126.80"
H0877	156.0	17	H7426	27.44"	9/0 .375"	19	410 .406"	1007 .312"	134.50"
H0879	162.0	18	H7426	27.44"	9/0 .375"	19	410 .406"	1007 .312"	142.20"
H0880	180.0	20	H7426	27.44"	9/0 .375"	19	410 .406"	1007 .312"	157.50"
H0881	134.0	10	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	92.20"
H0883	178.0	13	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	117.30"
H0884	187.0	14	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	126.00"
H0885	211.0	15	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	134.70"
H0887	214.0	16	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	143.40"
H0889	238.0	17	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	152.00"
H0890	290.0	17	H6650	34.42"	11/0 .437"	19	411 .437"	1009 .375"	152.00"
H0891	224.0	14	H9567	39.10"	11/0 .437"	22	411 .437"	1009 .375"	126.00"
H0892	255.0	18	H6650	34.42"	11/0 .437"	19	411 .437"	1009 .375"	160.70"
H0893	252.0	16	H9567	39.10"	11/0 .437"	22	411 .437"	1009 .375"	143.40"
H0894	244.0	19	H9562	31.29"	11/0 .437"	17	411 .437"	1009 .375"	169.40"
H0895	261.0	17	H9567	39.10"	11/0 .437"	22	411 .437"	1009 .375"	152.00"
Glacier 200 DUO "H" Square Link Tractor									
H214SL	97.0	8	H292	18.85"	8 mm	13	410 .406"	1007 .312"	114.80"
H218SL	120.0	10	H292	18.85"	8 mm	13	410 .406"	1007 .312"	142.50"
H224SL	131.0	11	H292	18.85"	8 mm	13	410 .406"	1007 .312"	153.00"
H225SL	74.0	6	H292	18.85"	8 mm	13	410 .406"	1007 .312"	91.40"
H227SL	154.0	13	H292	18.85"	8 mm	13	410 .406"	1007 .312"	178.60"
H229SL	109.0	9	H292	18.85"	8 mm	13	410 .406"	1007 .312"	129.70"
H232SL	143.0	12	H292	18.85"	8 mm	13	410 .406"	1007 .312"	168.00"
H236SL	143.0	14	H292	18.85"	8 mm	13	411 .406"	1007 .312"	166.00"
H240SL	120.0	9	H295	23.58"	8 mm	17	410 .406"	1007 .312"	127.60"
H242SL	140.0	11	H294	21.22"	8 mm	15	410 .406"	1007 .312"	155.20"
H246SL	153.0	12	H294	21.22"	8 mm	15	410 .406"	1007 .312"	168.00"
H247SL	165.0	13	H294	21.22"	8 mm	15	410 .406"	1007 .312"	180.80"



Chain Specifications




Stock No.	Weight Per Pair	Cross Chain Per 1/2 Pair	Cross Chain Stock No.	Cross Chain Length w/Hooks	Cross Chain Wire Dia.	Links Per Cross Chain	Cross Chain Hook Stock No. & Dia.	Side Chain Stock No. & Dia.	Side Chain Length
Glacier 200 DUO "H" Square Link Tractor									
H250SL	135.0	10	H295	23.58"	8 mm	17	410 .406"	1007 .312"	140.30"
H252SL	148.0	11	H295	23.58"	8 mm	17	410 .406"	1007 .312"	153.00"
H254SL	171.0	12	H296	24.95"	8 mm	19	410 .406"	1007 .312"	165.80"
H255SL	185.0	13	H296	24.95"	8 mm	19	410 .406"	1007 .312"	180.70"
H256SL	199.0	14	H296	24.95"	8 mm	19	410 .406"	1007 .312"	193.50"
H259SL	213.0	15	H296	24.96"	8 mm	19	410 .406"	1007 .312"	206.00"
H260SL	143.0	10	H296	24.95"	8 mm	19	410 .406"	1007 .312"	140.30"
H262SL	144.0	10	H296	24.95"	8 mm	19	410 .406"	1007 .312"	142.50"
H263SL	116.0	8	H296	24.95"	8 mm	19	410 .406"	1007 .312"	117.00"
H264SL	113.0	7	H298	30.67"	8 mm	23	410 .406"	1007 .312"	104.20"
H266SL	158.0	11	H296	24.95"	8 mm	19	410 .406"	1007 .312"	155.30"
H268SL	144.0	9	H298	30.67"	8 mm	23	410 .406"	1007 .312"	128.50"
H270SL	169.0	12	H296	24.95"	8 mm	19	410 .406"	1007 .312"	168.00"
H271SL	165.0	10	H298	30.67"	8 mm	23	410 .406"	1007 .312"	142.50"
H272SL	190.0	12	H298	30.67"	8 mm	23	410 .406"	1007 .312"	168.00"
H273SL	175.0	11	H298	30.67"	8 mm	23	410 .406"	1007 .312"	155.30"
H275SL	162.0	8	H299	35.39"	8 mm	27	410 .406"	1007 .312"	114.50"
H276SL	225.0	13	H299	35.39"	8 mm	27	410 .406"	1007 .312"	178.60"
H277SL	221.0	14	H298	30.67"	8 mm	23	410 .406"	1007 .312"	193.60"
H280SL	184.0	10	H293	40.55"	8 mm	29	410 .406"	1007 .312"	143.50"
Glacier V-Bar ATV									
ATV610	26.0	15	H6821	13.12"	4/0 .324"	10	405 .250"	1004 .219"	50.04"
ATV611	29.0	17	H6821	13.12"	4/0 .324"	10	405 .250"	1004 .219"	55.60"
ATV612	33.0	19	H6821	13.12"	4/0 .324"	10	405 .250"	1004 .219"	61.16"
ATV615	28.0	13	H6823	16.12"	4/0 .324"	13	405 .250"	1004 .219"	44.48"
ATV618	39.0	19	H6823	16.12"	4/0 .324"	13	405 .250"	1004 .219"	61.16"
ATV620	37.0	15	H6827	20.12"	4/0 .324"	17	405 .250"	1004 .219"	50.04"
Glacier Twist Link Small Equipment									
SE1301	11.0	13	N/A	8.76"	.207"	6	.207"	1001 .177"	37.50"
SE1308	19.0	17	N/A	12.02"	.207"	9	.207"	1002 .193"	50.50"
SE3300	12.0	13	N/A	10.18"	.207"	7	.207"	1001 .177"	38.80"
SE3301	3.0	9	N/A	5.48"	.146"	6	.155"	1000 .118"	22.20"
SE3302	4.0	13	N/A	6.06"	.146"	7	.155"	1000 .118"	31.10"
SE3303	16.0	15	N/A	10.18"	.207"	7	.207"	1001 .177"	46.70"
SE3305	16.0	13	N/A	14.78"	.207"	12	.207"	1002 .193"	37.60"
SE3307	15.0	13	N/A	12.94"	.207"	10	.207"	1002 .193"	38.90"
SE3308	3.0	12	N/A	6.06"	.146"	7	.155"	1000 .118"	27.80"
SE3312	14.0	14	N/A	11.52"	.207"	9	.207"	1002 .193"	44.10"
SE4300	22.0	20	N/A	12.02"	.207"	9	.207"	1002 .193"	57.00"
SE5307	25.0	20	N/A	14.28"	.207"	12	.207"	1002 .193"	57.00"
SE5308	30.0	22	N/A	16.62"	.207"	14	.207"	1002 .193"	64.80"
SE5313	19.0	20	N/A	11.10"	.207"	8	.207"	1001 .177"	57.50"
SE7106	3.0	10	N/A	6.06"	.146"	7	.155"	1000 .118"	24.40"
SE7129	6.0	11	N/A	7.26"	.177"	7	.207"	1001 .177"	33.00"
SE7145	10.0	16	N/A	14.78"	.207"	12	.207"	1002 .193"	46.70"




California DOT Chain Requirements


Automobiles & Pick Up Trucks



Rear Wheel Drive



Front Wheel Drive



Vehicle Towing Trailer



Buses & RV's



Type 2




Type 3

Trucks




Truck Type 2
(D.O.T.'s may require chains on all drive wheels if conditions warrant)




Truck Type 2




Truck Type 3
(Both axles may need to be chained)




Tractor and Semi-Trailer Single Drive




Tractor and Semi-Trailer Type 3-S-2



Tractor, Semi-Trailer and Trailer Type 3-S-1-T-2
(Chains on trailers may be staggered on front and back)



Truck and Trailer Type 3-T-3 or 3-T-2
(Chains on trailers may be staggered on front and back)




Tractor, Semi-Trailer and Trailer Type 2-S-1-T-2
(Chains on trailers may be staggered on front and back)

CHAINS
REQUIRED

SPEED
LIMIT
25

NO EXCEPTIONS

Legend



The following "Chain Requirements" are issued by the California D.O.T. Guidelines and requirements may vary by state. Please contact your State D.O.T. if you have any questions about chain requirements in your area.

A blue heavy-duty bag with the text "genuine pewag parts" printed on it. The bag is open, revealing a metal hook and shackle inside. A small label on the bag also features the "pewag" logo and some smaller text.

- ## Tote sizing

Stock No.	Description	Dimensions
6082TB	Small - Up to 20 lbs	5" x 7" x 7"
6084TB	Medium - Up to 40 lbs	10" x 10" x 6"
6086TB	Large - Up to 55 lbs	10" x 10" x 8"
6088TB	Xlarge - Up to 65 lbs	10" x 10" x 13"

notes

[illegible]

Illinois
(800) 526-3924

Thank You Troops

pewag, Inc. proudly supports the men and women of our military in the United States of America, and allied forces abroad. We know with your continued efforts and sacrifice each day, the world is a safer place.

Our goal at pewag is to manufacture and provide every branch of the military with a valued and trusted product; to ensure their job protecting our freedoms is a complete success.

The hard work and dedication of the many service members, both past and present, is a testament to what this country stands for.

As we continue to support your effort and commitment to the United States of America; we'd like to extend a huge debt of gratitude with a heart felt thank you. We keep our thoughts and prayers for each service members safe return home.

God Bless!

*Sincerely,
pewag Team*

pewag





www.pewagchain.com

sales@pewagchain.com



pewag, Inc.
3825 Cincinnati Avenue, Suite D
Rocklin, CA 95765
Toll Free: (800) 445-2895
Fax: (916) 408-0575

pewag, Inc.
600 West Crossroads Parkway
Bolingbrook, IL 60440
Toll Free: (800) 526-3924
Fax: (630) 759-0788



Main Warehouses

- * Rocklin, CA
- * Bolingbrook, IL

Satellite Warehouses

- Denver, CO
- Reno, NV
- Seattle, WA
- Salt Lake City, UT



Catalog No. 812

Distributed By: