


McGard  **McGard**  **McGard**  **McGard** 



APPLICATION GUIDE



Thatcham[®]
Accredited
Opportunist Theft Deterrents

01/2014



Important

The applications in this list are only recommendations that are given to the best of our knowledge.

McGard assumes no responsibility for the correctness of the application contained within this printed literature. The information listed by McGard is only a guide. McGard assumes no responsibility for misapplication or misuse of the information contained within this printed literature. The user must verify with the vehicle manufacturer and the wheel manufacturer the correct lug nut/bolt thread size, length and shape of seat (cone, radius or flat seat) before installing lug nuts/wheel locks.

McGard reserves the right to make changes in specification and design without any prior notice or incurring responsibility.

Wheel Installation Kits

In addition to our wheel locks, McGard also offers a multitude of high quality lug bolts and lug nuts. The triple nickel-chrome plating of the lug bolts and nuts offers the ideal corrosion protection and gives your alloy wheels an attractive look for years!

The McGard wheel bolts and nuts are available in chrome and black in several dimensions. Find out more under:

<http://www.mcgard.de/en/home/automotive/wheel-fasteners.html>



Contents

	Page
User's Manual	2 – 3
Installation Instruction	4 – 6
Customer Service	7
Warranty and Exchange.....	8 – 9
<i>Wheel Lock Bolts/Nuts</i>	
Wheel Lock Bolts.....	10
Wheel Lock Nuts	11
<i>OEM / Car Manufacturers</i>	
Application List OEM	12 – 21
Steel and Alloy Wheels	
<i>Application List Wheel Manufacturers</i>	
AEZ	22 – 27
Aluett	28 – 32
AluStar.....	52 – 59
Alutec	33 – 37
Antera.....	38 – 42
Artec	43 – 47
ATP	48 – 51
ATS	52 – 59
Atura.....	28 – 32
Autec	60 – 63
AZEV	64 – 69
BBS	70 – 72
Borbet.....	73 – 76
Brock	77 – 79
Carmani.....	93 – 95
CMS	80 – 82
CW	73 – 76
Dezent	22 – 27
Dotz	22 – 27
Enzo	22 – 27
Fondmetal.....	83 – 86
Lenso.....	28 – 32
Magma	87 – 89
Momo	90 – 92
MSW.....	96 – 99
Oxigin	93 – 95
OZ	96 – 99
RC	77 – 79
RH	43 – 47
Rial	100 – 103
Ronal.....	104 – 108
Rondell	28 – 32
Team Dynamics.....	109 – 112
Tomason	113 – 115
TSW	116 – 118
Valbrem	38 – 42
Xtra.....	90 – 92

How to find „your“ McGard Wheel Lock

The McGard Application guide is designed to help you find the right McGard wheel lock for your vehicle.

The information listed by McGard is a guide, and we are not responsible for errors, or changes in applications. McGard assumes no responsibility for misapplication or misuse of the information contained within this printed literature. The user must verify with the vehicle manufacturer and the wheel manufacturer the correct lug nut/bolt thread size, length and shape of seat (cone, radius or flat seat) before installing the lug nuts/wheel locks. Use of the wrong size or type of lug nut/wheel lock will damage the receiving threads and may cause failure or loss of the wheel which may result in serious injury.

McGard is not responsible for clearance problems with hub caps or wheel covers. McGard reserves the right to make changes in specification and design without any prior notice, or incurring responsibility.

There are different ways to find the right McGard wheel lock for your vehicle:

1st Option: You have a vehicle with original alloy or steel wheels factory installed by the car manufacturer

Please go to the OEM list on pages 12 to 21 of your application guide. Here you will find a list of all car manufacturers in alphabetical order.

Once you have found your vehicle in this list, please go to the column "Steel Wheel" or "OE Alloy Wheel" to find the McGard part number for your wheel lock.

If there are two different part numbers in the columns "Steel Wheel" or "OE Alloy Wheel", there is an index (2, 3, 4, 5, *) directly behind the part number. Please see the explanation of this index at the end of each page of the OE car manufacturers list.

2nd Option: You have a vehicle with accessory alloy wheels

Please go to the list of contents on page 1 of your application guide. Here you will find a list of all wheel manufacturers in alphabetical order.

Once you have found the page of the wheel manufacturer for which you require the McGard wheel locks, go to that page and look for your vehicle which is listed also in alphabetical order to simplify your search. When you have found the corresponding vehicle, please go to the columns "Wheel Type" and "Wheel Lock" to find the McGard part number for your wheel locks.

If there are two different part numbers in the column "Wheel Lock", there is an index (2, 3, 4, 5, *) in the last column. The explanation for this index is given on the bottom of each page of the wheel manufacturer list.

How to find „your“ McGard Wheel Lock

3rd Option: You cannot find your vehicle or your alloy wheels in the application guide

Please go to page 10 "Wheel Lock Bolts" or page 11 "Wheel Lock Nuts".

Remove an original fastener from your vehicle.

If it is a bolt, determine the shroud, the seat, the shaft length/total length and the key hex size (also see pictures A - D "Wheel Lock Bolts"). Please choose the matching wheel lock for your vehicle from the list.

If it is a nut, determine the shroud, the seat, the shaft length/total length, the shaft diameter (if necessary) and the key hex size (also see pictures E - U "Wheel Lock Nuts").



4th Option: Wheel configurator on our homepage

With our wheel configurator on our homepage www.mcgard.de you can find very quickly and easily the right wheel locks for your vehicle.

Important:

Before installing the wheel lock, please always compare with the original wheel fastener!

If you have any further questions regarding the application, please do not hesitate to contact us:

McGard Deutschland GmbH
Nordstraße 12
D-74226 Nordheim

Freephone: 00800 25 99 34 00 (D, F, GB, I, E, NL, S, P, PL)

All others: +49 7133 9019-34

Telefax: +49 7133 9019-32

E-mail: cs@mcgard.de

Our customer service team speaks German, English, French, Russian, Spanish and Turkish

Index:

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Installation Instruction

Installation of McGard Wheel Lock Nuts/Bolts

1. Remove one original wheel nut/wheel bolt from each wheel on your vehicle. During a subsequent wheel change, always remove the wheel lock as the first nut/bolt and fit as the last nut/bolt.

Important: Before fitting the wheel lock, please always check that the thread, seating and shaft length/overall length of the original nut/bolt coincide with the McGard wheel lock!

2. Fit a McGard wheel lock on each wheel by hand. Ensure that the coding of your key is inserted precisely in the coding provided in the McGard wheel lock.

3. Subsequently tighten each McGard wheel lock using the key provided and a torque wrench to the torque indicated in our vehicle manual, press the torque wrench in axial direction to guarantee the correct engagement and in order to avoid slipping of the provided key. Spin the wheel by hand to check it rotates freely and no interference has been created.

Important: Do not use an impact wrench, since this may damage the McGard wheel lock/key, in addition to parts on the vehicle. Please check the McGard wheel lock again for proper seating after the first 50 km and retighten if required with a torque wrench. In order to have your key on hand in the event of a wheel change, we recommend that you keep your key, the original nuts/bolts of your vehicle and these installation instructions (with your personal code number) in the reusable packaging in a safe place in your vehicle.

4. Please register for free:

- Registration on our web shop – <https://shop.mcgard.de/>
- Registration via e-mail:
Please send an e-mail to cs@mcgard.de.
- Fill in the registration card section, it is necessary to PRINT CLEARLY, and mail it to McGard. The registration enables us to help you in case your key or wheel lock identification card is lost and you need a replacement part.

To obtain a key

Order now quick and easy online on our web shop – <https://shop.mcgard.de/>

Do you need assistance?

If you have any enquiries concerning McGard products, our customer service (Mon. – Fri. 08.00h – 17.00h CET) is gladly at your disposal.





Freephone: 00800 25 99 34 00

(D, F, GB, I, E, NL, S, P, PL)

All other countries: +49 7133 9019-34

Our customer service team speaks German, English, French, Russian, Spanish and Turkish.

Installation Instruction



Installation Instruction

Removal of over-tightened Wheel Lock Nuts/Bolts

Warning: We recommend using protective gloves and eye protection when removing over-tightened locks!

1. As much as possible (without causing damage), tighten all lug nuts/bolts on the wheel that has the over-tightened screw to remove pressure from the lock nut/bolt. Note: As stated, do not tighten to the point of stud or lug nut/bolt thread damage.
2. Remove the wheel lock with the McGard key. Please use appropriate hand tools such as a lug wrench, ratchet, etc. (so as to guarantee a firm inward pressure on the key). This will assure that the key has a straight engagement position when the nut/bolt is removed. This will keep the key from slipping out or the nut/bolt pattern groove.

Note: Contrary to the installation of the wheel lock, an impact gun is an appropriate tool for at the de-installation of over-tightened wheel locks. If the wheel lock will not loosen, please repeat the procedure. The torque of the impact gun usually needs to be at the maximum level.

Please note: The impact gun needs firm inward pressure applied to the face of the Lock. If inward pressure is not maintained, the wheel lock key or the pattern groove of the Lock can be damaged or broken.

3. If this procedure does not lead to success, please loose one lug nut/bolt (4 hole wheels) or two lug nuts/bolts (5 hole wheels) opposite to the wheel lock and repeat step 2.

Note: If the wheel lock still will not come off, please feel free to call our Customer Service Department for further assistance: *00800 25 99 34 00 (freephone)*.

DO YOU NEED ASSISTANCE ???

If you have any questions regarding one of our products, please contact our Customer Service Department:

Freephone: 00800 25 99 34 00

(D, F, GB, I, E, NL, S, P, PL)

All other countries: +49 7133 9019-34

E-mail: cs@mcgard.de

Our customer service team speaks German, English, French, Russian, Spanish and Turkish.

Customer Service

You sell the product then let McGard do the Customer Service.

One of the biggest advantages when selling McGard products is McGard being able to solve all problems that might possibly occur.

The McGard Customer Service Department is equipped with a modern computer system that enables us to do a quick and exact registration and verification. Our huge stocks make sure that orders can be processed as quickly as possible.

McGard performs the Customer Service for more than 20 car manufacturers. These companies have tested our service and trust in McGard servicing their customers as quickly and reliable as McGard uses to do with their own customers.

Replacement Keys

Additional keys can only be ordered from McGard directly.



Ordering from our web shop

Order now quick and easy online on our web shop – <http://shop.mcgard.de/>

For end consumers no prior registration is necessary. As a dealer you can create an account, to order at every time quick and easy online. The details you enter in the order form will be transferred automatically in our database.

Ordering by fax

Fax No. +49 7133 90 19-32

If you are a dealer and you want to order by fax, we need your complete address and the 17 digit code number, which you will find on the code card.

Ordering by email

If you want to order by email, please send it to cs@mcgard.de. If you are a dealer, we need the complete address and the key code number. Private persons should also state the payment method.

IMPORTANT

If you can no longer find your key and also the code card for your McGard wheel locks, please inform us about the name you registered under. If you did not register so far, please contact us on our service hotline: 00800 25 99 34 00

(free phone for D, F, GB, I, E, NL, S, P, PL)

Warranty and Exchange

Defect parts

are replaced free of charge when they are returned postage paid to McGard.

The defect part must have been received by McGard before a replacement can be provided. Send only the defect part, not the complete set.

Send the parts to:

McGard Deutschland GmbH, Nordstr. 12, D-74226 Nordheim

We'll be pleased to help you!

Call our customer services on:

our services hotline: 00 800 25 99 34 00
(free of charge for D, F, GB, I, E, NL, S, P,PL)

all other countries: +49 (0)7133 9019-34

or by email: cs@mcgard.de

Our customer service team speaks German, English, French, Russian, Spanish and Turkish.

Disclaimer of Warranties

This warranty is expressly in place of all other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose.

McGard assumes no responsibility for the correctness of the application contained within this printed literature. The information listed by McGard is a guide, and we are not responsible for errors, or changes in applications. McGard assumes no responsibility for misapplication or misuse of the information contained within this printed literature. The user must verify with the vehicle manufacturer and wheel manufacturer the correct lug nut/bolt thread size, length and shape of seat (cone, radius or flat seat) before installing lug nuts/wheel locks.

Use of the wrong size or type of lug nut/wheel lock will damage the receiving threads and may cause failure or loss of the wheel which may result in serious injury. McGard is not responsible for clearance problems with hub caps or wheel covers.

McGard reserves the right to make changes in specification and design without any prior notice, or incurring responsibility.

Limited Warranty

To the original purchaser McGard warrants its parts, other than chrome plated lug nuts, against defects of workmanship and materials for a period of two years. To the original purchaser McGard warrants its chrome plated lug nuts against defects of workmanship and materials for life. Chrome plating on lug nuts is warranted for life not to chip, peel or rust under normal use and care. Individual parts suspected of defects must be returned prepaid and adequately packaged to McGard and after inspection will be replaced without charge if found to be defective. Any chrome plated lug nuts returned under this warranty must be accompanied by proof of purchase.

This is the only warranty on McGard products and no other express warranty will be binding on the manufacturer. Corrosion on parts and/or discoloration of anodized colour rings and caps due to the neglect, adverse weather or chemicals is not covered by this warranty. Failure to install the nylon plugs for street use into open-end lug nuts may cause corrosion on threads, which is not covered under warranty. This warranty does not cover any item that has been damaged, mutilated, altered, misused, abused or forcibly removed. McGard locks are not guaranteed to be theft proof nor does each set have a unique code. McGard reserves the right to make changes in specification and design without any prior notice, or incurring responsibility.

Remedies Exclusive

McGard's liability shall be limited exclusively to repairing or replacing parts under the conditions as aforesaid, and in no event will McGard be liable for consequential damages.

Disclaimer of Warranties

This warranty is expressly in place of all other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose.


McGard assumes no responsibility for the correctness of the application contained within this printed literature. The information listed by McGard is a guide, and we are not responsible for errors, or changes in applications. McGard assumes no responsibility for misapplication or misuse of the information contained within this printed literature. The user must verify with the vehicle manufacturer and wheel manufacturer the correct lug nut/bolt thread size, length and shape of seat (cone, radius or flat seat) before installing lug nuts/wheel locks.

Use of the wrong size or type of lug nut/wheel lock will damage the receiving threads and may cause failure or loss of the wheel which may result in serious injury. McGard is not responsible for clearance problems with hub caps or wheel covers.

McGard reserves the right to make changes in specification and design without any prior notice, or incurring responsibility.

Wheel Lock Bolts

Part Number	Thread Size	Seat	Shaft Length	Hex Size	Picture	Versions available		
26002	M12x1,25	flat	34,5 mm	17 mm	C	SU	SL	SUB
26001	M12x1,25	flat	34,5 mm	19 mm	C	SU	SL	SUB
26000	M12x1,25	flat	42,2 mm	19 mm	C	SU		
26003	M12x1,5	flat	32,3 mm	17 mm	C	SU		
27216	M12x1,25	60°	22,0 mm	17 mm	B	SU	SL	SUB
27170	M12x1,25	60°	22,0 mm	19 mm	B	SU	SL	SUB
27215	M12x1,25	60°	29,2 mm	17 mm	B	SU	SL	SUB
27169	M12x1,25	60°	29,2 mm	19 mm	B	SU	SL	SUB
27185	M12x1,25	60°	35,6 mm	19 mm	B	SU	SL	SUB
27232	M12x1,25	60°	40,6 mm	17 mm	B	SU	SL	SUB
27180	M12x1,25	60°	47,8 mm	19 mm	B	SU	SL	SUB
27204	M12x1,5	60°	22,1 mm	17 mm	B	SU	SL	SUB
27179	M12x1,5	60°	25,5 mm	17 mm	B	SU	SL	SUB
27207	M12x1,5	60°	25,5 mm	19 mm	B	SU	SL	SUB
27221	M12x1,5	60°	27,9 mm	17 mm	B	SU		SUB
27015	M12x1,5	60°	31,8 mm	17 mm	B	SU		SUB
27112	M12x1,5	60°	36,3 mm	17 mm	B	SU		SUB
NEW 27111	M12x1,5	60°	36,3 mm	21 mm	B	SU		
27013	M12x1,5	60°	40,4 mm	17 mm	B	SU	SL	SUB
27252	M12x1,5	60°	45,0 mm	17 mm	B	SU		
27014	M12x1,5	60°	49,2 mm	17 mm	B	SU		
27226	M14x1,25	60°	27,3 mm	17 mm	B	SU	SL	SUB
27229	M14x1,25	60°	32,0 mm	17 mm	B	SU	SL	SUB
27230	M14x1,25	60°	37,0 mm	17 mm	B	SU	SL	SUB
27244	M14x1,25	60°	42,0 mm	17 mm	B	SU	SL	SUB
27231	M14x1,25	60°	47,0 mm	17 mm	B	SU	SL	SUB
27184	M14x1,5	60°	24,0 mm	17 mm	B	SU	SL	SUB
27222	M14x1,5	60°	27,3 mm	17 mm	B	SU	SL	SUB
27181	M14x1,5	60°	29,0 mm	17 mm	B	SU	SL	SUB
27205	M14x1,5	60°	31,0 mm	17 mm	B	SU		SUB
27000	M14x1,5	60°	31,0 mm	19 mm	B	SU	SL	SUB
27183	M14x1,5	60°	39,0 mm	17 mm	B	SU		SUB
27209	M14x1,5	60°	44,0 mm	17 mm	B	SU		SUB
27208	M14x1,5	60°	49,0 mm	17 mm	B	SU		SUB
28176	M12x1,5	R12	20,6 mm	17 mm	A	SU		
NEW 28175	M12x1,5	R13	23,3 mm	17 mm	A	SU		
28028	M12x1,5	R12	24,1 mm	17 mm	A	SU	SL	
28172	M12x1,5	R12	27,9 mm	17 mm	A	SU		
28026	M12x1,5	R12	36,0 mm	17 mm	A	SU		
28023	M12x1,5	R12	39,9 mm	17 mm	A	SU	SL	SUB
28037	M12x1,5	R12	44,5 mm	17 mm	A	SU		SUB
28038	M12x1,5	R12	49,5 mm	17 mm	A	SU		
28027	M12x1,5	R12	56,0 mm	17 mm	A	SU		
28018	M14x1,5	R13	26,7 mm	17 mm	A	SU	SL	SUB
28174	M14x1,5	R14	27,0 mm	17 mm	A	SU		
28177	M14x1,5	R14	28,3 mm	19 mm	A	SU		
28020	M14x1,5	R12	31,8 mm	17 mm	A	SU		
28032	M14x1,5	R12	34,5 mm	17 mm	A	SU	SL	SUB
28044	M14x1,5	R14	37,1 mm	19 mm	A	SU		SUB
28025	M14x1,5	R12	41,0 mm	17 mm	A	SU		SUB
28017	M14x1,5	R14	45,0 mm	17 mm	A	SU	SL	SUB
28042	M14x1,5	R12	48,9 mm	17 mm	A	SU		
28043	M14x1,5	R12	53,9 mm	17 mm	A	SU		
27562	M12x1,25	60°	30,0 mm	17 mm	D	SU	SL	
27563	M12x1,5	60°	30,0 mm	17 mm	D	SU	SL	
27564	M14x1,5	60°	30,0 mm	17 mm	D	SU	SL	




a.) = Shaft Length

Further applications available on request!

McGard assumes no responsibility for the correctness of the application contained within this printed literature. The information listed by McGard is only a guide. McGard assumes no responsibility for misapplication or misuse of the information contained within this printed literature. The user must verify with the vehicle manufacturer and the wheel manufacturer the correct nut/bolt thread size, length and shape of seat (cone, radius or flat seat) before installing lug nuts/wheel locks.

Wheel Lock Nuts

Part Number	Thread Size	Seat	Shaft length / Total length	Shaft diameter	Hex Size	Picture	Versions available		
21120	1/2"	flat	15 / 35 mm	17,3 mm	21 mm	E	SU		
22140	1/2"	flat	24 / 44,5 mm	17,3 mm	21 mm	F	SU		
23181	1/2"	flat	35 / 55 mm	17,3 mm	21 mm	F	SU		
21122	7/16"	flat	15 / 35 mm	17,3 mm	21 mm	E	SU		
22142	7/16"	flat	24 / 44,5 mm	17,3 mm	21 mm	F	SU		
23180	7/16"	flat	35 / 55 mm	17,3 mm	21 mm	F	SU		
21153	M12x1,25	flat	15 / 35 mm	17,3 mm	21 mm	E	SU		
21156	M12x1,5	flat	15 / 35 mm	17,3 mm	21 mm	E	SU	SL	
22158	M12x1,5	flat	24 / 44,5 mm	17,3 mm	21 mm	F	SU		
20116	M12x1,5	flat	35 / 42,2 mm	18,5 mm	19 mm	E	SU		
23185	M12x1,5	flat	35 / 55 mm	17,3 mm	21 mm	F	SU		
21157	M14x1,5	flat	19,4/42,6 mm	22,0 mm	22 mm	E	SU		
24028	M12x1,5	60°/flat	5 / 32 mm	15,7 mm	19 mm	G	SU		
24022	M12x1,5	60°/flat	5 / 32 mm	15,7 mm	21 mm	G	SU		
24212	M12x1,5	60°cone W	32,5 mm	-	19 mm	U	SU	SL	
24010	1/2"	60°	19,7 mm	-	19/21 mm	H	SU		
24193	1/2"	60°	32,5 mm	-	19 mm	I	SU		SUB
24138	1/2"	60°	37,0 mm	-	19 mm	I	SU		SUB
24130	1/2"	60°	37,0 mm	-	21 mm	I	SU		
24011	7/16"	60°	19,7 mm	-	19/21 mm	H	SU		
24132	7/16"	60°	37,0 mm	-	19 mm	I	SU		
24013	M12x1,25	60°	19,7 mm	-	19/21 mm	H	SU		
24152	M12x1,25	60°	32,5 mm	-	19 mm	I	SU	SL	
24154	M12x1,25	60°	32,5 mm	-	21 mm	I	SU	SL	
24012	M12x1,5	60°	19,7 mm	-	19/21 mm	H	SU		
24157	M12x1,5	60°	32,5 mm	-	19 mm	I	SU	SL	
24195	M12x1,5	60°	32,5 mm	-	21 mm	I	SU	SL	
24137	M12x1,5	60°	37,0 mm	-	19 mm	I	SU		SUB
24238	M12x1,5	60°	37,0 mm	-	21 mm	I	SU		
24018	M14x1,5	60°	22,7 mm	-	19 mm	H	SU		
24019	M14x1,5	60°	22,7 mm	-	22 mm	H	SU		
24214	M14x1,5	60°	39,7 mm	-	21 mm	I	SU		
24211	M14x1,5	60°	50,0 mm	-	21 mm	I	SU		
24210	M14x1,5	60°	50,0 mm	-	22 mm	I	SU		
25001	3/8"	R10	28,0 mm	-	17 mm	K	SU		
25000	M12x1,5	R12	29,9 mm	-	19 mm	J	SU	SL	
25167	M14x1,5	R14	22,7 mm	-	19 mm	K	SU		



- a.) = Shaft length
- b.) = Overall length
- c.) = Shaft diameter

Further applications available on request!

McGard assumes no responsibility for the correctness of the application contained within this printed literature. The information listed by McGard is only a guide. McGard assumes no responsibility for misapplication or misuse of the information contained within this printed literature. The user must verify with the vehicle manufacturer and the wheel manufacturer the correct lug nut/bolt thread size, length and shape of seat (cone, radius or flat seat) before installing lug nuts/wheel locks.

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Acura	Integra, Legend, NSX, Vigor	25000	25000	
Alfa Romeo	33, 145, 146, 164 (from '88), Arna, Sprint	27170	27169/27185	3
	75, 90, 1600, Alfa, Alfetta, Berlina, Giulia, GTV, GTV6, Spider (till '94)	24157/24012	24157/24012	2
	147, 156 (from '02), 166, Cross Wagon, Giulietta, Mito, Sport Wagon	27216	27216	
	155, 156 (till '02), GT, Spider (from '95)	27169	27169/27185	3
	159, Brera, Spider (from '06)	27184	27184	
	Alfasud	27170	27170	
Aston Martin	DB7, Vanquish	24157/24012		2
	DB9, V8 Vantage, Vanquish Volante	24205/24024	24205/24024	2
Audi	A1, A2 (15" + 16" wheels), A3, A4, A5, A6, A7, A8, RS3, RS4, RS5, RS6, RS6, RS6 Avant, S6, TT, TT Roadster	28018	28018	
	A2 (14" wheels)	28028	28028	
	Q7	28044	28044	3
	Q3, Q5, SQ5	28020/28018	28020/28018	3
BMW	1-series (till '10), 3-series (till '11), 5-series (till '09), 6-series (till '10), 7-series (till '01), 8-series, X1, Z1, Z3, Z4, Z8	27179	27179	
	7-series ('02 - '07), X3 (till '09), X5 (till 12/'06)	27205	27205	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	27226	27226	
Buick	Apollo, Century (till '81), Electra (till '85)	24132/24011	24132/24011	2
	Century (from '82), Electra (FWD), Le Sabre (FWD), Opel/Vauxhall, Park Avenue, Reatta, Regal, Riviera, Roadmaster, Skyhawk, Skylark, Somerset	24157/24012	24157/24012	2
Cadillac	Allanté, Brougham (from '91), Cimarron, CTS, De Ville (FWD), Eldorado (from '79), Fleetwood (FWD), Seville (from '80), SRX, STS, XLR	24137/24012	24137/24012	2
	Calais, Fleetwood (till '79)	24130/24010		2
	Catera (1997 - 2000)	27204/27179	27204/27179	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Chevrolet	Alero, APV, Aveo, Beretta, Blazer S, Camaro (from '82), Caprice (from '91), Captiva, Cavalier, Celebrity, Chevette, Citation, Corsica, Corvette (from '84), Cruze, El Camino (from '82), Eurosport, Evanda, IROC, Kalos, Lacetti, Laguna, Lumina, Luv, Malibu (from '82), Matiz, Monte Carlo (from '82), Nova, Nubira, Orlando, Rezzo, S10, S15, Sierra, Spark, Trax, Volt	24157/24012	24157/24012	2
	Astro (from 2003)		24210/24019	
	Astro (till 2002), Blazer 5-H, Safari, Suburban 5-H	24130/24010	24130/24010	2
	Bel Air, Biscayne (from '77), Camaro (till '81), Caprice ('77-'90), Chevelle, Chevy II, Corvair, Corvette (till '83), Impala (till '84), Malibu (till '81), Monte Carlo (till '81), Monza, Vega	24132/24011		2
	Blazer (from '92), Pickup 5-H, 8-H, Suburban (from '92), Tahoe, Yukon	24018	24018	
	Blazer 6-H, El Camino (till '81), Suburban 6-H	24132/24011	24132/24011	2
	Caprice ('71-'76), Impala (till '76), Station Wagon	24130/24010		2
	Malibu	24214/24019	24214/24019	2; 4
Chrysler	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10Vison, Voyager	24157/24012	24157/24012	2
	Crossfire		28023	
	all other models	24138/24010	24138/24010	2
	300C	24214/24019	24214/24019	2
Citroën	2CV, Ami, Chrono, GS, GSA, LN, LNA, Visa II		24200	
	AX, Axel, Berlingo, C15, Saxo, Xantia, XM, Xsara, ZX	27170/27216	26001/26002	5
	BX, BX 14, CX, Visa D	27170	26000	
	Berlingo Multispace, C2, C3, C3 Picasso, C4, C4 Picasso, C5, C6, DS3, DS4, Nemo Multispace	27216	26002	
	C8	27184	27184	
	C-Crosser, C4 Aircross	24195/24012	21156/24195	3
	Evasion, Jumpy	27000	27000	
	Picasso	27170	26000	
	Visa Gti		26001	
	C1		26003	
Dacia	Dokker, Duster, Lodgy, Logan, Sandero	27179	27179	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Daihatsu	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	24157/24012	24157/24012	2
Dodge	400, 600, Aries K, Caravan, Colt, Conquest, D50, Daytona, Dynasty, Intrepid, Lancer, Maxi Van, Monaco (from '90), Neon, Omni, Raider, Rampage, Shadow, Shelby, Spirit, Stratus, Stealth, Viper, Vista (from '84)	24157/24012	24157/24012	2
	Ram1500	24138	24138	3
Ferrari	208/308 GTB/GTS, 300 GTB/GTS, 328, 348, 456 GT, 400512 TR, 550 Maranello, F50, F355, F550, GTD, LaFerrari, Modena, Mondial 8, Testarossa		27183	
Fiat	124, 125, 127, 128, 131, 132, X1/9, Argenta, Barchetta, Brava, Cinquecento, Coupé, Croma, Crossover, Duna, Fiorino, Idea, Marea, Multipla, Palio, Panda (till '04), Punto (till '05), Quobo, Regata, Ritmo, Seicento, Spider, Strada, Tempra, Tipo, Uno	27170/27216	27169/27216	3;5
	130 Abarth, Ritmo 125 TC	24154	24154	
	238, Campagnolo, Talento	27000	27184	
	Croma (from '05), Grande Punto (199), Sedici, 500L (only with M12x1.5 thread)	27204	27204	
	500 (from '07), 500c, Abarth, Bravo, Doblo, Panda (from '04), Panda 4x4, Qubo, Scudo, Sedici, Stilo	27216	27216	
	Ulysse	27184	27184	
	Ducato (M14)	27565	27565	
	Ducato (M16)	27566	27566	
	Freemont	24157/24012	24157/24012	2
Ford	Galypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Tourneo, Transit Connect	24157/24012	24212/24012	2
	Escort III (till 6/'90), Fiesta I (till 3/'89), Orion I (till 6/'90), XR3, XR4	27179	27179	
	Galaxy (till '05)	28032/28044	28032/28044	3
	Galaxy (from '06), S-Max	24214/24019	24214/24019	2; 4
	Maverick (from '01)	24137/24012	24137/24012	2
	Maverick 4x4	24152/24013	24152/24013	2
	Ka (from '09)	27216	27216	
	B-Max	24157/24012	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Ford USA	Aerostar, Bronco I/II, Econoline 5-H, Elite, Mustang, Pickup, Ranchero, Ranger, Torino, Van	24130/24010	24130/24010	2
	Contour, Courier (from '77), Escort (from 7/'83), EXP (from 7/'83), Explorer, Probe, Taurus, Tempo, T-Bird (from '89), Windstar (from '94)	24157/24012	24157/24012	2
	Explorer	24193/24010	24193/24010	2
	Fiesta	27179	27179	
GMC - USA	Caballro (from '82), S15, S15 Jimmy, Sonoma	24157/24012	24157/24012	2
	Jimmy (5-H till '70), Jimmy (6-H from '71), Pickup (6-H till '87), Suburban (5-H till '70), Suburban (6-H from '71), Van (6-H from '71)	24132/24011	24132/24011	2
	Jimmy (5-H from '71), Pickup (5-H, 8-H till '87), Safari (till '02), Suburban (5-H from '71), Van (5-H from '71)	24130/24010	24130/24010	2
	Pickup (5-H, 6-H '82), Savannah, Suburban (from '92), Yukon	24018	24018	
	Safari (from 2003)		24210/24019	
Great Wall	All models	24152/24013	24152/24013	2
Honda	Acclaim, Accord (from '82), Aerodeck, Ballade, City, Civic (from '82), Concerto, CR-V, CRX, CRZ, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	25000	25000	
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Solaris, Stellar, Tennis, Terracan, Trajet, Tucson, Veloster, XG-30	24238/24012	24238/24012	2
Infinity	G, EX, FX, M	24154/24013	24154/24013	2
Isuzu	Amigo, Aska, Campo, Gemini, I-Mark, Impulse, Nero, Piazza, Pickup, Rodeo, Stylus, Trooper (4x4)	24137/24012	24137/24012	2
Jaguar	Daimler, E-Type Sovereign, X100, X200, X300, XJ (till '03), XJ40, XJR-S 6.0, XJS, XK8, XKE, XKR	24130/24010	21120	2
	F-Type, S-Type, X-Type, XJ (from '04)	24157/24012	20116	2
Jeep	all models with 5-hole-wheels	24138/24010	24138/24010	2
	Campus, Patriot	24157/24012	24157/24012	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	24238/24012	24238/24012	2
	Rio (till '01)	27015	27015	
Lada	1102 Tawrija, 2101, 2108, Aleko, Forma, Nova, Samara	27170	27169	
	2121 Niva (4x4)	24154	24154	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Lancia	A112, Beta, Dedra, Delta, Gamma, Integrale, Kappa, Lybra, Monte Carlo, Prisma, Thema, Trevi	27216	27215/27216	3
	Musa, Ypsilon	27216	27216	
	Thesis, Zeta		27000	
	300C	24214/24019	24214/24019	2
	Flavia, Voyager	24157/24012	24157/24012	2
Land Rover	Freelander I	25000	25000	
	Evoque, Freelander II	24214/24019	24214/24019	2
	Discovery, Range Rover	21157	21157	
Lexus	all models	24195/24012	24195/24012/ 21156	2; 3
	600LS	24214/24019	24214/24019	2
Lincoln - USA	Continental (till '87), LSC, Mark (till '92), Town Car, Versailles	24130/24010	24130/24010	2
	Continental (from '88), Mark (from '93)	24157	24157	
Lotus	7 Eclat, Excel	24132		
	Eclat XL, Esprit (from '91), Esprit 3, S3	24157	24157	
	Esprit 2.2 Turbo SE		27181	
Maserati	228, 425, 428, 430, Biturbo, Kharif, Quattroporte, Shamal		27112	
Mazda	121 (DA till '90)	27203		
	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	24195/24012	24195/24012	2
	Mazda 2	24212/24012	24212/24012	2
	Tribute	24137/24012	24137/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Mercedes-Benz	A-Class (till '04) (W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	28176	28023	
	A-Class (from '05) (W169, W176), B-Class (T245, W246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	28018	28018	
	CLK (A208, C209), SLK (with 7 hole wheels)	28176	28176/28023	3
	CL (C215, 216), GLK, Maybach, S-Class (W140, W220, W221, W222), SLS, R-Class (FL)	28018	28018/28017	3
	Vito (638)		28023	
	Sprinter	28018/28032	28018/28032	3
	M-Class (from '07)		28018/28017	
Mercury	Bobcat, Capri ('78-'86), Comet, Cougar (till '89), Cyclone, LN7 (till '83), Lynx (till '83), Marquis, Monarch, Montclair, Montego, Monterey, Pick Up (from '93), Zephyr Navajo (4x4)	24130/24010	24130/24010	2
	Capri ('76-'77), Cougar (from '89), LN7 (from 7/'83), Lynx (from 7/'83), Merkur, Sable, Scorpio, Topaz, Tracer, XR4	24157/24012	24157/24012	2
MG Rover	25, 45, MG-ZR, MG-ZS	25000	25000	
	75, MG-ZT		27184	
	100, 200, 400, 600, 800, 820, 825, 827 Sterling	25000	24028	
	111, 114, 213, 214, 216, Maestro, Montego, Sprint	24157	24028	
	1100, 1300, 2000, 2500, Allegro, Princess, Maxi	24132		
	1800, 2200, MG	24130		
	MG-B, MG-C, MG-F (1/2")	24130/24010	24130/24010	2
	MG-F (M12x1.5), MG-TF		24137	
Mini	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	27179	27179	
	Cabriolet (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	27226	27226	
Mitsubishi	3000GT, ASX, Carisma, Celeste, Colt, Cordia, Diamante (from '92), ESI-R, Galant, Galleoper, Grandis, I-car, I-Miev, Lancer, L300, Laser, Mirage, Montero, Outlander, Pajero, Precis, Sapporo, Sigma, Shogun, Space Gear, Space Runner, Space Wagon, Starion, Tredia	24195/24012	24195/21156/24012	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Nissan	100NX, 200SX, 300ZX, 370Z, Bluebird, Cedric, Cefiro, Cherry, Fair-lady Z, Laurel, Leopard, Micra (K11, K13), Prairie, QX, Silvia, Stanza, Sunny, Turbo	24154/24013	24154/24013/21153	2
	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, GT-R, Juke, Leaf, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Qashqai+2 (till 11/'13)), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	24154/24013	24154/24013	2
	Micra (from '03 = K12), Note (till 07/'13)	27207	27207	
	Pathfinder (till '87), Patrol (till '02), Pickup, Terrano (till '87), Vanette (4x4)	21153	21153	3
		24154/24013	24154/24013	2; 3
	Primastar	27181	27181	4
	Qashqai (from 12/'13)	27179	27179	
Peugeot	104, 204, 304, 404, 504, 505	21153	24154/24013	2
	106, 205, 205 GTi, 206, 305 (from '82), 306, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 605, 607, CC	27169	26001	
	Bipper, Expert, Partner, RCZ, 206, 207, 208, 208GTi, 1007, 307, 308, 308CC, 407, 508, 607, 2008, 3008, 5008	27170/27216	26002	
	504 V6, 604 Gti	25167		
	806, 807	27184	27184	4
	4007, 4008	24195/24012	21156	2
	107	27203	26003	
Plymouth-USA	Acclaim, Arrow, Breeze, Caravelle, Champ, Colt, Conquest, Horizon, Neon, Reliant, Sapporo, Scamp, Sundance, TC3, Turismo, Voyager	24157/24012	24157/24012	2
	Barracuda, Duster, Valiant (with drum brakes)	24132/24011		2
	Cricket	24154/24013		2
	Laser	24157/24012		2
Pontiac - USA	6000, Bonneville (from '82), Fire/Sunbird, Fiero, Grand Am, Grand Prix, J2000, Phoenix, T1000, Tempest (from '91), Trans Am, TranSport	24157/24012		2
	Astre, Bonneville ('77-'81), Catalina ('77-'81), Firebird ('67-'81), Grand Am (till '80), Grand Prix (till '81), GTO, Le Mans (till '81), Sunbird (till '81), Tempest, Ventura	24132/24011		2
	Le Mans ('88-'90)	27101	27101	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Porsche	911 Carrera, 911 Carrera RS, 911 C/T, 912, 916, 924 Carrera GT, 924 S, 928 GT, 928 S, 930 T, 944, 944 S2, 944 T, 968 (for models with nuts)	25167	25167	
	911 (996), 911 Turbo, Boxster, Carrera, Cayman	28177	28177	
	914/4, 924 (till '85)	28174	28174	
	Cayenne, GT2, GT3, Panamera	28044	28044	
Renault	A110, A310, A610, Alpine, R5 Turbo, R8, R10, R12, R14, R16, R17, R18, R20, R30	24152		
	Avantime, Laguna (from 04/'08), Laguna Grandtour, Vel Satis,		27222	
	Clio, Clio II, Express, Fuego, Kangoo (till '07), Laguna (till '05), Mégane (till '05), Nevada, R5 (from '85), R9, R11, R18 D/TD, R19, R20 D, R21 RX, R25 (4-H), R30 TD, Safrane, Scénic (till '05)	27207	27207	
	Clio III, Clio (from '08), Clio Grandtour, Fluence, Grand Modus, Grand Scénic (from '05), Kangoo (from '08), Laguna (from '05-'07), Logan (from '05), Mégane (from '05), Mégane Grandtour, Modus (from '05), Scénic (from '05), Twingo II, Wind	27204	27204	
	Espace, Grand Espace		27222	
	R21 Turbo, R25 TD V6, R25 V6i, Safrane V6		27000	
	Trafic	27181	27181	4
	Koleos	24152/24013	24152/24013	2
	Clio R, Latitude	27184	27184	
	Captur	27179	27179	
Saab	900 (till 05/'86)	24193/24010	24193/24010	2
	900 (from 06/'86 till 06/'93), 9000, 9000T	27000	27000	
	9.3, 9.5 (till '09), 900 S, SE (from 07/'93)	27204	27204	
	9.5 (from '10)	24214/24019	24214/24019	2
Seat	Alhambra	28044	28044	
	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	28018	28018	
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	28028	28028	
	Furu, Malaga, Marbella, Ronda, Terra	27169	27169	
	Mii	28176/28028	28176/28028	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Skoda	105 L/LS, 120 L, 130 LX, 135 GL, 130/135 Coupé	24157	24157	
	Fabia, Octavia, Roomster, Superb, Yeti	28018	28018	
	Favorit (till 12/'92)	27169		
	Favorit LX/GLX, Felicia, Forman, Pick Up (all from 01/'93)	28028	28028	
	Citigo	28176/28028	28176/28028	3
Smart	Fortwo, Roadster	28028	28028	4
	Forfour	24195	24195	
Ssang Yong	Actyon, Rexton I	24137	24137	4
	Rexton II	24214	24214	3
	Rodius	27184	27184	
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	24152/24013	24152/24013	2
	Justy G3X	27179	27179	
Suzuki	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Kizashi, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Splash, Sprint, Swift (from '90), Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	24152/24013	24152/24013	2
	Ignis (from '05), Swift (from '05), SX4		27204	
Talbot	1307, 1308, 1309, 1510, Horizon, Matra, Murena, Rancho, Solara, SX	27179	27179	
	Avenger, Samba, Togara	24154	24154	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	24195/24012	24195/24012/21156	2; 3
	Landcruiser ('98-'00), Landcruiser 100	24210/24019	24210/24019	2
	Aygo		26003	3
Triumph	2000, 2300, Stag, TR4, TR5, TR6	24132/24011	24132/24011	2
	Acclaim, TR7, TR8	24157	24157	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
Vauxhall - Opel	Ampera, Antara, Astra (from 11/'09), Cascada, Sintra, Zafira Tourer	24157/24012	24157/24012	2
	Combo	27216	27216	
	Agila (till '03)	24154	24154	
	Adam, Agila (from '04), Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	27204	27204	
	Insignia	24019	24019	
	Movano, Vivaro	27181	27181	
	Mokka	24137/24012	24137/24012	2
Volkswagen	Bora, Caddy (from '04), Corrado VR6, Eos, Golf IV, Golf V, Golf VI, Golf VII, Jetta (from '05), New Beetle, Passat (from '96), Passat CC, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran (for models with 5 hole wheels, thread M14x1.5)	28018	28018	
	Caddy (till '03), Corrado, Derby, Golf 1, Golf 2, Golf 3, Jetta (I, II), Lupo, Passat (till '96), Polo (6n, 6n Facelift), Santana, Scirocco, Vento (for models with 4 hole wheels, thread M12x1.5)	28028	28028	
	Amarok, Sharan, T5, Touareg	28032/28044	28032/28044	3
	Taro	24157	24157	
	VW-Bus (from 8/'90) Type T4	28020	28020	
	Crafter		28043	
	Up	28176/28028	28176/28028	3
Volvo	140, 160, 240, 242, 244, 245, 260, 264, 265, 270	24193/24010	24193/24010	2
	340, 343, 345, 360	24154/24013	24154/24013	2
	440, 460, 480 ES	27170	27170	
	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V40 Cross Country, V50, V90	24157/24012	24157/24012	2
	850, 850 Turbo, S70, V70 (till '99), V70 Cross Country	27186	27186	
	C70 (from '00 till 12/'05), C80, S60, S80, V60, V70 (from '00), XC70, XC60, XC90	27000	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145, 146, 147, 155, 156, 164, 166, Giulietta, GT Coupé, GTV, Mito, Spider (from '95)	all	27169/27215/ 27562*	5
	159, 159SW, Brera, Spider 939 (from '06)	all	27222	
Audi	A1, A2, A3, A4, A5, A6, A7 A8, Allroad, RS4, RS6, RS6 Avant, S3, S4, S6, S8, TT, Q3, Q5, SQ5	all	27222	
		except: Dezent A	27181/28018	
		Dezent D	28018	
		Dezent G	28018	
	Q7	all	27222	
	Enzo H		28018	
		all	28044	
Bentley	Continental GT, Flying Spur	all	27222	
BMW	1 series (till 8/'11), 3 series (till 8/'11), 5 series (5/D, 560), 6 series, 7 series (7/1, 7/G), 8 series, Z3, Z4, Z8	all	27179	
	7 series (765), X3 (till '09)	all	27205	
	7 series (from 10/'08), X5 (till 12/'06)	all	27000	
	1series (from 09/'11), 2 series, 3 series (from '12), 3 series GT, 4 series, 5 series GT, 5 series (from '10), 7 series (from '08), i3, i8, X3, X5 (from '07)	all	27226	
Chevrolet	Aveo, Captiva, Cruze, Evanda, Kalos, Korrando, Lacetti, Leganza, Musso, Nubira (till '00), Rexton, Tacuma	all	24157/24012	2
	Lanos (KLAT, SUPT), Nubira (from middle of '00)	all	27179	
	Matiz	all	24152/24013	2
	Tahoe	all	24214/24210/ 24019	2; 3
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
	Crossfire	all	27179	
	300C	all	24214/24019	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Citroën	AX, C2, C3, C4, C5, C6, DS3, DS4, Jumpy (X, G9), Saxo, Xantia, XM, Xsara, ZX	all	27169/27215/ 27562*	5
	Berlingo	all	27170/27216	5
	C1	all	27179	
	C8, Evasion, Jumpy	all	27222	
	Jumper	all	27205	
	C-Crosser, C4 Aircross	all	24157/24012	
Dacia	Dokker, Lodgy, Logan, Sandero	all	27179	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Copen, Cuore, Feroza, Grand Move, Materia, Move, Rocky, Sirion, Terios, Trevis, X-over, YRV	all	24157/24012	2
Dodge	Avenger (JS), Caliber	all	24157/24012	2
Fiat	500, Abarth, Barchetta, Brava, Bravo, Cargo, Cinquecento, Coupé, Croma, Crossover, Doblo, Fioriono, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Quobo, Scudo (270), Seicento, Stilo, Stilo Wagon, Tempira, Tipo, Uno	all	27169/27215/ 27562*	5
	Grande Punto (199), Sedici	all	27179	
	Daily, Ducato (with thread M14)	all	27205	
	Scudo (220,270), Ulysse	all	27222	
	Croma (194)	all	27179/27221/ 27563*	
Ford	C-Max, Cougar, Escort, Fiesta, Focus, Fusion, Ka (RBT), Maverick, Mondeo, Orion, Probe, Puma, Ranger, Sierra, Scorpio, ST200, Tourneo Connect, Windstar	all	24157/24012	2; 5
	Explorer	all	24193/24010	2
	Galaxy	all	27205	
	Galaxy II, S-max	all	24214/24019	2; 3
	Maverick 4x4	all	24152/24013	
	Transit	all	24205	
Honda	Accord, Civic, Coupé, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Atos, Coupé, Elantra, Galleoper, Getz, Grandeur, I30, I40, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG25, XG250, XG30, XG300, XG350	all	24157/24012	2
Isuzu	Campo, Trooper	all	24137/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Jaguar	F-Type, S-Type, XJ, X-Type	all	24157/24012	2
Jeep	Cherokee, Comander, Grand Cherokee, Wrangler	all	24193/24010	2
	Compass	all	24157/24012	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage,	all	24157/24012	2
	Rio (till '01)	all	27179	
Lada	Niva	all	24152/24013	2
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon	all	27169/27562*	
	Phedra, Zeta	all	27222	
	300C	all	24214/24019	2
	Flavia	all	24157/24012	2
Land Rover	Freelander I	all	24157/24012	2
	Discovery, Evoque, Freelander II, Range Rover	all	24214/24019	2
Lexus	GS300, GS430, IS200, IS220d, IS250, IS300, LS400, LS430, RX300, RX350, RX400, SC 430	all	24195/24012	2
Maserati	Quattroporte (M139)	all	27205	
Mazda	121, 323, 626, B-series, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9,	all	24195/24012	2; 5
Mercedes-Benz	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203 till 03/'07), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	27204	
	A-Class (169), B-Class (245, 246), C-Class (204), CLK (215), M-Class (163, 164), SL (230), Viano (639), Vito (638)	all	27222	
	CL (215), CLS (C218, C219), E-Class (211,212), M-Class (164), R-Class, S-Class (220), Sprinter I, Viano (639), Vito (638,639), V-Class (638)	all	27205	3
	M-Class (164, 165, 166), S-Class (221,222), SLK (R172), V-Class (108, 110, 113, 114)	all	27222	
	Sprinter II	all	28044	
Mini	Mini One (R50), Cabriolet, Mini Cooper, Mini Cooper S (all till 03/'06)	all	27179	
	Mini One (R50), Cabriolet, Countryman, Coupe, Mini Cooper, Mini Cooper S (all from 04/'07), Paceman, Roadster	all	27226	
Mitsubishi	ASX, Carisma, Colt, Eclipse, Galant, Grandis, L200, Lancer, Outlander, Pajero, Sigma, Space-Runner, SpaceStar, SpaceWagon	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Nissan	100NX, 200SX, 350Z, Almera, Cube, Juke, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24154/24013	2
	Kubistar, Micra (K12), Note (till 07/'13)	all	27207	
	Primastar, Interstar	all	27205/27264*	
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 508, 605, 607, 1007, CC, Expert (X/G9), Partner, RCZ	all	27169/27215/27562*	5
	107	all	27179	
	806, 807, Expert (B/BH/22/224)	all	27222	
	Boxer	all	27205	
	Partner	all	27170/27216	5
	4007	all	24157/24012	2
Porsche	911 (993)	all	25167	
	911 (996), 911 Turbo, Boxster (986), Carrera, Cayman (987)	all	28020	
	Cayenne, GT2, GT3	all	28032	
Renault	Grandtour, Safrane, Scénic, Vel Satis	all	27181	
	Clio, Grandtour, Fluence, Kangoo, Laguna (B56, K56), Mégane I, Megane II, Megane Scenic I, Megane Scenic II, Modus, R5, R19, Safrane, Scénic, Twingo, Wind	all	27207/27179	5
	Laguna (G)	all	27179	
	Master, Trafic	all	27205/27564*	
	Avantime, Grand Espace (JE, K), Espace, Laguna (T), Megane Scenic RX4, Vel Satis	all	27222	
	Koleos	all	24152/24013	2
Rover	25, 45, 200-series, 400-series, 600-series, Streetwise	all	24157/24012	2
	75, MG ZT, MG ZT-T	all	27222	
Saab	900, 9.3, 9.5 (till '09)	all	27179/27221/27563*	3
	9.5 (from '10)	all	24214/24019	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Seat	Alhambra	all	27205	
	Altea, Cordoba (6L), Cupra (1M), Ibiza (6L), Toledo (1M, II), Leon (all models with 5-hole-wheels)	all	27222	
		except: Dezent A	28018/27222	2
		Dezent D Dezent F Dezent G Dezent Y Enzo H	28018 28018 28018 28018 27222	
	Arosa, Cordoba (6K), Inca, Ibiza (6K) (all models with 4-hole-wheels)	all	27179	
Skoda	Fabia, Oktavia, Roomster, Sedan, Superb, Yeti (all models with 5-hole-wheels)	all	27222	
		except: Dezent F	28018	
		Dezent G	28018	
		Enzo H	27222	
Smart	Forfour (454)	all	24157/24012	2
Ssang Yong	Korando, Musso, Rexton I	all	24195/24012	2
	Actyon, Kyron (DJ), Rexton II	all	24214	3
Subaru	BRZ, Forester, Impreza, Justy, Legacy	all	24152/24013	2
	Justy G3X	all	27179	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (FH), Jimny, Liana, Samurai, Swift (EA/MA), Vitara, Wagon R (EM)	all	24152/24013	2
	Ignis (MH); SX4 (EY)	all	27179	
	Swift (EZ/MZ), Wagon R (MM)	all	27179/ 24152	3
Toyota	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, GT68, Hiace, Hilux, IS200, Landcruiser, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Yaris	all	24195/24012	2
	Aygo	all	27179	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Vauxhall - Opel	Antara, Astra (from '09), Frontera, Mokka, Monterey, Sintra, Zafira Tourer	all	24157/24012	2; 5
	Movano, Vivaro	all	27205/27564*	
	Adam, Agila (from '04), Astra (till '08), Calibra, Combo, Corsa, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	27179/27221/ 27563*	3
	Agila (till '03)	all	24154/24013	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Passat CC, Phaeton, Polo (9N), Touran, Vento	all	27222	
		except:		
		Dezent A	27222/28018	3
		Dezent D	27222/28018	3
		Dezent F	27222/28018	3
		Dezent G	27222/28018	3
		Enzo H	27222	
	Caddy, Corrado, Golf, Jetta, Lupo, Pickup, Polo, Vento	all	27179	
	LT, Sharan, T4, Transporter	all	27205	
		except:		
	Dezent D	28032		
	Dezent F	28032		
	Dezent G	28032		
Crafter, T5, Touareg	all	28032/28044	5	
Up	28176/28028	28176/28028	3	
Volvo	850, S70 (L), V70 (L)	all	27186	
	960, C30, C70 (from '06), S40, S90, V40, V40 Cross Country, V50, V90	all	24157/24012	2
	S60, S70, S80 (K/KV/T), V60, V70 (S/J/JV), V70XC, XC90	all	27222	
	C70 (from '00 till 12/'05), S80 (A)	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Aluett / Atura / Lenso / Rondell

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	166	all	27170/27216	5
	159, Brera	all	27222	
	Giulietta, Mito	all	27216SU	
Audi	80 (85, 89), 90, 100, 200, A2, A3, A4, A5, A6, A8, B4, Q3, Q5, RS4, RS6, RS6 Avant, S3 (8L, 8P), S4, S6, S8, SQ5, TT (8N, 8J), V8	all	27222	
	Q7	all	28032	
	Allroad	F0045 706 18 R	27222	
BMW	1 series (till 8/'11), 3 series (till 8/'11), 5 series (till '09), 6 series, 7 series (till '01), 8 series, Z3, Z4	all	27204	
	7 series ('02- '07), X3	all	27222	
	X5 (till 12/'06)	all	27181	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226	3
Chevrolet	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	27204	
	Aveo, Captiva, Cruze, Epica, Evanda, Kalos, Lacetti, Leganza, Nubira (from '99), Rezzo, Tacuma	all	24157/24012	2
Chrysler	Crossfire	all	27204	
	300M, Neon, Neon II, LeBaron, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
Citroën	AX, Berlingo, C2, C3, C4, C5, C6, DS3, DS4, Pluriel, Saxo, Xantia, XM, Xsara, Xsara Picasso, ZX	all	27170/27216	5
	C1	all	27204	
	C8, Evasion, Jumpy	all	27222	
	C- Crosser, C4 Aircross	all	24195/24012	2
	Jumper	all	27000	
Dacia	Lodgy, Logan	all	27204	
Daewoo	see Chevrolet			
Daihatsu	Applause, Caliber, Charade, Copen, Cuore, Grand Move, Materia, Move, Sirion, Trevis, YRV	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Aluett / Atura / Lenso / Rondell

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Fiat	500, Abarth, Barchetta, Brava, Bravo, Coupé, Croma (till 12/'04), Crossover, Fiorino, Marea, Multipla, Palio, Panda, Punto (176, 188), Qubo, Regata, Ritmo, Stilo, Strada, Tempra, Tipo, Uno	all	27170/27216	5
	Croma (from '05), Punto Grande (from '05), Sedici	all	27204	
	Scudo, Ulysse	all	27222	
	Ducato	all	27181	
Ford	C-Max, Cougar, Escort (from 07/'90), Fiesta, Focus, Fusion, Ka, Mondeo, Orion (from 07/'90), Probe, Puma, Scorpio, Sierra, Tourneo, Transit (till '07)	all	24157/24012	2
	Escort (till 06/'90), Orion (till 06/'90)	all	27204	
	Galaxy (WGR)	all	27205	
	Galaxy (WA6), S-Max	all	24214/24019	2; 3
Honda	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Amico, Atos, Coupé, Elantra, Getz, Grandeur, I30, Joice, Lantra, Matrix, Pony, Santa Fé, S-Coupé, Sonata, Starex, Trajet, Tucson, XG25, XG30	all	24157/24012	2
Jaguar	F-Type, S-Type, XJ, XK (from '02), X-Type	all	24157/24012	2
Kia	Carens, Carnival, Carstar, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Joice, Magentis, Opirus, Optima, Picanto, Rio (from '02), Sephia, Shuma, Spectra, Sportage	all	24157/24012	2
	Rio (till '01)	all	27204	
Lancia	Dedra, Delta, Lybra, Musa, Prisma, Thema, Thesis, Ypsilon, Y10	all	27170/27216	5
	Kappa, K	all	27169	
	Zeta	all	27222	
	Flavia	all	24157/24012	2
Land Rover	Freelander I	all	24157/24012	2
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	24195/24012	2
Mazda	121, 323, 626, 929, CX7, 2(DE), Demio, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Aluett / Atura / Lenso / Rondell

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mercedes-Benz	190 (201), A-Class (168) (till '04), C-Class (202, 203, H0), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	27204	
	A-Class (169), B-Class (245, 246), C- Class (204), CLS (218, 219), E-Class (211,212), M-Class (163, 164), R-Class, S-Class (221,222), SL (230), SLK (R172), Vaneo	all	27222	
	CL (215), GL- Class (164G), S-Class (140, 220), V-Class (638), Vito	all	27181	
Mini	Mini One (R50) (till 08/'06)	all	27204	
	all Minis (from '07)	all	27226	3
Mitsubishi	ASX, Carisma, Colt, Eclipse, EVO8Galant, Grandis, I-car, Lancer, L200, Outlander, Pajero, Sapporo, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all	24195/24012	2
Nissan	100NX, 200SX, 350Z, Almera, Cube, Juke, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24154/24013	2
	Primastar	all	27181	
	Micra (K12), Note (till 07/'13)	all	27204	4
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 508, 605, 607, 1007, CC, Partner, RCZ	all	27170/27216	5
	Boxer	all	27181	
	107	all	27204	
	806, 807	all	27222	
Porsche	Boxster, Carrera, Cayman	all	28020	
	Cayenne	all	28032/28044	3
Proton	all	all	24157/24012	2
Renault	Avantime, Espace, Laguna (T), Safrane, Vel Satis (from '03)	all	27222	
	Clio, Fluence, Kangoo, Laguna (B56, K56), Mégane, Modus, R5, R19, R21, Scénic, Super 5, Twingo, Vel Satis, Wind	all	27204	
	Traffic	all	27181	
	Laguna (G)	all	27204	
	Koleos	all	24152/24013	2
Rover	25, 45, 200-series, 400-series, 600-series, 800-series	all	24157/24012	2
	75, MG-ZT	all	27222	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Aluett / Atura / Lenso / Rondell

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Saab	900 (from 09/'93), 9.3	all	27204	
	9.5 (from '10)	all	24214/24019	2
Seat	Alhambra, Altea, Cordoba (6L), Ibiza (6L), León, Toledo (1M, 5P) (all models with 5-hole-wheels)	all	27222/27205	3
	Arosa, Cordoba, Ibiza (6K, 6KC), Inca, Toledo (1L) (all models with 4-hole-wheels)	all	27204	
	Ibiza (21), Malaga, Marbella, Ronda	all	27169	
Skoda	Fabia, Octavia, Roomster, Superb	all	27222	
	Favorit, Felicia, Forman	all	27204	
Smart	ForTwo	all	27204	
	Forfour	all	24157/24012	2
Subaru	BRZ, B9, Tribeca, Forester, Impreza, Justy (KAD, JMA, MS), Outback, Legacy	all	24152/24013	2
	Justy (M3)	all	24157/24012	2
	Justy G3X	all	27204	
Suzuki	Alto (FF), Baleno, Grand Vitara, Ignis (FH), Liana, Swift (EA, MA), SX4 (GY), Wagon R (EM MM)	all	24152/24013	2
	Swift (EZ)	all	24195/24012	2
	Ignis (MH), Swift (MZ), SX4, Wagon R (MM, H00)	all	27204	
Toyota	Auris, Avensis, Camry, Carina, Celica, Corolla, Hiace, GT68, Landcruiser, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Supra, Tercel, Verso, Yaris	all	24195/24012	2
	Aygo	all	27204	
Vauxhall - Opel	Adam, Agila (from '04), Astra (till '08), Calibra, Corsa, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	27204	
	Agila (till '03)	all	24154/24013	2
	Antara, Astra (from '09), Mokka, Zafira Tourer	all	24157/24012	2
	Vivaro	all	27181	
	Insignia	all	24019	
Volkswagen	Bora, Caddy (2K/2KN), Corrado, Eos, Fox, Golf (III, IV, V), Jetta, New Beetle, Passat (35i, 3B, 3BG, 3C), Phaeton, Polo (9N), Touran, Vento	all	27222	
	Caddy (9.), Corrado, Golf (I, II, III), Jetta, Lupo, Passat (32., 35.), Polo (6N, 86), Scirocco, Vento	all	27204	
	Sharan, T4	all	27181	
	Touareg, T5	all	28032/28044	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Aluett / Atura / Lenso / Rondell

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Volvo	850, C70 (N), S70, V70 (till '99)	all	27186	
	940, 960, C30, C70 (M), S40, S90, V40, V40 Cross Country, V50, V90	all	24157/24012	2
	XC90	all	27179	
	S60, S80, V60, V70 (B, S, J) (from '00), XC70 (B, S)	all	27222	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	66, 145, 146, 147, 155, 156, 164, Giulietta, GT, GTV, Mito, Spider	all	27169/27215	5
	159, Brera (939), Spider (939 from '07)	all	27181	
Audi	80, 90, S2, 100, 200, A1, A2, A3, A4, A5, A6, A7, A8, S2, S3, S4, S6, S8, Q3, Q5, TT, V8	all	27181	
	A1, A3, A4, A5, A6, A7, A8, S3, S4, S6, S8, TT, Q3, Q5, SQ5	all	28018	
		except: Dynamite	28018	
		Helix	28018/27181	3
		Lazor	28018	
		Spkye	28018/27181	
	Q7	all	28032/28044	
BMW	1 series (till 08/'11), 3 series (till 08/'11), 5 series (till '09), 6 series, 7 series (till '01), Z3, Z4, Z8	all	27221	
	7-series (from '02), X3 (till '09), X5 (till 12/'06)	all	27205	
	X5 (from '07)	all	27226	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229/ 27230	3
Chevrolet	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	27221	
	Captiva, Epica, Evanda, Kalos (KLAS), Korrando, Lacetti, Lanos (KLAS), Leganza, Musso, Nubira (from '00), Rezzo	all	24157/24012	2; 3
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2; 3
	300C (LX)	all	24214/24019	3
	Crossfire	all	27179	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C-Crosser, Saxo, Xantia, XM, Xsara, ZX	all	27169/27215	5
	C1	all	27221	
	C8, Evasion, Jumpy	all	27181	
	Jumper (15")	all	27205	
Dacia	Logan	all	27221	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Copen, Cuore, Feroza, Grand Move, Materia, Sirion, Terios, YRV	all	24157/24012	2; 3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Dodge	Caliber	all	24157/24012	2; 3
Fiat	500, Abarth, Barchetta, Brava, Bravo (182), Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Punto (176, 188), Regata, Ritmo, Seicento, Strada, Temptra, Tipo, Uno	all	27169/27215	5
	Croma (194), Sedici 4x4	all	27221	
	Ducato (15" series)	all	27205	
	Bravo (from '07), Idea, Panda, Stilo	all	27170	
	Punto (199)	all	27179	
	Scudo, Ulysse I + II	all	27181	
Ford	Cougar, Courier, C-Max, Escort, Fiesta, Focus, Fusion, Ka (till '08), Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Tourneo Connect, Transit Connect	all	24157/24012	2; 3
	Galaxy (till '05)	all	27181	
	Galaxy (from '06), S-max	all	24214/24019	2
Honda	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Prelude, Shuttle, Stream	all	24157/24012	2; 3
Hyundai	Accent, Amica, Atos, Carstar, Coupé, Elantra, Excel, Getz, I30, I40, Joice, Landra, Matrix, Pony, Santa Fe, S-Coupé, Sonata, Starex, Trajet, Tucson, XG25, XG30	all	24157/24012	2; 3
Jaguar	F-Type, S-Type, XJ, X-Type	all	24157/24012	2; 3
Kia	Carens, Carnival, Carstar, Cee'd, Pro Cee'd, Cerato, Clarus, Cremos, Magentis, Opirus, Optima, Picanto, Rio (from '02), Sedona, Sephia, Shuma, Sorento, Spectra, Sportage	all	24157/24012	2; 3
	Rio (till '01)	all	27221	
Lancia	Dedra, Delta, Lybra, Thema, Ypsilon, Y (840)	all	27169/27215	5
	Musa, Ypsilon (843)	all	27170/27216	5
	Phedra, Zeta	all	27181	
	300C	all	24214/24019	2
	Flavia	all	24157/24012	2
Land Rover	Evoque, Freelander II	all	24214/24019	2
	Freelander I	all	24157/24012	2
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, SC430	all	27157/24012	2; 4
Mazda	121, 323, 626, 929, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9	all	24157/24012	2; 4

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mercedes-Benz	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	27179/27207	
	A-Class (169), B-Class (245), CL (215), CLS (219), GLK, E-Class (211,212), M-Class (163, 164), S-Class (140, 220, 221,222), SLK (R172), Viano (639), Vito (638, 639), V-Class (638, 639)	all	27181	
	Sprinter	all	27205	
Mini	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	27221	
	Mini Cooper (from 09/'06), Coupe, Countryman, Clubman, Roadster	all	27229	
Mitsubishi	ASX, Carisma, Colt, Corolla, Eclipse, Galant, Grandis, I-car, Lancer, Outlander, Pajero, Pajero Pinin, Sapporo, Sigma, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24157/24012	2; 4
Nissan	100NX, 200SX, 350Z, Almera, Juke, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27221	
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 508, 605, 607, 1007, CC, Partner, RCZ	all	27169/27215	5
	107	all	27221	
	806, 807	all	27181	
	Boxer (15" series)	all	27205	
	4007	all	24157/24012	2
Porsche	Cayenne	all	28032	
Proton	300-series, 400-series	all	24157/24012	2; 5
Renault	Clio, Espace, Fluence, Kangoo, Laguna (B56, K56), Mégane, Modus (Type P), R5, R9, R11, R19, R21, R25, Safrane, Scénic, Twingo, Wind	all	27221	
	Espace, Laguna (B56, K56), Safrane, Vel Satis (from '03)	all	27181	
	Laguna (G), Vel Satis (till '02)	all	27179	
	Master, Trafic	all	27205	
	Koleos	all	24152/24013	2
Rover	25, 45, 200-series, 400-series, 600-series, 800-series, Freelander, ZR, ZS	all	24157/24012	2; 5
	75, ZT, ZT-T	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Saab	900, 9.3, 9.5 (till '09)	all	27221	
	9.5 (from '10)	all	24214/24019	2
Seat	Alhambra, Altea, Ibiza, León, Toledo	all except: Cult Dynamite Spyke	27181 28018/27181 28018/27181 28018/28020/ 27181	 3 3 3
	Arosa, Cordoba (6K), Ibiza (6K), Inca, Toledo	all	27179	
	Ibiza (021-A), Malaga (023A)	all	27215	
Skoda	Fabia, Felicia, Octavia, Roomster, Superb	all except: Cult 8,5 x 18 Spyke 6,0 x 14	27181 28018/27181 28018	
	Favorit, Felicia, Forman, Pick-Up (all models with 4 hole wheels)	all	27179	
Smart	Forfour	all	24157/24012	2; 5
	Fortwo	all	28028	
Subaru	BRZ, Forester, Impreza, Justy, Legacy, Tribeca	all	24152/24013	2
	Justy G3X	all	27221	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (FH), Liana, Swift (EA, MA), Vitara, Wagon R (till '03)	all	24152/24013	2
	Ignis (MH), Swift (MZ), SX4, Wagon R (from '04)	all	27221	
Toyota	Auris, Avensis, Camry, Carina, Celica, Corolla, GT68, MR2, Paseo, Picnic, Prius, Previa, RAV4, Starlet, Supra, Tercel, Yaris	all	24157/24012	2; 5
	Aygo	all	27221	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Vauxhall - Opel	Agila (till '03)	all	24154/24013	2
	Adam, Agila (from '04), Astra (till '08), Calibra, Corsa, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	27221	
	Antara, Astra (from '09), Frontera, Mokka, Monterey, Sintra, Zafira Tourer	all	24157/24012	2
	Insignia	all	24019	
	Movano, Vivaro	all	27205	
Volkswagen	Bora, Caddy (2K, 2KN), Corrado, Eos, Fox, Golf, New Beetle, Passat, Phaeton, Polo, Sharan, T4, Touran, Tiguan, Vento (5 hole wheels M14)	all	27181/28018	3
	Caddy (9KV, 9KVF), Corrado, Golf, Jetta, Lupo, Passat, Pick Up, Polo, Scirocco, Vento (4 hole wheels M12)	all	27179	
	LT	all	27205	
	Touareg, T5	all	28032	
Volvo	440, 460, 480	all	27169	
	850, S70, V70 (till '99)	all	27186	
	960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	24157/24012	2; 5
	C70 (from '00 till 12/'05), S80 (Typ A), XC90	all	27000	
	S60, S80 (Typ T, K), V70 (S, J), V70XC, XC70	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	66, 145, 146, 147, 155, 156, 164, GT, GTV, Mito, Spider	all	27169/27196	3
	159, Brera	all	27201	
Audi	A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT (till '05)	329-349	27205	
		343-363	27201	
	TT (from '06)	349 - 369	27205	
	Q7	all	28032	
Bentley	Continental GT	363-365	27201	
BMW	3 series (till '11)	349-369	27179	
		363-383	27191	
	5 series (till '09), 6 series (till '09), 8 series	349-365	27191	
		363	27221	
	5/D	343, 349	27191	
	7 series (765)	349 - 369	27205	
		363 - 365	27205	
	X3, X5 (till 12/'06)	all	27205	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
Chevrolet	Captiva	all	24028	
	Corvette C6	369	24020	
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	25257/24028	3
	300C	all	24211/24018	2; 5
	Compass	all	24028/24020	3
Citroën	AX, C2, C3, C4, C5, DS3, DS4, Saxo, Xantia, XM, Xsara, ZX	all	27169/27215	5
	C8, Evasion, Jumper, Jumpy	all	27201	
	C-Crosser	all	24195/24012	2
Daihatsu	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	all	24028	
Dodge	Magnum	all	24211	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Fiat	Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma, Crossover, Doblo, Fiorino, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Seicento, Stilo, Tempra, Tipo, Uno	329	27169/27215	5
	Croma, Sedici	329-349	27179	
		363	27221	
	Ulysse	all	27205	
Ford	C-Max, Cougar, Escort, Fiesta, Focus, Fusion, Ka (till '08), Maverick, Mondeo, Orion, Probe, Puma, Ranger, Scorpio, Sierra, Tourneo Connect, Windstar	329-343, 349	24028	
	Galaxy (from '06), S-Max	all	24214/24211	3
	Galaxy WGR (till '05)	363, 349 - 369	27205	
	Maverick	all	24137/24012	2
	Mustang	all	25230	
Honda	Accord, Civic, Coupé, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Logo, Prelude, Shuttle, Stream	all	24028	
Hyundai	Accent, Atos, Coupé, Elantra, Galloper, Getz, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG25, XG30, XG350	all	24028	
Jaguar	F-Type, S-Type, XJ, X-Type	all	24028	
Jeep	Cherokee, Grand Cherokee, Wrangler	all	25230	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage	all	24028	
	Rio (till '01)	329-349	27221	
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon	all	27196	
	Phedra	329-343-349	27205/27000	5
	300C	all	24214/24019	2
	Flavia	all	24195/24012	2
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	24028	
Maserati	all models	all	27201	
Mazda	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Xedos 6, Xedos 9	all	24028	
	Tribute	all	24137	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mercedes-Benz	A-Class (168), C-Class (202, 203), CLK (208, 209), E-Class (210), SLK (170, 171), Vaneo (414)	329-349	27192	
		363-383	27221	
	A-Class (169), C-Class (204), CL (215), GL (164G), E-Class (211), M-Class (163, 164), S-Class (220), SL (230), SLK (R172), V-Class (638, 639)	325, 329, 341, 343, 345, 349, 361, 363, 365	27205/27201	
Mini	Cabriolet (R50) (till 08/'06), Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	349	27179	
	Cabriolet (R50) (from 09/'06), Countryman, Clubman, Mini Cooper (R56) (from 09/'06), Mini One (R56) (from 09/'06), Paceman, Roadster	349	27226	
Mitsubishi	Carisma, Colt, Eclipse, Galant, Grandis, I-car, L200, Lancer, Outlander, Pajero, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all	24028	
Nissan	100NX, 200SX, 350Z, Almera, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24200	
	Micra (K12), Note (till 07/'13)	349	24028	
Peugeot	106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, 1007	all	27169/27196/27215	3; 5
	806, 807	363, 349 - 369	27201	
Porsche	Cayenne	all	28032/28044	3
Renault	Avantime, Espace, Grandtour, Safrane, Trafic, Vel Satis	all	27201	
	Clio, Espace, Grandtour, Kangoo, Laguna (B56, G, K56), Mégane, Modus, R5, R19, Safrane, Scénic, Vel Satis (all models with 4-hole-wheels)	349	27179	
	Laguna (G)	all	27179	
Rover	25, 45, 200-series, 400-series, 600-series, Freelander	349	24028	
	75	329-349	27181	
		343-363	27201	
	Freelander II, Range Rover	345 - 361 - 365 - 381	24211/24214	3
Saab	900, 9.3, SE (from 07/'93)	349-369	27179	
		363-383	27221	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Seat	Alhambra	all	27205	
	Altea, Cordoba, Ibiza, Leon, Toledo	329-349	27205	
		363	27201	
	Arosa, Cordoba, Ibiza (6K), Inca, Toledo (all models with 4-hole-wheels)	329-349	27179	
Skoda	Fabia, Octavia, Roomster, Superb	349 - 369	27181/27205	
		363	27201	
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Tribeca, Turismo, Vivo, XT	all	24200	
Suzuki	Alto, Baleno, Grand Vitara (till 12/'05), Ignis (FH), Liana, Swift (EA, MA), Vitara, Wagon R (till '03)	349	24200	
	Swift MZ	all	27179	
	SX4, Swift Sport	349 - 369	27179	
		363	27221	
	Vitara (from '06)	all	24200	
Toyota	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, GT68, Hiace, Hilux, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Yaris	all	24028	
Vauxhall - Opel	Agila (from '04), Astra (till '08), Calibra, Combo, Corsa, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	349 - 369	27179	
		363	27221	
	Antara, Astra (from '09), Mokka, Zafira Tourer	all	24028	
	Frontera	345 - 361	24028	
Volkswagen	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Touran, Vento (all M14x1.5)	349 - 369	27205	
		363 - 365	27205	
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Vento (all M12x1.5)	349	27179	
	Touareg	345 - 361 - 365 - 381	28032	
	Touareg, T5	9,5 x 20/40	27205	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Volvo	S40, V50	349 - 363 - 369	24028	
	850, 850 Turbo, S70, S80, V70 (till '99), V70 Cross Country	349 - 363 - 369	27186	3
	C70 (from '00 till 12/'05), S60, S80, V70 (from '00)', XC70,	349 - 363 - 369	27201	3
	S80 (A)	all	27201	
	XC90	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145, 146, 147, 155, 156, 166, Giulietta, GT, Mito, Spider (till '98)	all	27169/27215/ 27562*	3; 5
	159, Spider (from '06)	all	27184/ 27222	
Audi	80, 90 (85, 89, Q, B4), 100, 200 (44, Q, C4), A1, A2, A3, A4, A6, A7, A8, Cabriolet, Q3, Q5, RS6, RS6 Avant, SQ5, S2, S3, S4, S5, S6, S8, TT, V8	all	27222/27205	3
	Q7	all	28032	3
Bentley	Continental	all	27222	
BMW	1 series (182, 187), 3 series (till '11), 5-series (till '09), 6 series (till '10), 7 series (till '01), 8 series, Z3, Z4, Z8	all	27221/27179	3
	7 series (from '02), X3, X5 (till 12/'06)	all	27222/27205	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226	
Cadillac	BLS	all	27221/27563*	3
Chevrolet	Aveo, Captiva, Corvette, Cruze, Evanda, Kalos, Lacetti, Nubira, Rezzo	all	24157/24012	2
Chrysler	300M, Dodge Caliber, Grand Voyager, Jeep Compass, LeBaron, Neon, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2; 3
	300C	all	24214/24019	2; 3
	Crossfire	all	27203/27221	3
Citroën	AX, BX, Berlingo, C2, C3, C5, DS3, DS4, DS5, Xantia, XM, Xsara, ZX	all	27169/27215	3
	C1	all	27221	
	Evasion, Jumpy	all	27222	
Daewoo	15, 1500, Aranos, Cielo, Espero, J100, K44, K55, Lanos, Nexia, Nubira (till '99), Racer, Sertio, Trexio, Zentra	all except:AG Cup 7x15	27203/27221	3
	Evanda, K70, Kalos, Lacetti, Leganza, Nubira (from '00), Rezzo, Tacuma, V100	all	24157/24012	2
	Matiz	all	24152/24013	2
Daihatsu	Applause, Charade, Cuore, Grand Move, Sirion, Valera, YRV	all	24157/24012	2
Ferrari	348, 360 Modena, 456 M, 550 Maranello	all	24184	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Fiat	Abarth, Barchetta, Brava, Bravo, Coupé, Croma (till 12/'04), Crossover, Fiorino, Marea, Multipla, Palio, Panda (till '04), Punto (176, 188), Quobo, Stilo, Strada, Temptra, Tipo, Uno	all	27169/27215/ 27170/27216	3
	Croma (from '05), Punto Grande (199), Sedici	all	27221	3
	Scudo, Ulysse	all	27184/27222	3
Ford	Cougar, C-Max, Escort/GAL, Fiesta, Focus, Fusion, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Sintra, Tourneo, Transit (till '05), Windstar	all	27203	3
	Escort III (till 6/90), Orion I (till 6/90)	all	24157/24012	2
	Escort III (till 6/90), Orion I (till 6/90)	all	27221	
	Explorer, Maverick (4x4)	all	24152/24013	2
	Galaxy (till '05)	all	27222/27205	3
Galaxy (from '06), S-Max	all	24214/24019	2; 3	
GM	Corvette, Pontiac, Trans Sport	all	24157/24012	2
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, Integra, Jazz, Logo, Prelude, Shuttle, Stream, S2000	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Genesis, Getz, Grandeur, i10, i30, i40, Lantra, Matrix, Pony, Santa Fe, Sonata, S-Coupé, Starex, Trajet, Tucson, Veloster, XG	all	24157/24012	2
Isuzu	Campo, Trooper	all	24137/24012	2
Jaguar	F-Type, S-Type, XJ, XK8, XKR, X-Type	all	24157/24012	2
Jeep	Cherokee, Grand Cherokee, Wrangler	all	24193/24010	2
	Campus, Patriot	24157/24012	24157/24012	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Clarus, Cremos, Joice, Kia, Magentis, Opirus, Optima, Picanto, Pride, Rio (from '02), Sephia, Shuma, Sportage, Venga	all	24157/24012	2
	Pride, Rio (till '01)	all	27221	
Lada	Forman, Samara	all	27169	
Lancia	Kappa, Lybra, Y-Type, Ypsilon	all	27169/27215	3
	Phedra, T-Type	all	27222/ 27184	3
	300C	all	24214/24019	2
	Flavia	all	24157/24012	2
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Xedos	all	24195/24012	2; 3
	Tribute	all	24195/24012/ 24137	2; 3
Mercedes-Benz	190 (W201), A-Class (168), C-Class (202, 203, HO), CLK (208), E-Class (till '01) (W124, W210)	all	27179/27203/ 27221	3
	A-Class (169), B-Class, C-Class (204), CLS (218, 219), E-Class (W-211,212), G-Class, M-Class (163, 164), S-Class (140, W215, 220, 221,222), SL-Class (from '02), SLK (170, 171, 172)	all	27184/27222/ 27205	3
	CL-Class (W216)	all	27222	
MG	MGF	all	24157/24012	2
Mini	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06)	all	27221	
	Cabrio (R50 from 04/'06), Countryman, Clubman, Mini Cooper (from 09/'06), Mini Cooper S (from 09/'06), Paceman, Roadster	all	27226	
Mitsubishi	ASX, Carisma, Colt, Eclipse, Galant, Grandis, L200, L300, L400, Lancer, Outlander, Pajero (4x4), Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, 3000 GT	all	24195/24012	2; 3
Nissan	100NX, 200SX, 350Z, Almera, Cube, Juke, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24152/24013	2
	Micra (K12), Note (till 07/'13)	all	27221/27203/ 27204	3
Peugeot	1007, 106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, CC, Partner, RCZ	all	27169/27215/ 27216/27170	5
	107	all	27221	
	806, 807, Expert	all	27184/27222/ 27181	3
Porsche	911, 911 Turbo, 928, 944, 968, Boxster, Cayman	all	27184/25167/ 28020	3
	Cayenne, Panamera	all	28032	
Proton	413, 415, 416, Persona	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Renault	Clio (57, B, C57, R), Fluence, Kangoo, Laguna (till 12'06), Modus, R5, R19, R21, Safrane, Wind	all	27221/27203	3
	Avantime, Espace, Laguna (from '07), Safrane, Scenic (RX4),	all	27184/27222/27205	3
	Vel Satis	all	27221/27203/27184/27222	3
	Koleos	all	24152/24013	2
Rover	75	all	27184/27222	3
	200-series, 400-series, 600-series, 800-series, Concerto, Freelander, MGF,	all	24157/24012	2
	Discovery 3, Evoque, Range Rover	all	24214/24019	2; 3
Saab	900, 9.3, 9.5 (till '09)	all except:ZZ*ZV Design 7,5 x 16	27221/27203/27563* 27015	3
	9.5 (from '10)	all	24214/24019	2
Seat	Alhambra, Altea, Cordoba (6L), Ibiza (6L), León, Toledo	all	27205/27184/27222	3
	Arosa, Cordoba (6K), Ibiza (6K), Inca (9KS), Toledo	all	27203/27221	3
	Ibiza (021)	all	27169/27215	5
Skoda	Fabia, Octavia, Roomster, Superb	all	27205/27184/27222	3
	Favorit (from '93), Felicia, Forman, Pickup	all	27203/27221	3
Smart	Forfour	all	24195/24012	2
Subaru	BRZ, 1800, 2200, Forester, Impreza, Justy, Legacy, Station, Vivio	all	24152/24013	2
	Justy G3X	all	27221	3
Suzuki	Alto, Baleno, Grand Vitara, Swift (EA, MA), Vitara (4x4), Wagon R (EM,MM)	all	24152/24013	2
	Aerio, Swift (MZ), SX4	all	27203/27221	3
	Ignis, Liana	all	24152/24013/27221/27203	2; 3
Toyota	Auris, Avensis, Camry, Carina, Celica, Corolla, GT68, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Supra, Tercel, Yaris	all	24195/24012	2
	Aygo	all	27221	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Vauxhall - Opel	Agila (from '04), Astra (till '08), Calibra, Combo 4, Corsa, Kadett, Meriva, Omega (A, B, V94), Seator (B), Signum, Speedster, Tigra, Vectra, Zafira	all	27221/27203/27563*	3
	Agila (till '03)	all	24154/24013	2
	Antara, Astra (from '09), Cascada, GT, Manta, Sintra, Zafira Tourer	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Corrado, Eos, Fox, Golf III GTI, Golf III VR6, Golf IV, Golf V, Jetta (from '05), New Beetle, Pheaton, Passat, Polo (from '02), Scirocco, Sharan, Tiguan, Touran, Vento (all models with 5-hole-wheels)	all	27205/27184/27222	3
	Caddy (14D), Corrado, Derby, Golf, Jetta (I, II), Käfer, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	27179/27203/27221	3
	Sharan, Touareg	all	27222/27205/27184	3
Volvo	440, 460, 480,	all	27169/27215	5
	960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	24157/24012	2; 3
	C70 (from '00 till 12/'05)	all	27000/27184	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 75, 145, 146, 147, 155, 156 (97, 98, 00), 164, 166 ('98), Giulietta, GTV 16V, Mito Spider (from '95 till '05), Sport Wagon	all	27170/27216	5
	159, Brera	all	27184	
Audi	80, 90 (85, 89, Q, B4), 100, 200 (44, Q, C4), A1, A2, A3, A4, A5, A6, A7, A8, allroad, Cabriolet, Coupé, Q3, Q5, Quattro, S3, S4, S6, S8, V8, TT	all	27181/27184/28018/27222	3
BMW	1 series (till '10), 3 series (till 8/'11), 5 series (till '09), 7 series (till '01), Z3, Z4	all	27204/27221	3
	7 series (from '02), 8 series, X3 ('04)	all	27184	
	X5 (till 12/'06)	all	27181	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229/27230	3
Chevrolet	Cielo, Racer, Sertio	all	27204	
	Espero, Lanos, Nexia, Nubira	all	27204/27207	3
	Aveo, Cruze, Trailblazer	all	24157/24012	2
Chrysler	300M, Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all	24157/24012	2
Citroën	AX, BX, C3, C5, DS3, DS4, Saxo, Xantia, XM, Xsara, ZX	all	27170/27216	5
	Evasion	all	27181	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Grand Move, Sirion, YRV	all	24157/24012	2
	Feroza, Rocky (4x4)	all	24157/24012/24028	2; 3
Fiat	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupe, Croma (till '04), Fiorino, Marea, Multipla, Palio, Weekend, Punto (176, 188), Stilo, Tempra, Tipo, Uno	all	27170/27216	5
	Scudo, Ulysse	all	27181	
	Stilo	all	27216	
	Croma (from '05)	all	27205	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Ford	Cougar, C-Max, Escort (I, II, GAL), Fiesta (GJF), Focus, Granada, KA, Mondeo, Orion, Probe, Puma, Scorpio, Sierra	all	24157/24012	2
	Explorer (4x4)	all	24020	
	Galaxy (till '05)	all	27000/27181/ 28018	3
	Maverick (4x4)	all	24152/24013/ 24200	2; 3
Honda	Accord, Civic, Coupe, CR-V, CRX, HR-V, Integra R, Jazz, Legend, Prelude, S2000, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupe, Elantra, Genesis, Getz, I30, I40, Lantra, Matrix, Pony, Santa Fe, S-Coupe, Sonata, Trajet, XG25, XG30	all	24157/24012	2
Jaguar	F-Type, S-Type, X-Type	all	24157/24012	2
	XJR, XJS, XJ6, XJ8, XK8	all	24193/24010	2
Jeep	Cherokee, Grand Cherokee	all	24193/24010	2
	Campus, Patriot	all	24157/24012	2
Kia	Carens, Carnival, Clarus, Credos, Opirus, Optima, Rio (from '02), Sephia, Shuma	all	24157/24012	2
	Sorento	all	24157/24012/ 24028	2; 3
	Rio (till '01)	all	27179	
Lancia	Dedra, Delta, Kappa, Lybra, Prisma, Thesis, Thema, Ypsilon	all	27170/27216	5
	Z	all	27184	
	300C	all	24214/24019	2
Land Rover	Freelander I	all	24157/24012	2
	Evoque, Freelander II	all	24214/24019	2
Lexus	GS300, IS200, IS300, LS400, RX300	all	24195/24012	2
Mazda	121 (DB from '91), 323, 626, 929, Demio, Acura Moy, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Xedos 6, Xedos 9, Mazda 6	all	24195/24012	2
Mercedes-Benz	190 (201), A-Class (168) (till '04), C-Class (202,203, H0), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170)	all	27204	
	C-Class (W204), E-Class (211), M-Class (163), S-Class (140, 220), SL (230), Vito (638), V-Class (638)	all	27184/27000/ 27222	3
Mini	Mini One (R50) (till 08/'06)	all	27204	
	Countryman, Coupe, Clubman, Mini Cooper (from 09/'06), Paceman	all	27226/27229	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mitsubishi	ASX, Carisma, Colt, Eclipse, Galant, Grandis, Lancer, Pajero Pinin, Sapporo, Sigma, SpaceRunner, SpaceWagon, Outlander	all	24195/24012	2
	L200, L300, Pajero (4x4)	all	24195/24012/24028	2; 3
Nissan	100NX, 200SX, Almera, Bluebird, Cherry, Cube, Juke, Maxima, Micra (K11, K13), Prairie, Primera, Stanza, Sunny, Vanette, X-Trail	all	24154/24013	2
	Patrol GR, Terrano (4x4)	all	24200/24154/24013	2; 3
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 605, 607, Partner	all	27170/27216	5
	806	all	27184	
Porsche	911, 911 Turbo, 944, Boxster, Cayman	all	28020	
	Cayenne, GT3	all	28032/28044	3
Renault	Cabriolet, Clio, Espace, Laguna (B56/K56) (till '05), Kangoo, Mégane, R5, R9, R11, R19, Safrane, Scénic, Twingo	all	27207/27179	5
	Espace, Laguna (B56, K56) (from '05 till '07), R21, Safrane	all	27184	
Rover	25, 45, 200er-Serie, 400er-Serie, 620, 623, Concerto	all	24157/24012	2
	75	all	27184	
Saab	900, 9.3, 9.5 (till '10)	all	27204	
Seat	Alhambra, Altea, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27222/27184/28018	3
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27204	
	Ibiza (021A), Malaga, Ronda	all	27170	
Skoda	Fabia, Octavia (all models with 5-hole-wheels)	all	27184	
	Favorit, Felicia, Forman, PickUp (from 01/'93) (all models with 4-hole-wheels)	all	27204	
	Superb ('02)	all	27222	
Ssangyong	Rodius-Stavic	all	27222	
	Musso	all	24028	
Subaru	Impreza, Justy, Legacy, Tribeca	all	24152/24013	2
Suzuki	Alto, Baleno, Ignis (FH), Liana, Swift (EA, MA), Wagon R (EM)	all	24152/24013	2
	Grand Vitara, Jimny, Rocsta, Samurai, SJ410, SJ 413, Vitara, X-90	all	24200	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Toyota	4-Runner (4x4), Hiace, Hilux (4x4), Landcruiser, Taro (4x4)	all	24028	2
	Auris, Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Tercel, Yaris	all	24195/24012	2
Vauxhall - Opel	Agila (till '03)	all	24154/24013	2
	Ascona C, Astra, Calibra, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	27204	
	Campo, Frontera (4x4), Monterey	all	24028/24157/ 24012	3
Volkswagen	Bora, Corrado, Eos, Golf, Jetta, Multivan, New Beetle, Passat, Phaeton, Polo, Sharan, Touran, Transporter, T4, Vento, VW-Bus (all models with 5-hole-wheels)	all	27222/27184/ 28018	3
	Caddy, Corrado, Golf, Jetta, Lupo, Passat, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	27204	
Volvo	340, 360	all	24152/24013	2
	440, 460, 480	all	27170	
	740, 760, 940, 960, C30, S40, S90, V40, V90	all	24157/24012	2
	850, S70, V70 (till '99)	all	27186	
	S60, S80 (from '98), V70 (from '00), XC70, XC90	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145, 146, 147, 156, Crosswagen Q4, GT, Sportwagen Q4	all except: DTM 75713.38.03F (I) DTM 80816.30.03F DTM 80817.27.03F (I) DTM 80817.35.03F (I)	27562 27216/27170 27216/27170 27216/27170	5
	159, Brera, Spyder (939)	all except: 80816.38.09M	27181	
	166	all except: DTM 80816.30.08F	27216/27170	5
	Giulietta, Mito	with wheel adapter	27205	
Audi	80, 100, 200, A1, A2, A3, A4, A6, A7, A8, Q3, Q5, SQ5, RS6, S3, S4, TT,	all except: 80816.42.10.E DTM 80816.35.05.E DTM 80816.35.10.E DTM 80816.42.10.E DTM 9582.25.05.E DTM 9582.35.10 (5) DTM 9582.35.10. E (4) Pegasus 90203.40.10	27181/27222	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all except: A 705.1M.25 A707.1M.25 DTM 80816.15.14.W DTM 80816.15.14.Y DTM 80816.15.14.Y DTM 80816.30.14.Y DTM 9582.38.14. Y (2)	27179/27221	
	7 series (from '02)	all except: 80816.15.14.Y 90203.15.14.Y	27181	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
Chevrolet Daewoo	Captiva, Cielo, Evanda, Nexia, Nubira, Racer, Rezzo, Tacuma, Zespi,	all	24157/24012	
	Lanos (Klat Supt)	all	27179	
	Aveo, Cruze, Lanos/Kalos (KLAS)	all	28172/24157/ 24012	2; 3
Chrysler	Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all except: DTM 80816.35.05.E	24157/24012	2
	Crossfire	all	27204	
	300C	all	24214	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Citroën	Berlingo, C2, C3, C4, C5, DS3, DS4, Saxo, Xantia, Xsara, ZX	all	27169/27215	5
	C1	all	27179	
	Evasion, Jumpy	all	27222	
	XM	all	27216	
Dacia	Lodgy, Logan, Sandero	all	27221/27204	3
Daewoo Chevrolet	Aveo, Captiva, Cielo, Cruze, Evanda, Nexia, Nubira, Racer, Rezzo, Tacuma, Zespi,	all	24157/24012	
	Lanos (Klat Supt)	all	27179	
	Lanos/Kalos (KLAS)	all	28172/24157/ 24012	2; 3
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Sirion, YRV	all	24157/24012	2
Fiat	Grande Punto (199)	all	27179	
Ford	Cougar, C-Max, Escort, Escape, Fiesta, Focus, Fusion, Ka (RBT, RL2), Maverick, Mondeo, Orion, Puma, Probe, Tourneo	all except: DTM 80816.35.12.P DTM 80816.40.08.X	24157/24012	2
	Galaxy (till '05)	all	27181	
	Galaxy (from '06), S-Max	all	24214	3
Honda	Accord, Civic, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream, S2000	all	24157/24012	2
Hyundai	Accent, Amica, Atos, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, Joice, Lantra, Matrix, Pony, Prime, Santa Fe, S-Coupé, Sonata, Trajet, Tucson, XG25, XG30	all except: 80816.35.12.P	24157/24012	2
	Jaguar	F-Type, S-Type, XJ, X-Type	all except: 80816.40.08.X	24157/24012
XJ8, XK8, XKR		all	24193/24010	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Kia	Carens, Carnival, Carstar, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Magentis, Mentor, Opirus, Optima, Picanto, Rio (from '02), Sedona, Sephia, Shuma, Sportage	all except: DTM 80816.35.12.P	24157/24012	2
	Rio (till '01)	all	27179	
Lancia	Dedra, Delta, Lybra, Musa, Thesis, Ypsilon	all	27562	5
	Flavia	all	24137/24012	2
Lexus	GS300, GS430, IS200, IS220d/250, IS300, LS400, LS430, SC430	all	24195/24012	2
Mazda	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9	all except: 80816.35.12.P	24195/24012	2
Mercedes-Benz	A-Class (168), 190er, C-Class (till 03/'07), CLK, (208,209), E-Class (till '01), SL (129), SLK, Vaneo	all except: 80816.35.10.O 9582.25.10.O (2)	27179/27204	3
	A-Class (169), B-Class (Typ 245, 246), CL (215), CLS (218, 219), E-Class (from '02), GL- Class, M-Class, S-Class (220), SLK (R172), SL (230), V-Class, Viano,	all except: 80816.35.10.O 80816.40.10.O 9582.25.10.O (1) 9582.25.10.O (2)	27181/27205	3
	S-Class (221,222)	all	27222	
Mini	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	27179	
	Countryman, Clubman, Coupe, Mini Cooper (R50) (from 09/'06), Mini One (R50) (from 09/'06), Paceman, Roadster	all	27226/27229	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mitsubishi	ASX, 3000GT, Carisma, Colt, Eclipse, Galant, Grandis, I-car, Lancer, Outlander, Pajero Pinin, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all	24195/24012	2
		except: DTM 80816.35.12.P DTM 9582.33.12.P (2) DTM 9582.38.12.P (1)		
Nissan	100NX, 200SX, 350Z, Almera, Cube, Juke, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all		
		except: 70555.35.52 75714.40.52		
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 605, 607, 1007, CC, Partner, RCZ	all	27169/27215	5
	107	all		
	407	all		
		except: 80816.35.08.M		
Porsche	911 (996), 911 Turbo, Boxster, Carrera S4, Cayman	all	27181	
Proton	300, 400	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Renault	Clio, Espace, Fluence, Kangoo, Laguna (B56, K56), Mégane, Modus, Safrane, Scénic (JA), Twingo (C06, C06/06), Wind	all except: 70555.35.52 80816.35.08.J	27179 27221	
	Laguna (Typ G)	all except: 80816.35.08.J	27221	
	Scenic II	all	27204	
	Espace, Laguna, Safrane, Vel Satis	all	27181	
Rover	25, 45, 200, 400, 600, 800, MG ZR, MG ZS	all	24157/24012	2
	75, MG ZT, ZT-T	all	27181	
Saab	900/II, 9/3, 9/5 (till '09), (only for wheels with cone seat)	all	27179/27221	3
Seat	Alhambra (7MS), Altea, Ibiza (6L), Leon, Toledo (all models with 5-hole wheels)	all except: DTM 80816.35.10.E DTM 80816.42.10.E	27222/27181	3
	Arosa, Cordoba, Ibiza (all models with 4-hole-wheels)	all except: A 705.1M.25	27221	
Skoda	Felicia (791, 795) (all models with 4-hole-wheels)	all except: A705.1M.25	27179	
	Fabia, Felicia, Roomster, Octavia, Superb	all except: 80816.35.10.E 80816.35.42.10.E	27222/27181	3
Smart	Forfour	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Subaru	BRZ, Forester, Impreza, Legacy, Outback	all	24152/24013	2
	Justy G3X	all	27179	
Suzuki	Baleno, Grand Vitara, Ignis (FH), Liana, Wagon R (MM) (till '03)	all except: 80816.35.12.J	24152/24013	2
	Ignis (MH), Swift (MZ), Wagon R (MM) (from '04)	all	27179	
	SX4	all 80816.35.12.J	27221	
Toyota	Avensis, Camry, Carina, Celica, Corolla, GT68, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Supra, Verso, Yaris	all except: 80816.35.12.J	24195/24012	2
	Aygo	all	27179	
Vauxhall - Opel	Agila (till '03)	all	24154/24013	2
	Antara, Astra (from '09)	all	24157/24012	2
	Astra (till '08), Calibra, Corsa, Meriva, Omega, Signum, Tigra, Vectra, Zafira	all	27179/27221	3
Volkswagen	Corrado, Golf, Jetta, Lupo (Typ 6x, 6E), Passat, Polo (86C, 9NF, 6N, 6KV)	all except: 7059.28.04 (1) A 705.1M.25	27179 28172	
	Caddy, Eos, Fox, Phaeton, Polo (9N), Golf, Jetta, New Beetle, Passat, Sharan, Transporter, Touran	all except: 80816.35.05.E 80816.42.10.E DTM 9582.25.05.E (1)	27222/27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Volvo	960 (from '95), C30, C70, S40, , S90, V40, V50, V70, V90	all except: 80816.40.08.X	24157/24012	2
	S80 (Typ A), XC90 (Typ C)	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145, 146, 147, 155, 156, 164, 166, Coupé, Crosswagon Q4, Giulietta, GT, GTV, Mito, Spider (till '05), Sportwagon Q4	all	27169/27216/ 27181	3
	159, Brera, Spider (939)	all	27181	
Audi	80, 100, 200, A4, A5, A6 (320KW), A8 (D2), TT (8J)	all	27181/28018	3
	A1, A2, A3, A4, A5, A6 (till 257KW), A7, A8 (4E), RS4, RS6, RS6 Avant, S3, S4, S6, S8, TT (8N), Q3, Q5, SQ5	all	27181/28018	3
	Q7	all	28032	
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27229/ 27230	3
	1 series (till '11), 3 series (till '12), 5 series-GT, 5 series (till '10), 6 series (till '11), X5 (till 01/'07), X3 (till '10), X6, 7-series (till 10/'08)	all	27179/27221	3
Chevrolet	Epica (Klal), Evanda (Klal), Kalos (Klas), Lacetti (Klan), Leganza (Klav, Supv), Nubira (Klan, Klaj, Subj, UU6J), Rezzo (Klau), Tacuma (Klau)	all	24157/24012	2
	Lanos	all	27221	
Chrysler	LeBaron, Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all	24157/24012	2
	Crossfire	all	27179	2
Citroën	AX, Berlingo, C2, C3, C4, C5, Saxo, Xantia, XM, Xsara, Xsara Picasso, ZX	all	27169/27215	5
	C1	all	27179	
	C8	all	27181	
	Evasion, Jumpy	all	27222	
	C-Crosser, C4 Aircross	all	24157/24012	2
Dacia	Dokker, Lodgy, Logan, Sandero	all	27221	
Daewoo	see Chevrolet			
Daihatsu	Applause, Cuore, Grand Move, Sirion, Terios, YRV	all	24157/24012	2
Dodge	Caliber	all	24157/24012	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Fiat	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Doblo, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (188), Seicento, Stilo, Strada, Tempra, Tipo, Uno	all	27169/27215	5
	Croma, Sedici	all	27221	
	Grande Punto (199)	all	27179	
	Scudo, Ulysse I	all	27222	
	Ulysse II	all	27181	
Ford	Cougar, C-Max, Escape, Escort, Fiesta, Focus, Fusion, Ka, Maverick, Mondeo, Orion, Probe (GT), Puma, Scorpio, Street Ka, Tourneo	all	24157/24012	2
	Galaxy (till '05)	all	27181	
	Galaxy (from '06), S-Max	all	27214/24019	2; 3
Honda	Accord, Civic, Concerto, CR-V, FR-V, HR-V, Integra, Jazz, Legend, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Amica, Atos, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, I30, Joice, Lantra, Matrix, Pony, Prime, Santa Fe, Sonata, S-Coupé, Trajet, Tucson	all	24157/24012	2
Jaguar	F-Type, S-Type, XJ, X-Type	all	24157/24012	2
Jeep	Campus, Compass, Patriot	all	24157/24012	2
Kia	Carnival, Carstar, Carens, Cee'd, Pro Cee'd, Cerato, Clarus, Cremos, Magentis, Opirus, Optima, Picanto, Rio (from 10/'02), Sportage	all	24157/24012	
	Rio (till 09/'02)	all	27179	2
Lancia	Dedra, Delta, Lybra, Musa, Thesis, Ypsilon, Y10	all	27169/27215	5
	Phedra	all	27181	
Lexus	GS300, GS430, GS450h, IS200, IS220d, ID250, IS300, LS400, LS430, SC430	all	24195/24012	2
Mazda	121 (from '91), 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX5, MX6, Premacy, RX8, Tribute	all	24195/24012	2
Mercedes-Benz	190er (201), A-Class (168) (till '04), C-Class (202, 203, H0), CLK (208, 209), E-Class (210), SLK (170, 171), Vaneo (414)	all	27179	
	A-Class (169), B-Class (245), C-Class (W204), CL (216), CLS (219), E-Class (211,212), M-Class (163), S-Class (221,222), SL (230)	all	27222	
	CL (215), M-Class (164), S-Class (220), R-Class (251), V-Class (638, 639)	all	27205	
	SL (129)	all	27221	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mini	Mini R50 (till 03/'06)	all	27221	
	Cabriolet (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, SAV	all	27226/27229/ 27230	3
Mitsubishi	ASX, Carisma, Colt, Eclipse, Galant, Grandis, Lancer, Outlander, Pajero, Pajero Pinin, SpaceRunner, SpaceStar, SpaceWagon, StationWagon	all	24195/24012	2
Nissan	Almera, Juke, Maxima, Micra (K11), Murano, Note (from 08/'13), Primera, Qashqai (till 11/'13), X-Trail	all	24154/24013	2
	Kubistar, Micra (K12), Note (till 07/'13)	all	27221	
	Primastar	all	27181	
	Antara	all	24157/24012	2
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 508, 605, 607, 1007, CC, Partner, RCZ	all	27169/27215	5
	107	all	27179	
	806, Expert	all	27222	
	807	all	27181	
Renault	Clio, Grandtour, Fluence, Kangoo, Laguna (G), Mégane, Modus, R19, Safrane, Scénic, Twingo, Wind	all	27221	
	Espace, Grand Espace, Grandtour, Laguna (T), Safrane, Vel Satis (from '03), Trafic	all	27181	
Rover	75, Freelander, MG-ZT	all	24157/24012	2
	Evoque, Freelander II	all	24214/24019	2
Saab	900, 9.3, 9.5 (till '09)	all	27221	
Seat	Alhambra	all	27181	
	Altea, Cordoba (6L), Cupra, Ibiza (6L), León, Toledo (all models with 5-hole-wheels)	all	27222/28018	3
	Arosa, Cordoba (6K), Ibiza (6K), Toledo (all models with 4-hole-wheels)	all	27221	
Skoda	Fabia, Felicia, Octavia, Praktik, Roomster, Superb (all models with 5-hole-wheels)	all	27222/28018	3
Smart	Forfour	all	24157/24012	2
Subaru	BRZ, Forester, Impreza, Justy, Legacy, Tribeca	all	24152/24013	2
	Justy GX3	all	27179	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Suzuki	Alto, Baleno, Ignis (FH), Gran Vitara, Liana, Swift (EA, MA), Wagon R (EM)	all	24152/24013	2
	Ignis (MH), Swift (MZ), Wagon R (MM)	all	27179	
	SX4	all	27221	
Toyota	Auris, Avensis, Camry, Celica, Corolla, GT68, MR2, Picnic, Previa, Prius, RAV4, Supra, Yaris	all	24195/24012	2
	Aygo	all	27179	
Vauxhall - Opel	Agila (from '04)	all	27179	
	Agila (till '03)	all	24152/24013	2
	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva A, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221	
	Antara, Astra (from '09), Zafira Tourer	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Golf I, Golf II, Jetta II, Golf III, Lupo, Polo (6KV, 6N, 6NF), Vento	all	27221	
	Fox, Bora, Caddy, Golf V, Golf IV, Golf Plus, Jetta (1KM), New Beetle, Passat (3B, 3BG, 3BS, 3C), Phaeton (3D), Polo (9N), R32, Touran (1T)	all	27222	
	Eos, Golf III, Sharan (7M), T4, Vento,	all	27181	
	T5, Touareg	all	28032/28044	5
	Tiguan	all	27205/28018	3
Volvo	C30, C70 (M), S40, V40	all	24157/24012	2
	S60, S80 V70 (from '00), XC60, XC70	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33 (907/A/B), 145/146 (930), 147 (937), 155 (167), 156 (932) 164, 166 (936), Coupe (916), Giulietta, GT (937), Mito, Spider (916)	all	27215/27169	5
	159, Brera	all	27181	
Aston Martin	DB7	all	24130/24010	3; 5
Audi	80/90, 200, A1, A2, A3, A6 (C4, 4F), A8 (4E, D2), RS4, (B5), S2 (89Q, B4), S3, S4 (C4), S6 (C4, 4F), S8 (D2), TT, V8	all	27205/27000	3
	A4/S4 (B5, 8E, 8H, QB6), A6 (4B), RS4 (QB6), RS6 (4B)	all	27222	
	A4 (B8), A5, S5	all	27181	
	Q7	all	28032	
Bentley	Continental (3W)	all	27181	
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
	7 series ('02 - '07), X3 (till '09), X5 (till 12/'06)	all	27205	
	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179	
Cadillac	Allanté, Eldorado, Escalade, Northstar, Seville, SRX V8	all	24157/24012	2
Chevrolet Daewoo	AstroVan, Aveo, Baretta, Blazer, Camaro, Captiva (Klak), Cavalier, Corvette, Cruze, Impella, Lacetti, Leganza, Lumina, Matiz (Klak), Nubira, Tahoe, Trail Blazer	all	24157/24012	2
	Cielo, Espero (Klej), Lanos (Klat), Nexia, Racer	all	27221	
Chrysler	300C	all	24214/24019	2; 5
	300M, Le Baron, Neon, PT Cruiser, Saratoga, Stratus, Voyager	all	24157/24012	2
	Crossfire	all	27179	
Citroën	Berlingo 2, C2, C3, C4, C5, C6, C-Crosser, CX, DS3, DS4, Xantia, Xsara, ZX	all	27169/27215	5
	C8	all	27181	
	Evasion	all	27222	
	Jumper	all	27205	
	XM	all	24152/24012	2
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Copen, Cuore, Feroza, Rocky (4x4), Sirion, Terios, Wildcat	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Dodge	Caliber	all	24157/24012	2
	Dakota, Durango, Ram	all	24193/24010	2
Ferrari	328, 348, 355, Mondial, Testarossa	all	27000/27205	5
Fiat	Abarth, Bravo (198), Crossover, Doblo (223), Fiat 500, Fiorino, Marea (185), Multipla (186), Quobo, Palio (178), Strada (178E)	all	27169/27215	5
	Idea, Linea, Panda (169), Stilo (192)	all	27216/27170	5
	Abarth	all	24157/24012	2
	Croma (194), Grande Punto, Sedici	all	27221	
	Scudo, Ulysse	all	27222	
	Ulysse II	all	27181	
Ford	C-Max, Cougar (BCV), Escort, Fiesta, Focus, Fusion (JU2), KA (RBT, RL2), Mondeo, Orion, Puma, Probe (GT, ECP), Scorpio (GGR/GFR, GAE/GGE), Sierra, Taunus, Taurus, Thunderbird, Tourneo, Transit Connect, Windstar	all	24157/24012	2
	Explorer, Mustang, Topas	all	24193/24010	2
	Galaxy (WGR)	all	27205	
	S-Max	all	24214/24019	2
	Maverick	all	24152/24013	2
Honda	Accord, Acura, Civic, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Logo, NS-X, Prelude, S2000, Shuttle	all	24157/24012	2
Hyundai	Accent, Atos, Coupé, Elantra, Genesis, Getz, Grandeur, Lantra, Santa Fe, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG30	all	24157/24012	2
Infinity	Infinity	all	24154/24013	2
Isuzu	Campo 4x4, Isuzu, Trooper	all	24137/24012	2
Jaguar	NAW, NBW, XJ-40, XJR, XJS, X300,	all	24193/24010	2
	F-Type, S-Type, XJ, XK, X-Type	all	24157/24012	2
Jeep	Cherokee, Grand Cherokee, Wrangler	all	24193/24010	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Elan, Magentis, Opirus, Picanto, Rio (DE), Sephia, Shuma, Sorento, Sportage	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Lancia	Dedra, Delta, Delta Integrale, Kappa, Lybra, Thema, Thesis, Ypsilon, Y10	all	27169/27215	5
	Phedra	all	27181	
	Ypsilon (843), Musa (350)	all	27170	
	Zeta	all	27222	
	300C	all	24019	
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	24195/24012	2
Lotus	Elise	all	24157/24012	2
	Elise MK II	all	27221	
	Esprit	all	27205	
Maserati	3200GT, Grand Turismo 2007, Quattroporte, Spyder	all	27205	
	Barchetta	all	24157/24012	2
	Bi Turbo	all	27015	
	Ghibli	all	27169	
	Karif Spider	all	27221	
Mazda	121 (from '91), 323, 626, 929, CX7, Mazda 3, Mazda 5, Mazda 6, Demio, MX3, MX5, MX6, Premio, R-8, RX7, RX8, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	190er (W201), C-Class (W202), E-Class (W124), SL- Class (R129), W107, W116, W123, W126,	all	27221	
	CL-Class (W215), CLS (W218, W219), E-Class (W211,212), G-Class, R-Class (251), S-Class (W140, W220), SL-Class (R230), M-Class (W163), Vito (638), V-Class (638)	all	27205	
	A-Class (W168), C-Class (W203), CLK (W208, W209), E-Class (W210), SLK (W170, W171), Vaneo (414)	all	27179	
	A-Class (W169), B-Class (245), C-Class (W204), M-Class (W164), S-Class (W221,222), SLK (R172)	all	27181	
Mini	Cabriolet (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226/27229/ 27230	3
	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27179/27221	3
Mitsubishi	ASX, 3000GT, Carisma, Colt, Eclipse, Galant, Grandis, L040, L200, L300, Lancer, Outlander, Pajero, Sigma, Starion	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Nissan	160, 100NX, 200SX, 350Z, Almera, Cube, Juke, Maxima, Micra (K10, K11, K13), Murano, Navara, Note (from 08/'13), Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai (till 11/'13), Sunny, Terrano, X-Trail	all	24154/24013	2
	Micra (K12)	all	27207	
	Primastar	all	27205	
Peugeot	106, 205, 206, 207, 208, 208 GTi, 306, 307, 309, 405, 406, 407, 508, 605, 607, 1007, CC, Partner, RCZ	all	27169/27215	5
	107	all	27221	
	806	all	27222	
	807	all	27181	
	4007	all	24157/24012	2
	Boxer	all	27205	
Pontiac	Fiero, Firebird old, TransSport	all	24157/24012	2
Porsche	911, 928, 944, 964, 968, 993, Carrera 2+4	all	24214/24018	3; 5
	924	all	27205	
	996, 911 Turbo, Boxster, Cayman	all	28020	
	Cayenne	all	28032/28044	3
Renault	Alpine, Clio, Espace, Fluence, Kangoo, Laguna (B56, K56), Mégane, Modus, R19, Safrane, Scenic, Twingo, Vel Satis, Wind	all	27221	
	Alpine, Koleos	all	24152/24013	2
	Alpine V6, Espace V6, Laguna (B56, K56), R21 Turbo, Safrane, Scénic, Spider, Trafic	all	27000	
	Espace K (108R)	all	27181	
	Laguna G	all	27221	
Rover	200-420, 600-623, Concerto, MG-F	all	24157/24012	2
	75	all	27205	
Saab	900	all	24157/24012	2
	9.3, 9.5 (till '09), 900 II, 900 II Cabriolet	all	27221	
	9000	all	27205	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Seat	Alhambra, Altea, Ibiza (6L), León, Toledo (1L, 1M) (all models with 5-hole-wheels)	all	27205	
	Arosa, Cordoba (6K/C), Ibiza (6/K), Inca 9KS, Toledo (all models with 4-hole-wheels)	all	27221	
	Ibiza (021A), Malaga (023A)	all	27169	
Skoda	Fabia, Octavia, Roomster	all	27205	
	Favorit (781), Felicia (791, 795), Foreman, Pickup	all	27221	
	Superb	all	27222	
Smart	Forfour	all	24157/24012	2
	Roadster	all	27221	
Ssangyong	Kyron	all	24214/24018	2; 3
	Rodius	all	27205	
Subaru	BRZ, Forester, Impreza, Justy GX3, Legacy, SVX	all	24152/24013	2
	Justy	all	24157/24012	2
	Justy GX3	all	27221	
Suzuki	Baleno, Grand Vitara, Liana, Samurai, Swift (EA, MA), Vitara, X90	all	24152/24013	2
	Aygo, Ignis (MH), SX4	all	27221	
Toyota	100, J100, Land Cruiser	all	24214/24019	2; 3
	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, GT68, Hilux, MR2, Paseo, Picnic, Prius, RAV-4, Starlet, Supra, T15, T17, Tercel, Yaris, XA	all	24195/24012	2
Vauxhall - Opel	Agila (till '03)	all	24154	
	Antara, Ascona B, Astra (from '09), Frontera, GT, Manta, Monterey, Monza, Senator, Sintra, Zafira Tourer	all	24157/24012	2
	Ascona, Astra (till '08), Calibra, Corsa, Kadett, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221	
	Vivaro	all	27205	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Volkswagen	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, Käfer, New Beetle, Passat, Phaeton, Polo (9N), Sharan, Vento, VW-Bus, T4 (not Facelift), Tiguan, Touran (all models with 5-hole-wheels)	all	27205	
	Caddy, Corrado, Golf, Golf IV Cabriolet, Jetta, Lupo 6X, Passat, Polo (6N, 86C), Scirocco, Vento (all models with 4-hole-wheels)	all	27221	
	T5, Touareg	all	28032	
	Touran, Passat (3B, 3BG, 3BS), Phaeton	all	27181	
Volvo	440, 460, 480, 850old	all	24152/24013	2
	740, 940, 960, S40, V40, V50	all	24157/24012	2
	850 new, C70, S70, TypS, V70 (from '00)	all	27186	
	S60, S80, V70 (till '99), XC70, XC90	all	27205	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

BBS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	147 (937), 155, 156, GT, GTV, Spider	all	27169/27215	
	159, Brera	all	27181	
Audi	A1, A2, A3, A4, A5, A6, A7, A8, TT, S3 (8L), Q3, Q5, SQ5	all	27181/28018	3
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179	3
Chevrolet	Espero, Lanos (KLAT, SUPT), Nexia	all	27221	
	Aveo, Cruze, Kalos (KLAS), Nubira (KLAJ, UU6J, SUPT)	all	24157/24012	2
Chrysler	Avenger, Neon, PT Cruiser, Sebring, Stealth (ES,RT), Stratus, Talon	all	24157/24012	2
	Crossfire	all	27015	
Daewoo	Espero, Lanos, Nexia, Nubira (till '99)	all	27221	
	Nubira (from '00), Kalos	all	24157/24012	2
Daihatsu	Charade, Grand Move, Sirion, YRV	all	24157/24012	2
Fiat	Croma (194), Punto (199)	all	27221	
	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27169/27215	3
Ford	Cougar, C-Max, Fiesta, Focus, Fusion, Ka, Kuga, Mondeo, Probe, Puma, Transit Connect	all	24157/24012	2
	Galaxy (till '05)	all	27181	
Honda	Accord, Civic, Concerto, CR-V, FR-V, Integra, Jazz, Prelude, Shuttle, S2000	all	24157/24012	2
Hyundai	Accent, Atos, Genesis, Getz, i10, i30, i40, Sonata, Trajet, XG 250, XG 300, XG 350	all	24157/24012	2
Jaguar	F-Type, S-Type, X-Type	all	24157/24012	2
Kia	Cee'd, Pro Cee'd, Opirus, Optima, Magentis, Picanto, Rio (from '02), Shuma	all	24157/24012	2
	Rio (till '01)	all	27221	
Lancia	A112, Beta, Dedra, Delta, Gamma, Integrale, Kappa, Lybra, Monte Carlo, Prisma, Thema, Trevi	all	27169/27215	3
Lexus	GS300, GS430, IS200, IS250/IS250d, IS300, LS400, LS430, SC430	all	24195/24012	2
Mazda	323, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MX5, Premacy, RX7, RX8, Xedos 6, Xedos 9	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

BBS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mercedes-Benz	A-Class (168) (till '04), C-Class (HO, 202, 203, 203K, 203CL), CLK (208, 209), E-Class (210, 210K) (till '01), SLK (170, 171)	all	27221/27015	3
	A-Class (169), B-Class (245), C-Class (W204), CL (215), CLS (219 AMG) E-Class (211, 211K, 212), S-Class (220, 221,222), SL (230), M-Class (163, 164)	all	27181/27183	3
	CLS (219)	all	27183	
Mini	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27221/27179	3
	Cabriolet (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226	
Mitsubishi	ASX, Celeste, Colt, Cordia, ESI-R, Galant, Grandis, I-car, Lancer, Laser, Mirage, Outlander, Precis, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceWagon, Starion, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27221	
Peugeot	107	all	27221	5
	206, 207, 307, 308, 308CC, 508, 607, 805, 3008, RCZ	all	27169/27215	5
Porsche	911 (993)	RS II	25167	
	911 (996), 911 Turbo, Boxster (986)	RS II	28020	
	Cayenne	all	28032/28044	3
Renault	Avantime, Espace (K, JE), Fluence, Laguna (B56, K56), Mégane, Safrane, Vel Satis, Wind	all	27181	
	Clio, Kangoo, Laguna (B56, G, K56), Mégane, Modus, R19, Safrane, Scénic (all models with 4-hole-wheels)	all	27221/27207	5
Rover	75, MG ZT, MG ZT-T	all	27222/27181	3
	200-series, 400-series, 600-series	all	24157/24012	2
Saab	900 II, 9.3, 9.5 (till '09)	all	27221/27014	3
Seat	Alhambra, Altea, Cordoba (6L), Cupra, Ibiza (6L), León, Toledo (all models with 5-hole-wheels)	all	27181/28018	3
	Arosa, Cordoba (6K/C), Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27221	
Skoda	Fabia, Octavia (1U), Roomster, Superb (all models with 5-hole-wheels)	all	27181/28018	3
	Felicia (all models with 4-hole-wheels)	all	27221	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

BBS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Subaru	BRZ, Forester, Impreza, Legacy	all	24152/24013	2
	Justy G3X	all	27221	
Suzuki	Baleno, Grand Viatara, Ignis (FH), Liana, Wagon R (MM)	all	24152/24013	2
	Ignis (MH)	all	27221	
Toyota	Avensis, Camry, Carina, Celica, Corolla, GT68, MR2, Paseo, Prius, RAV4, Yaris	all	24195/24012	2
	Aygo	all	27221	
Vauxhall - Opel	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221	
	Antara, Astra (from '09), Sintra	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Bora, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo (9N), Touran (all models with 5-hole-wheels)	all	27181/28018	3
	Caddy, Corrado, Golf, Jetta, Lupo, Passat, Polo (6N) (all models with 4-hole-wheels)	all	27221	
	Sharan, T4, Touareg	all	27181/28032	3
Volvo	S40, S90, V50, V90	all	24157/24012	2
	C70, S70, V70 (L) (till '99)	all	27186	
	S60, S80, V70(J, JV, S) (from '00)	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 145, 146, 147 GT, 155, 156, 164, 166, Giulietta, GT, Mito, Spider	all	27169/27215	5
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27181/27222	3
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27221/27015	3
	7 series (from '02), X3, X5 (till 12/'06)	all	27205/27000	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27230	3
Chevrolet	Aranos, Espero, K55, Kalos (KLAS), Lanos (KLAT, SUPT), Nexia, Nubira (SUPJ, UU6J)	all	27221	
	Aveo, Captiva, Cruze, Evanda, Lacetti, Leganza, Nubira (KLAN), Rezzo, Tacuma	all	24157/24012	2
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
	Crossfire	all	27179	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27215	5
	Evasion, Jumpy	all	27222	
	C1	all	27221	
	C-Crosser, C4 Aircross	all	24157/24012	2
Dacia	Dokker, Lodgy, Logan, Sandero	all	27221	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Terios, YRV	all	24157/24012	2
Dodge	Caliber	all	24157/24012	2
Fiat	Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27169/27215	5
	Croma (194), Punto (199), Sedici	all	27221	
	Scudo, Ulysse	all	27184	
	500, Fiorino, Idea, Stilo	all	27216/27170	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2
	Galaxy (till '05)	all	27205	
	Galaxy (from '06), S-Max	all	24214/24019	2; 3
	Ka (from '09)	all	27216/27170	3
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Insight, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2
Jaguar	F-Type, S-Type, XJ, X-Type	all	24157/24012	2
Jeep	Compass, Patriot	all	24157/24012	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2
	Rio (till '01)	all	27221	
Lada	Samara, Forma	all	27169/27215	3
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27169/27215	5
	300C	all	24214/24019	2
Land Rover	Freelander I	all	24157/24012	2
	Evoque, Freelander II, Range Rover	all	24214/24019	2; 3
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	24195/24012	2
Mazda	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), Viano, Vito (639)	all	27222/27181	3
	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27221	
Mini	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27221	
	Cabriolet (R50 from 04/'06), Countryman, Coupé, Clubman, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman	all	27229/27230	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27221	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27169/27215	5
	107	all	27221/27179	3
Renault	Avantime, Espace, Laguna (B56, T), Safrane, Scénic, Vel Satis	all	27222	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Kangoo (from '08), Laguna (from '05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27221/27015	3
	Laguna (G)	all	27221	
Rover	25, 45, 200-series, 400-series, 600-series, 800-series, Concerto	all	24157/24012	2
	75	all	27222	
Seat	Ibiza (021A), Marbella	all	27169	
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27221	
	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5 hole wheels)	all	27181/27222	3
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27222/27181	3
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Swift (EZ, MZ), SX4	all	27221/27015	3
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
	Aygo	all	27221/27191	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Vauxhall - Opel	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221/27015	3
	Antara, Astra (from '09), Sintra	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Polo, Tiguan, Touran (all models with 5-hole-wheels)	all	27222/27181	3
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Scirocco (all models with 4-hole-wheels)	all	27221	
	Touareg	all	28032/28044	3
Volvo	440, 460, 480	all	27215	
	740, 760, 940, 960, V40, V50	all	24157/24012	2
	850, V70 (N+L), S70 (N+L)	all	27186	
	S80 (T), S60, V70 (S), S70 (S), XC60, XC70, XC90	all	27222/27000	3
	S80 (A), V70 (B)	all	27205/27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Brock /RC

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Audi	A1, A2, A3, A4, A5, A6, A7, A8, TT, Q3, Q5, SQ5	all	27222/27201	3
	Q7	all	28044/28032	3
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179/27191	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27229/27226	3
Chevrolet Daewoo	Aveo, Captiva, Cruze, Orlando, Spark, Volt	all	24157/24012	2
Citroën	Berlingo, C3, C4, C5, C6, C-Crosser, DS3, DS4, Nemo	all	27215	
	C1	all	27179	
Dacia	Dokker, Lodgy, Logan, Sandero	all	27179/27192	3
Daihatsu	Applaus, Charade, Copen, Cuore, Grand Move G3, Materia, Terios, Sirion, YRV	all	24157/25257	3
Fiat	500, Abarth, Bravo, Idea, Linea, Panda, Punto (176, 188), Stilo	all	27216/27215	3
	Croma (194), Punto (199)	all	27179/27192	3
Ford	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	24157/25257	3
	Ka (from '09)	all	27196	
Honda	Acclaim, Accord (from '82), Aerodeck, Balleade, City, Civic (from '82), Concerto, CR-V, CRX, CRZ, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	24157/25257	3
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/25257	3
Jaguar	F-Type, X-Type, S-Type, XJ (from '09)	all	24157/25257	3
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/25257	3
Lancia	Kappa, Musa, Thesis, Ypsilon	all	27169/27215	3
	Phedra, Zeta	all	27222	
Lexus	all models	all	24157/25257	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Brock /RC

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	24157/25257	3
Mercedes-Benz	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27222/27201	3
	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27204/27192	3
Mini	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV Please check the diameter of the bolt head!	all	27226/27229	3
	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (bis 08/'06)	all	27179/27191	3
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/25257	3
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/25254	3
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27215	
Renault	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27191/27221	3
Saab	9.5 (from '10)	all	24214/24019	2
Seat	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5 hole wheels)	all	27222/27181	3
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27221/27179	3
	Alhambra	all	27205/27000	3
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27222/27201	3
Smart	Fortwo, Roadster	all	27204/27192	3
	Forfour	all	24157/25257	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Brock /RC

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24154/25254	3
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/25257	3
Vauxhall - Opel	Antara, Astra (from '09), Sintra, Zafira Tourer	all	24157/25257	3
	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27179/27192	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran (all models with 5-hole-wheels)	all	27222/27201	3
Volvo	400, 460, 480	all	27169/27215	3
	C30, C70, S40, V40, V90	all	24157/25257	3
	S80, V70, XC70, XC90	all	27181/27222	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 147, 155, 156, 164, 166, GTV, Spider	all	27169/27215	5
	75, 90	all	24157/24012	2
	Guilietta, Mito	all	27216/27215	
	159	all	27181	
Audi	A1, A2, A3, A4, A6, A7, A8, TT, Q3, Q5, SQ5	all	27181/28018	3
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27221	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27229/27230	3
Chevrolet	Aveo, Cruze, Evanda, Kalos, Korrando, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Sertio, Tacuma, Rezzo	all	24157/25257	2
Chrysler	Neon, PT Cruiser, Stratus, Vision, Voyager	all	24157/25257	3
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27215/27170	5
Daihatsu	Applaus, Charade, Copen, Cuore, Grand Move G3, Materia, Terios, Sirion, YRV	all	24157/24012	2
Fiat	500, Abarth, Bravo, Idea, Linea, Panda, Punto (176, 188), Stilo	all	27216/27215	3
	Croma (194), Punto (199), Sedici	all	27221	
Ford	C-Max, Cougar, Escape/Maverick, Escort/GAL, Fiesta, Focus, Fusion, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, Scorpio, Sierra, Transit (Typ E), Turneo Connect, Windstar	all	24157/24012	2
	Galaxy (till '05)	all except: C1 656 5060S	27205 28020	
	Galaxy (from '06), S-Max	all	24214/24019	2
	Ka (from '09)	all	27215	
Honda	Acclaim, Accord (from '82), Aerodeck, Ballade, City, Civic (from '82), Concerto, CR-V, CRX, CRZ, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2
Jeep	Cherokee	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2
	Rio (till '01)	all	27179	
Lancia	Musso, Ypsilon	all	27170/27216	5
Lexus	GS300, GS430, IS200, IS300, SC430	all	24195/24012	2
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	190 (201), A-Class (168) (till '04), C-Class (202, 203), CLK (208, 209), E-Class (124, 210) (till '01), SL (129), SLK (170, 171)	all	27179	
	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27181/28018	3
Mini	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27221	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226	
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27179	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRI, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27169/27215	5
	107	all	27179	
	806, 807, Evasion, Expert	all	27181	
Renault	Avantime, Espace, Laguna (B56/K56), Safrane, Vel Satis	all	27181	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna (from '05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II, Wind	all	27207/27179	5
	Laguna (G)	all	27207/27179	5

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Saab	900 S/SE (from 07/'93), 9.3, 9.5 (till '09)	all	27179	
Seat	Alhambra	all except: C1 656 5060S	27205 28018	
	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27181/27183/28018	3
	Arosa, Cordoba, Ibiza, Toledo (all models with 4-hole-wheels)	all	27179	
Skoda	Fabia, Felicia (all models with 4-hole-wheels)	all	27179	
	Fabia, Octavia, Roomster, Superb, Yeti	all	27181/27183/28018	3
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
	Justy G3X	all	27179	
Suzuki	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Kizashi, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Splash, Sprint, Swift (from '90), Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	all	24152/24013	2
	Ignis (MH), Wagon R (MM)	all	27179	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
Vauxhall - Opel	Adam, Agila (from '07), Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221	
	Antara, Astra (from '09), Sintra, Zafira Tourer	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Corrado VR6, Eos, Golf III Gti, Golf III VR6, Golf IV, Golf V, Golf VI, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran (all models with 5 hole wheels)	all	27181/27183/28018	3
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	27179	
Volvo	740, 760, 940, 960, V40, V50	all	24157/24012	2
	S80 (T), S60, V70 (S), S70 (S), XC60, XC70, XC90	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	147, 156, 166, GT, GTV, Spider (from '95 till '05)	all	27169/27215	5
	159	all	27181	
Audi	80, 90 (89, 89Q, B4), 100, 200 (C4), A1, A2, A3, A4, A5, A6, A7, A8, RS2, RS4, RS6, RS6 Avant, S2, S3, S4, S6, TT	all	27181	
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8		27179/27221	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
Chevrolet	Beretta, Camaro, Captiva, Cavalier, Corsica, Corvette, C/K 2WD, Epica, Evanda (from '03), Geo Tracker, Impala, Kalos, Lacetti, Leganza, Matiz, Montecarlo, Nubira (KLAJ) (from '99 till '03), Rezzo, Tacuma, Trailblazer, Trans Sport	all	24028	
	Espero (till '99), Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	27179	
Chrysler	300C	all	24214/24018	
	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10Vison, Voyager	all	24028	
	Crossfire	all	27221	
Citroën	Berlingo, Picasso, Saxo, XM, Xsara, ZX	all	27169	
	C1	all	27221	
	C2, C3, C4, C5, C6, DS3, DS4, Nemo	all	27169/27215	5
	C-Crosser	all	24028	
	Evasion, C8, Jumpy	all	27181	
Dacia	Logan	all	27221	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Copen, Cuore, Feroza, Gran Move, Materia, Move, Rocky, Sirion, Terios, Trevis, YRV	all	24028	
Dodge	Caliber	all	24028	
Fiat	500, Abarth, Barchetta, Brava, Bravo, Coupé, Marea, Multipla, Palio, Panda (169), Punto (till '05), Weekend, Tempra	all	27169	
	Croma, Grande Punto (199), Sedici	all	27221	
	Panda (from '03), Punto, Stilo	all	27215	
	Ulysse	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Ford	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	24028	
	Galaxy (till '05)	all	27181	
	Galaxy (from '06), S-Max	all	24214/24019	2
Honda	Accclaim, Accord (from '82), Aerodeck, Ballade, City, Civic (from '82), Concerto, CR-V, CRX, CRZ, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	24028	
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24028	
Infiniti	FX35, FX45, I30, J30, Q45	all	24200	
Jaguar	F-Type, S-Type, XJ (from '03), X-Type	all	24028	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24028	
	Rio (till '01)	all	27179	
Lancia	Dedra, Delta, Kappa, Lybra	all	27169	5
	Phedra, Zeta	all	27181	5
	Thesis, Ypsilon	all	27215	5
Land Rover	Discovery 3, Evoque, Range Rover	all	24214/24019	
	Freelander I		24028	
Lexus	ES300, GS/SC300, GS/SC400, IS200-300, RX330, LS300, LS400, LS430, RX300	all	24028	
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	24028	
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27221	
	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), Viano, Vito (639)	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mini	Mini Cabriolet (R50) (till 03/'06), Mini Cooper (R50) (till 08/'06), Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	27179	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, SAV	all	27226/27229	3
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24028	
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24200	
	Micra (K12), Note (till 07/'13)	all	27221	
Peugeot	106, 205, 205 GTi, 206, 305 (from '82), 306, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, CC	all	27169	5
	107	all	27221	
	407, 1007	all	27215	
	4007	all	24028	
	806, 807	all	27181	
Renault	Avantime, Espace, Grandtour, Laguna, Safrane, Scénic, Trafic, Vel Satis	all	27181	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27221	5
Rover	25, 45, 200-series, 400-series	all	24028	
	75	all	27181	
Saab	900, 9.3, 9.5 (till '09)	all	27221	
	9.7	all	24200	
Seat	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27181	
	Arosa, Cordoba, Ibiza (6K), Inca, Toledo (all models with 4-hole-wheels)	all	27221	
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27181	
Ssangyong	Rexton	all	24028	
	Kyron, Actyon, Rexton (RJ)	all	24214/24019	2
	Rodius	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Subaru	Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24200	
	Justy G3X	all	27179	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24200	
	Ignis (MH), Swift (MZ), SX4 (EY)	all	27221	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24028	
	Aygo	all	27221	
	Hilux (N25T), Landcruiser (J10)	all	24214/24018	2
Vauxhall - Opel	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221	
	Antara, Astra (from '09), Sintra	all	24028	
	Agila (till '03)	all	24200	
Volkswagen	Bora, Caddy, Corrado VR6, Eos, Golf III Gti, Golf III VR6, Golf IV, Golf V, Golf VI, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran (all models with 5 hole wheels)	all	27181	
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	27221	
Volvo	740, 760, 780	all	24028/24137	3
	C30, S40, V40, V50, S90, V90	all	24028	
	S60, S80, V70, XC70, XC90	all	27181	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Magma

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145, 146, 166	all	27169/27215	3
	159, Brera	all	27222	
	Giulietta, Mito	all	27215	
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27222	
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179/27221	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27230	3
Chevrolet Daewoo	Evanda, Kalos (Klas), Lacetti (Klan), Nubira (Klan), Rezzo, Tacuma	all	24157/24012	2
Chrysler	Crossfire	all	27179	
	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10, Vison, Voyager	all	24157/24012	2
Citroën	C1	all	27179	
	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27215	3
Dacia	Dokker, Duster, Lodgy, Logan, Sandero	all	27221	
Daihatsu	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	all	24195/24012	2
Fiat	500, Abarth, Brava (182), Bravo (182), Multipla, Palio Weekend, Panda (169), Punto (176,188), Strada	all	27169/27215	3
	Croma, Grande Punto (199), Sedici	all	27179	
Ford	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	24157/24012	2
	Galaxy I	all	27205/27000	5
	Galaxy II, S-max	all	24214/24019	2
Honda	Accord, Civic, CR-V, FR-V, HR-V, Jazz, Stream	all	24157/24012	2
Hyundai	Accent, Atos, Coupe, i10, i30, Getz, Grandeur, Matrix, Sonata, Santa Fe, Trajet, Tucson, XG250, XG300, XG350	all	24157/24012	2
Jaguar	F-Type, S-Type, X-Type, XJ6, XJ8	all	24195/24012	2
Jeep	Compass, Patriot	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Magma

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24195/24012	2
	Rio (till '01)	all	27179	
Lancia	A112, Beta, Dedra, Delta, Gamma, Integrale, Kappa, Lybra, Monte Carlo, Prisma, Thema, Trevi	all	27169/27215	3
Land Rover	Freelander I	all	24157/24012	2
	Discovery, Evoque, Range Rover	all	24214/24019	2
Lexus	all models	all	24195/24012	2
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27179	
	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27222	
Mini	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27179	
	Cabriolet (R50 from 04/'06), Clubman, Countryman, Coupe, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman	all	27226	
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27179	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27169/27215	5
Porsche	Cayenne	all	28032	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Magma

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Renault	Avantime, Espace, Laguna (B56, T), Safrane, Scénic, Vel Satis	all	27179	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27222	
	Laguna (T)	all	27205/27000	2
Seat	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27221/27015	3
	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5 hole wheels)	all	27181/27205	3
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27181/27205	3
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
Suzuki	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Kizashi, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Splash, Sprint, Swift (from '90), Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	al	24152/24013	2
	Ignis (MH), Swift (MZ), SX4	all	27179	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
	Aygo	all	27221	
Vauxhall - Opel	Agila (till '07)	all	24152/24013	2
	Antara, Astra (from '09), Sintra, Zafira Tourer	all	24157/24012	2
	Adam, Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221	
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran (all models with 5 hole wheels)	all	27222	
	Lupo, Polo (6N)	all	27179	
	Sharan, T5	all	27205/27000/28032	3
	Touareg	all	28044/28032	3
Volvo	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	24157/24012	2
	C70 ('00 - 12/'05), C80, S60, S80, V70 (from '00), XC60, XC70, XC90	all	27222	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Momo/Xtra

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145,146,147,155,156, Spider	all	27169/27185/ 27562*	3
	159, Brera	all		
Audi	80, 90 (89, Q, B4), 100, 200 (44, Q, C4), A2, A3, A4, A5, A6, A8, S2, S3, S4, S6, S8, TT, V8	all	27222	
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27221	
	7 series ('02 - '07), X3 (till '09), X5 (till 12/'06)	all	27205	
Chevrolet	Aveo, Captiva, Cruze, Evanda, Lacetti, Leganza, Nubira (KLAN), Rezzo, Tacuma	all	24157/24012	2
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
	Crossfire	all	27179	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27215/27216	3
	C1	all	27221	
Dacia	Sandero, Logan	all	27179/27221	3
Daihatsu	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	all	24157/24012	2; 3
Fiat	500, Abarth, Barchetta, Brava, Bravo, Coupé, Croma, Idea, Marea, Multipla, Musa, Palio, Punto, Stilo, Strada, Tempra, Tipo, Uno (flexible Washer)	all	27562	5
	Croma (194), Grande Punto (199), Sedici	all	27179/27221	3
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2
	Galaxy (till '05)	all	27205	
Honda	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2
Jaguar	F-Type, S-Type, X-Type	all	24157/24012	2
Jeep	Compass, Patriot	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Momo/Xtra

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2
	Rio (till '01)	all	27179	
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27169/27215	5
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, SC430	all	24195/24012	2
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27015/27179	3
	A-Class (from '05) (, B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27205/27181	3
Mini	Mini Cabriolet (R50) (till 03/'06), Mini Cooper (R50) (till 08/'06), Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	27221	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226	
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27221/27015	3
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27215	
	107	all	27179	
Renault	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27015/27221	3
	Avantime, Espace, Laguna (B56, T), Safrane, Scénic, Vel Satis	all	27181/27205	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Momo/Xtra

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Saab	9.3, 9.5 (till '09)	all	27015/27221	3
	9.5 (from '10)	all	24214/24019	2
Seat	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5 hole wheels)	all	27222/27181	3
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27179	
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27222	
	Favorit, Felicia, Forman, Pick Up (all models with 4-hole-wheels)	all	27179/27221	3
Subaru	BRZ, Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	27179	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Ignis (MH), Swift (MZ), SX4, Wagon R	all	27179/27221	3
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
	Aygo	all	27179	
Vauxhall - Opel	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27015/27221	3
	Antara, Astra (from '09), Sintra	all	24157/24012	2
Volkswagen	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran(all models with 5-hole-wheels)	all	27222	
	Corrado, Golf, Jetta, Lupo, Passat, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	27179/27221	3
Volvo	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	24157/24012	2
	S80, V70, XC70, XC90	all	27000/27222	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Oxigin/Carmani

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 145, 146, 147 GT, 155, 156, 164, 166, Giulietta, GT, Mito, Spider	all	27169/27216	3
Audi	80, 90 (89, Q, B4), 100, 200 (44, Q, C4), A1, A2 (15" + 16" wheels), A3, A4, A5, A6, A7, A8, Cabrio, Q3, Q5, SQ5, S2, S4, S6, S8, V8, TT, TT Roadster	all	27181/27222	3
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179/27221	3
Chevrolet	Aranos, Cielo, Espero, Lanos, Leganza (till '99), Nexia, Nubira (till '99)	all	27179	
	Evanda, Kalos, Korrande, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Rezzo	all	24157/24012	2
Chrysler	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10Vison, Voyager	all	24157/24012	2
	Crossfire	all	27179	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27216	3
Dacia	Lodgy, Logan, Sandero	all	27179	
Daihatsu	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	all	24157/24012	2
Fiat	Croma (from '05), Grande Punto, Sedici	all	27179	
	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27169/27216	3
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2
	Galaxy (till '05)	all	27222/27205	3
	Galaxy (from '06)	all	24214/24019	2
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Insight, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Oxigin/Carmani

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24195/24012	2
Mazda	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX5, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27179/27221	3
	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27181/27222	3
Mini	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27179	
	Cabriolet (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226/27229	3
Mitsubishi	Celeste, Colt, Cordia, ESI-R, Galant, Grandis, I-car, Lancer, Laser, Mirage, Outlander, Precis, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceWagon, Starion, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27179	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27169/27215	3
Renault	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27179/27221	3
	Avantime, Espace, Laguna (B56, T), Safrane, Scénic, Vel Satis	all	27222	
Seat	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5 hole wheels)	all	27181/27222	3
	Arosa Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4 hole wheels)	all	27179/27221	3
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27222/27181	3
Subaru	BRZ, Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Oxigin/Carmani

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Suzuki	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Kizashi, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Splash, Sprint, Swift (from '90), Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	all	24152/24013	2
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24157/24012	2
Vauxhall - Opel	Adam, Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27179/27204/ 27221	3
	Antara, Astra (from '09), Sintra, Zafari Tourer	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Scirocco (all models with 4-hole-wheels)	all	27181/27222/ 27205	3
	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran (all models with 5-hole-wheels)	all	27205/27222	3
Volvo	C30, C70, S40, V40, V90	all	24157/24012	2
	S80, V70, XC60, XC70, XC90	all	27000/27205	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 145, 146, 147 GT, 155, 156, 164, 166, Giulietta, GT, Mito, Spider	all	27169/27215	
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	28032/27205/ 27222	3
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27179/27226	3
	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179/27204/ 27221	3
Chevrolet	Corvette, Epica (Klal) Kalos (Klas), Lacetti (Klan), Leganza (Klav, Supv), Nubira (KLAN) (from '00), Tacuma (Klau)	all	24157/24012	2
	Espero, Lanos (Klat, Supt), Nexia (Kletn), Nubira (till '99)	all	27179/27207	
	Lanos, Nubira	all	27221	
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
	Crossfire	all	28026/28176	3
		except: Galileo III 9 1/2x19	28038/27014	3
		Superleggera III 9x19	28023/27112	3
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27180/ 27216	3; 5
	C1	all	27179/27221	3
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Terios, YRV	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Fiat	Barchetta	all	27169/27215	5
	Brava (182), Bravo (182), Coupé (FA,175), Croma, Idea, Marea (185), Palio Weekend (178), Punto (176, 188)	all except: (7x15) W0162605161	27170/27216 27169	5
	Grande Punto (199), Sedici (FY)	all	27179	
	Idea (350), Panda (169), Stilo (192)	all	27180	
	Multipla (186)	all except: (7x15) W0162605161	27169 27170	
	Ulysse II	all	27181	
	Croma (194)	all except: (8x18) W0174320751	27204	
	500, Abarth	all	27562/27216	3
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2
	S-Max	all	24214/24019	2
	Street-Ka	all	27204	
	Galaxy (WGR)	all	28025	
	Mustang	all	24130/24138	5
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Insight, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2
Jaguar	F-Type, S-Type, XJ, XJR, X-Type	all	24157/24012	2
	XK8, XKR	all	24193/24010	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Lancia	Dedra, Delta, Flavia, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27562/27216	3
Land Rover	Evoque, Range Rover	all	24214/25110	2; 3
Lexus	ES300, GS300, GS430, GS450h, IS, IS200, IS300, LS400, LS430, RX, RX300, SC300, SC400, SC430	all	24195/24012	2
Mazda	121 (DB from '91), 323, 626, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	28176/24157	3
	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R172), SLK (R172). Viano, Vito (639)	all	28032/28025 radius 27015/27013 taper	3 3
Mini	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	27179/27204	3
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226/27229	3
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27179	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 M16, 405 SRI, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27170/27169	3
Renault	Avantime, Espace, Laguna	all	27181	
	Clio, Espace, Grand Scénic II, Laguna (B56, G, K56), Mégane, Modus, Safrane, Scénic	all	27207/27179	5
Seat	Alhambra	all	28025/27183	3
	Altea, Leon (1P)	all	28032/27205	3
	Arosa, Cordoba (6K), Ibiza (6/K), Inca, Toledo (1L) (all models with 4-hole-wheels)	all	27179	
	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27222	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27222	
	Favorit, Felicia (791, 795, 797), Forman, Pick Up (all models with 4-hole-wheels)	all	27179	
	Octavia (1Z), Superb	all	28032/27205	3
Smart	Forfour	all	24157/24012	2
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
	Justy GX3	all	27179	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Ignis (MH), Swift (MZ), SX4	all	27179	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
	Aygo	all	27179	
Vauxhall - Opel	Antara, Astra (from '09), Sintra, Zafari Tourer	all	24157/24012	2
	Adam, Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27179/27204/27221	3
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran (all models with 5-hole-wheels)	all	27222/28032	3
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Scirocco (all models with 4-hole-wheels)	all	27179/27221	3
Volvo	S80 (T), S60, V70 (S), S70 (S), XC60, XC70, XC90	all	27222/27000	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Rial

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 145, 146, 147 GT, 155, 156, 164, 166, Giulietta, GT, Mito, Spider	all	27215/27216	5
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27181/28018	3
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27221	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
	7 series ('02 - '07), X3 (till '09), X5 (till 12/'06)	all	27205	
Chevrolet	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	27221	
	Captiva (KLAC), Epica, Evanda, Kalos (KLAS), Korrando, Lacetti, Leganza, Musso, Nubira (from '00), Rezzo	all	24157/24012	2; 3
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2; 3
	Crossfire	all	27179	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27215	5
	C1	all	27221	
	Evasion, Jumpy	all	27181	
Dacia	Dokker, Duster, Lodgy, Logan, Sandero	all	27221	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Terios, YRV	all	24157/24012	2; 4
Fiat	Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27169/27215	5
	Croma (194), Punto (199), Sedici	all	27221	
	500, Fiorino, Idea, Stilo	all	27170/27216	
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2; 4
	Galaxy (till '05)	all	27181	
	Galaxy (from '06), S-Max	all	24214/24019	3
	Ka (from '09)	all	27215/27170	3
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Insight, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2; 4

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Rial

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2; 4
Jaguar	F-Type, S-Type, XJ, X-Type	all	24157/24012	2; 4
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2; 4
	Rio (till '01)	all	27221	
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27169/27215	5
	300C	all	24214/24019	3
Land Rover	Evoque, Freelander II, Range Rover	all	24214/24019	2
	Freelander I	all	24157/24012	2
Lexus	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	24157/24012	2; 4
Mazda	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24157/24012	2; 4
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414))	all	27179	
	A-Class (from '05), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	cone seat	27181	
		radius seat	28018	
Mini	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27221	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226/27229	3
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24157/24012	2; 4
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27221	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Rial

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRI, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27169/27215	5
	107	all	27221	
Porsche	Cayenne	all	28032	
Renault	Avantime, Espace, Laguna (B56, T), Safrane, Scénic, Vel Satis	all	27181	
	Clio, Espace, Grand Scénic II, Laguna (B56, G, K56), Mégane, Modus, Safrane, Scénic	all	27221	
Rover	25, 45, 200-series, 400-series, MG-ZR, MG-ZS	all	24157/24012	2; 4
	75, MG ZT	all	27181	
Saab	900, 9.3, 9.5 (till '09)	all	27221	
	9.5 (from '10)	all	24214/24019	2
Seat	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27181/28018	3
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27179	
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27181/28018	3
Smart	Forfour	all	24157/24012	2; 4
	Fortwo, Roadster	all	28028	
Subaru	BRZ, Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
	Justy G3X	all	27221	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Ignis (MH), Swift (MZ)	all	27221	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24157/24012	2; 4
	Aygo	all	27221	
Vauxhall - Opel	Antara, Astra (from '09), Sintra, Zafari Tourer	all	24157/24012	2
	Adam, Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27221/27015	3
	Insignia	all	24019	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Rial

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Volkswagen	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran (all models with 5-hole-wheels)	all	27181/28018	3
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Scirocco(all models with 4-hole-wheels)	all	27179	
	Touareg, T5	all	28032	
Volvo	C70 (from '06), S80, S40, V40, V50,	all	24157/24012	2; 4
	S60, S80, V70, XC70	all	27181	
	C70 (till '05), XC60, XC90	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 145, 146, 147 GT, 155, 156, 164, 166, Giulietta, GT, Mito, Spider	all	27169/27185	3; 5
	159, Brera (939), Spider (939)	all	27181/27184	3; 5
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27184/27000/ 28018	3; 5
	Q7	all	28032/28044	3
BMW	1-series (till '10), 3-series (E36, E46, E90)	all except: 38R6755.111a13 39R6755.111a13 41R6755.111a13 42R6755.111a13 47R8805.111a13	27221/27015/ 28026 28038 28038 28038 28038 28038	3
	5-series (till '09), 6-series (till '10), 7-series (7/G), Z3, Z4	all except: 42R6705.111 48R8855.311a17	28026/28027 27179	
	7-series (E65)	all except: 38R77805.111a10	28043/28032 28042	5
	X3 (till '09), X5 (till 12/'06)	all	28025/28020	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226	
	Chevrolet	Aveo, Captiva, Cruze, Evanda, Lacetti, Leganza, Nubira (KLAN), Rezzo, Tacuma	all	24157/24012
	Aranos, Espero, K55, Kalos (KLAN), Lanos (KLAT, SUPT), Nexia, Nubira (SUPJ, UU6J)	all	27179	
	Matiz	all	24154/24013	5
Chrysler	300C	all	24214/24018	2; 5
	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012/ 25000	5; 3
	Crossfire	all	28028/28172	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27180/27169/ 27185	3; 5
	C1	all	27221	
	C-Crosser, C4 Aircross	all	24157	
Dacia	Dokker, Duster, Lodgy, Logan, Sandero	all	27179/27221	3
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Terios, YRV	all	24157/24012	2
Dodge	Caliber	all	24157/24012	2
Fiat	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27169/27180/ 27185	3; 5
	Ducato (M14)	all	27184/27000	
	Croma, Grande Punto (199)	all	27204	
	Doblo	all	27180/27185	
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	24157/24012	2
	Galaxy (till '05)	all	28032/28044	3
		except:		
		285.705.072	27181	
		287.855.072	27181	
		42R6755.372	27205	
		42R7705.372	27205	
		42R7805.372	27205	
44R6655.072	28020			
47R8805.272	28018			
Galaxy (from '06), S-Max	all	24214/24019		
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Insight, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2
Jaguar	F-Type, S-Type, XJ, X-Type	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Ronald

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Jeep	Grand Cherokee, Nitro	all	24138/24010	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2
	Rio (till '01)	all	27179	
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27169/27180/ 27185/27215	3; 5
	Phedra, Zeta	all	27183/27209	3
Land Rover	Freelander I	all	24157/24012	2
	Discovery, Evoque, Freelander II, Range Rover	all	24214/24019	2
Lexus	GS300, GS430, GSH450H, IS200, IS220, IS250, IS300, LS400, LS430, RX300, RX350, RX400, SC430	all	24195/24012	2
Mazda	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	28028/28172	3
	A-Class (from '05), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), Viano, Vito (639)	all	28018/27181	3
Mini	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27221	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226	
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Kubistar, Micra (K12), Note (till 07/'13)	all	27179	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRI, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27180/27185/ 27169	3
	107	all	27179	
	806, 807	all	27183/27209	3
	4007	all	24157/24012	2
Porsche	Cayenne	all	28032/28044	3
Renault	Avantime, Espace, Laguna (B56, T), Safrane, Scénic, Vel Satis	all	27181/27184	3
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27221/27015	3
Rover	25, 45, 200, 400, MG-ZR, MG-ZS	all	24157/24012	2
	74, MG-ZT	all	27184/28018	3
Saab	900 S/SE (from 07/'93), 9.3, 9.5 (till '09)	all	27179/27221	3
Seat	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27184/28018/ 27000	3
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	27179/27015	3
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27184/28018/ 27000	3
	Favorit, Felicia, Forman, Pick Up (from 01/'93)	all	27179/27015	3
Subaru	BRZ, Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
	Justy G3X	all	27179	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Ignis (MH), Splash, Swift (MZ), SX-4, Wagon R (MM)	all	27179	
Toyota	Auris, Avensis, Celica	all	24195/24012/ 25000	2; 3
	Aygo	all	27179	
	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Ronald

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Vauxhall - Opel	Adam, Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27179/27221	3
	Antara, Astra (from '09), Sintra, Zafari Tourer	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Corrado VR6, Eos, Golf III Gti, Golf III VR6, Golf IV, Golf V, Golf VI, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran	all	28018/27000/ 27181	3
	T4, Touareg	all	28032/28044/ 27181	3
	Corrado, Golf I, Golf II, Golf III, Jetta, Lupo, Passat, Polo, Scirocco (6N, 6KV) (all models with 4-hole-wheels)	all	27179/27015/ 28028	
Volvo	C30, C70 (M), S40 (V, M), S90, V50	all	24157/24012	2
	C70 (till 12/'05), C80, S60, S80, V70 (from '00), XC60, XC70, XC90	all	27000	
	850	all	27186	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	33, 145, 146, 147 GT, 155, 156, 164, 166, Giulietta, GT, Mito, Spider	all	27170	
	159, Brera, Spider (from '06)	all	27222	
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27181	
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179	
	7 series (from '02), X3, X5 (till 12/'06)	all	27222	
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226	
Chrysler	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
	Crossfire	all	27181	
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27170/27169	3
	C-Crosser, C4 Aircross	all	24195/24012	2
	C1	all	27204	
Dacia	Dokker, Duster, Logan, Sandero	all	27207	
Daewoo	Evanda, Kalos, Lacetti, Leganza, Magnus, Nubira (from '03), Rezzo, Tacuma	all	24195/24012	2
	Nubira (till '02)	all	27207	
	Nubira (from '03), Rezzo, Tacuma	all	24195/24012	2
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Terios, YRV	all	24157/24012	2
Fiat	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27170	
	Croma (from '05), Grande Punto (199)	all	27179	
Ford	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Windstar	all	24157/24012	2
	Galaxy (till '05)	all	27181	
	Galaxy (from '06)	all	24211	
	Ka (from '09)	all	27170	
Honda	Acclaim, Accord (from '82), Aerodeck, Balleade, City, Civic (from '82), Concerto, CR-V, CRX, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24195/24012	2
Jaguar	F-Type, S-Type, X-Type, XJ, XKR	all	24157/24012	2
Jeep	Cherokee, Grand Cherokee, Wrangler	all	24193	
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24195/24012	2
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27170	
Land Rover	Freelander I	all	24157/24012	2
	Discovery, Evoque, Freelander II, Range Rover	all	24214/24019	2
Lexus	all models	all	24195/24012	2
Mazda	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (W168), CLK (208, 209), SLK, 190, Vaneo	all	27179	
	A-Class (from '05) (W169), B-Class (T245, 246), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27222/27184	3
MG Rover	MGF, MG-TF, 25, 45, 1300, 200, 400, 800	all	24157/24012	2
Mini	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27179	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226	
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27207	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27170	
	107	all	27179	
	608	all	24195/24012	2
Renault	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27207	
	Espace	all	27184	
	Trafic	all	27000	
Saab	9.3, 9.5 (till '09), 900 S	all	27179	
Seat	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4 hole wheels)	all	27204	
	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5 hole wheels)	all	27222	
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27222	
Smart	Fortwo	all	28028	
	Forfour	all	24195	
Subaru	Brat, BRZ, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24012	
	Justy G3X	all	27204	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Ignis (from '05), Swift (from '05), Splash	all	27204	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
Vauxhall - Opel	Antara, Astra (from '09), Sintra, Zafari Tourer	all	24157/24012	2
	Adam, Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27179	
	Insignia	all	24019	
Volkswagen	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Scirocco (4-hole-wheels)	all	27204	
	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Tiguan, Touran (5-hole-wheels)	all	27181/27222	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Volvo	C30, C70 (from '06), S90, V90	all	24157/24012	2
	S70, V70, XC60, XC70, XC90	all	27000	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Tomason

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27181/27222/ 27205	3
BMW	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229	3
	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27221/27015	3
Chrysler	Crossfire	all	27179	
	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	24157/24012	2
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27215	3
Dacia	Dokker, Lodgy, Logan, Sandero	all	27179	
Daewoo Chevrolet	Aranos, Cielo, Espero, Lanos, Leganza (till '99), Nexia, Nubira (till '99), Prince, Tico	all	27179	
	Evanda, Kalos, Korrandoo, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Rezzo	all	24157/24012	2
Fiat	Grande Punto	all	27179	
	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempra, Tipo, Uno	all	27169/27216	3
Ford	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta/GFJ, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	24157/24012	2
	Galaxy (till '05)	all	27000/27205	3
	Galaxy (from '06), S-Max	all	24214/24019	2
Honda	Acclaim, Accord (from '82), Aerodeck, Ballade, City, Civic (from '82), Concerto, CR-V, CRX, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24195/24137/ 24012	2, 3
Jaguar	E-Type, F-Type, S-Type, X-Type	all	24157/24012	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24195/24012	2
Land Rover	Freelander I	all	24157/24012	3
	Evoque, Freelander II, Range Rover	all	24214/24019	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Tomason

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Mazda	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27179/27204	3
	A-Class (from '05) , B-Class (T245), C-Class (S204 from 04/'07), CLC, CLS (C219), E-Class (from '02) (W211/S211, W212), E- Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27181/27205	3
Mini	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	27179	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226/27229	3
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Note (from 08/'13), Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2
	Micra (K12), Note (till 07/'13)	all	27179	
	Primastar	all	27222	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 208, 208 GTi, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRI, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27215/27169	3
Renault	Avantime, Laguna (from 04/'08), Vel Satis,	all	27222	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27179/27221	3
	Espace, Grand Espace	all	27222	
Seat	Alhambra, Altea, Cordoba, Exeo, Ibiza, León, Toledo	all	27181/27205	3
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti	all	27181/27222/ 27205	
Subaru	BRZ, Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	24152/24013	2
	Justy G3X	all	27179	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

Tomason

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
	Ignis (from '05), Swift (from '05)	all	27179	
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2
Vauxhall - Opel	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27179/27204	3
	Antara, Astra (from '09), Sintra, Zafari Tourer	all	24157/24012	2
	Insignia	all	24019	
Volkswagen	Bora, Caddy, Corrado VR6, Eos, Golf III Gti, Golf III VR6, Golf IV, Golf V, Golf VI, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran (all models with 5-hole-wheels)	all	27222/27181	3
	Corrado, Golf I, Golf II, Golf III, Jetta, Lupo, Passat, Polo (6N, 6KV), Scirocco (all models with 4-hole-wheels)	all	27179	
Volvo	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	24157/24012	2
	C70 (from '00 till 12/'05), C80, S60, S80, V70 (from '00), XC60, XC70, XC90	all	27205/27181	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

TSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Alfa Romeo	145,146,147,155,156,164,166, Cross Wagon, Giulietta, GT, Mito, Spider (till '05), Sport Wagon, Sprint	all	27169/27216	3
Audi	100, 200, A1, A2, A3, A4, A5, A6, A7, A8, Q3, Q5, SQ5, TT	all	27205/27222	3
BMW	1 series (till '10), 3 series (till '11), 5 series (till '09), 6 series (till '10), 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	27179/27015	3
	1 series (from '11), 2 series, 3 series (from '12), 3 series-GT, 4 series, 5 series-GT, 5 series (from '10), 6 series (from '11), i3, i8, X3 (from '10), X5 (from 01/'07), X6, 7 series (from 10/'08)	all	27226/27229/ 27230	3
Chevrolet	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (SUPJ, UU6J), Sertio	all	27179	
	Aveo, Captiva, Cruze, Evanda, Lacetti, Leganza, Nubira (KLAN), Rezzo, Tacuma	all	24157/24012	2
Chrysler	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10Vison, Voyager	all	24157/24012	2
Citroën	AX, Berlingo, BX, C2, C3, C4, C5, C6, DS3, DS4, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	27169/27215	5
	Evasion	all	27184	
Daewoo	see Chevrolet			
Daihatsu	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Trevis, X-over, YRV	all	24157/24012	2
Fiat	500, Abarth, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Tempura, Tipo, Uno	all	27169/27215	5
	Ulysse	all	27184	
Ford	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta/GFJ, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	24157/24012	2
	Galaxy (till '05)	all	27205	
Honda	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Insight, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	24157/24012	2
Hyundai	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Genesis, Getz, Grandeur, H1-Starex, i10, i20, i30, i40, iX20, iX35, iX55, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	24157/24012	2
Jaguar	F-Type, S-Type, X-Type	all	24157/24012	2
Kia	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Optima, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	all	24157/24012	2
Lancia	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	27169/27215	5
	Zeta	all	27184	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

TSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Lexus	IS200, IS300, LS200, LS400	all	24195/24012	2
Mazda	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	24195/24012	2
Mercedes-Benz	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	27179	
	A-Class (from '05), B-Class (T245), C-Class (S204 from 04/'07), CLC, CLS (C219), E-Class (from '02) (W211/S211, W212), E- Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), SLK (R172), Viano, Vito (639)	all	27181	
Mini	Mini Cabriolet (R50) (till 03/'06), Mini Cooper (R50) (till 08/'06), Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	27179	
	Cabrio (R50 from 04/'06), Countryman, Coupe, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), Paceman, Roadster, SAV	all	27226/27229/ 27230	3
Mitsubishi	ASX, Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	24195/24012	2; 3
Nissan	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Cube, Juke, Maxima, Murano, Navara, Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai (till 11/'13), Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	24154/24013	2; 3
	Micra (K12)	all	27207	
Peugeot	106, 205, 205 GTi, 206, 206+, 207, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405 MI16, 405 SRI, 406, 506, 508, 605, 607, 3008, 5008, RCZ	all	27216/27215	3
	806	all	27184	
Proton	300, 400, 415, 416, Persona	all	24157/24012	2
Renault	Avantime, Espace, Laguna, Safrane, Vel Satis	all	27184	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Laguna ('05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	27207/27179	5
Rover	25, 45, 200, 400, 600, X20, X30	all	24157/24012	2
	75, X10	all	27184	
Saab	900, 9.3, 9.5 (till '09)	all	27179	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle

TSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
Seat	Alhambra	all	27205	
	Arosa, Cordoba, Ibiza, Inca, Toledo (all models with 4-hole-wheels)	all	27179	
	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	27184	
	Ibiza (021A), Malaga (PCD 4 x 98), Ronda	all	27169	
Skoda	Fabia, Roomster, Octavia, Superb, Praktik, Yeti (all models with 5-hole-wheels)	all	27184	
	Favorit, Felicia, Forman, Pickup (all models with 4-hole-wheels)	all	27179	
Suzuki	Alto, Baleno, Grand Vitara, Ignis (MH), Jimny, Kizashi, Liana, Swift (EA, MA), Wagon R+ (EM)	all	24152/24013	2
Toyota	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, GT68, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	24195/24012	2; 3
Vauxhall - Opel	Agila (till '03)	all	24154/24013	2
	Antara, Astra (from '09), Sintra	all	24157/24012	2
	Ascona C, Astra (till '08), Calibra, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	27204/27179	3
Volkswagen	Bora, Caddy, Corrado VR6, Eos, Golf III Gti, Golf III VR6, Golf IV, Golf V, Golf VI, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran (all models with 5-hole-wheels)	all	27184	
	Caddy, Corrado, Golf I/II/III, Jetta, Lupo, Passat, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	27179	
	Passat 3B, Sharan, T4	all	27205	
Volvo	850, 940, C70, S60, S80, V70, V90, XC60, XC90	all	27000	
	S40, V40	all	24157/24012	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

* PCD wheel locks with a flexible cone seat for reduction of the hole circle



McGard Deutschland GmbH

Nordstraße 12

D-74226 Nordheim

Telephone: +49 (0)7133 9019-0

Telefax: +49 (0)7133 9019-32

www.mcgard.de

e-mail: info@mcgard.de

The details and pictures in this catalogue are without obligation and represent our knowledge at the time of printing. The products listed in this catalogue are subject to change until the time of purchase. "McGard" and "Tough Nuts" are registered trademarks of McGard. All other brand or product names are trademarks or registered trademarks of the respective holders.

Disclaimer: McGard reserves the right to make changes or improvements on any item without incurring any obligation, and to discontinue or change styles or specifications at any time without notice.

© 2014 McGard. All rights reserved. Printed in Germany.

McGard products are manufactured in Germany and/or the U.S.A. This catalogue is recyclable.

Form number 095005F